

FIBROMYALGIA RELIEF- bryonia alba root - causticum - loeselia mexicana whole - magnesium phosphate - pulsatilla vulgaris - toxicodendron pubescens leaf - valerian tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Fibromyalgia Relief® Fast Dissolving Tablets

Bryonia HPUS 6C, 12C, 18C
Causticum HPUS 6C, 12C, 18C
Hoitzia HPUS 6C, 12C, 18C
Magnesia phosphorica HPUS 6C,12C,18C
Pulsatilla HPUS 6C,12C,18C
Rhus tox HPUS 6C,12C,18C
Valeriana officinalis HPUS 6C,12C,18C

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Bryonia HPUS.....Difficulty moving, Stiff joints, acute soreness
Causticum HPUS.....Muscle and nerve soreness
Hoitzia HPUS.....Chronic discomfort, fatigue
Magnesia phosphorica HPUS ...Cramping, Fatigue
Pulsatilla HPUSMigrating soreness
Rhus tox HPUS.....Soft tissue discomfort
Valeriana officinalis HPUS.....Sleeplessness, Irritable bowels

Uses

• According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Muscle soreness • Fatigue • Nerve / soft tissue tenderness • Multiple tender points; after serious causes have been ruled out by a physician. * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

Directions

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.

- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone.
- Individual results may vary. May take up to 60 days to see results.

Other information

- Store at room temperature 15 ° to 30 ° C (59 ° to 86 ° F). • Keep bottle tightly closed.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

Do not use if tamper evident seal is torn, broken or missing.

Stop use

Stop use and ask a doctor if:

Symptoms persist for more than 7 days or worsen.

Warnings

• A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

Questions or Comments?

Questions or Comments? 888-969-6855 www.thereliefproducts.com

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

TRP
The Relief Products™

Fibromyalgia Relief®

Gluten Free

NDC # 17312-171-14

TRP
The Relief Products™

Fibromyalgia Relief®

Fast Dissolving Tablets™

Temporarily Relieves:

- Muscle soreness
- Nerve/soft tissue tenderness
- Multiple tender points

Stay Healthy, Naturally.®
100% Natural Active Ingredients

MADE IN THE USA

HOMEOPATHIC
70 Tablets

Also try our Award Winning **PinkEye Relief®**, **Stye Relief®** and **Ring Relief®**. All are Women's Most Recommended® products in their category.

2014 - 2018
WOMEN'S CHOICE AWARD™
AMERICA'S MOST RECOMMENDED

Fibromyalgia Relief®

MEDICINA HOMEOPÁTICA
FAST DISSOLVING TABLETS™

Alivio temporal de:

- Dolor muscular
- Sensibilidad en tejido blando / nervios
- Múltiples puntos neurálgicos

Drug Facts are in Spanish on the interior of this carton. Encontrará la información en español sobre este medicamento al interior de la caja.

© 2018 All rights reserved to TRP Company, Inc. Manufactured exclusively for TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502
Questions or Comments? 888-969-6855
www.thereliefproducts.com

TRP Fibromyalgia Relief
The Relief Products™

Gluten Free

TRP Fibromyalgia Relief
The Relief Products™

Drug Facts

Active ingredients
Bryonia HPUS 6C, 12C, 18C.....Difficulty moving, Stiff joints, acute soreness
Causticum HPUS 6C, 12C, 18C....Muscle and nerve soreness
Hoffmannia HPUS 6C, 12C, 18C....Chronic discomfort, fatigue
Magnesia phosphorica HPUS 6C, 12C, 18C....Cramping, Fatigue
Pulsatilla HPUS 6C, 12C, 18C.....Migrating soreness
Rhus tox HPUS 6C, 12C, 18C.....Soft tissue discomfort
Valeriana officinalis HPUS 6C, 12C, 18C....Sleeplessness, Irritable bowels

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Muscle soreness • Fatigue • Nerve/ soft tissue tenderness • Multiple tender points; after serious causes have been ruled out by a physician.
- * These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

• A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. • This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use.

• Keep out of reach of children. • In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if:** • Symptoms persist for more than 7 days or worsen.

Directions

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.

Drug Facts (continued)

- Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary. May take up to 60 days to see results.

Other information

- Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

Inactive ingredients

Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose.

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

PLEASE RECYCLE
RECYCLABLE

NDC #17312-171-14

Stay Healthy, Naturally.®

HOMEOPATHIC 100% Natural Active Ingredients

Fibromyalgia Relief®

Fast Dissolving Tablets™

Temporarily Relieves: • Muscle soreness • Nerve / soft tissue tenderness • Multiple tender points

MADE IN THE USA

70 Tablets

Active ingredients
Bryonia HPUS 6C, 12C, 18C; Causticum HPUS 6C, 12C, 18C; Hoffmannia HPUS 6C, 12C, 18C; Magnesia phosphorica HPUS 6C, 12C, 18C; Pulsatilla HPUS 6C, 12C, 18C; Rhus tox HPUS 6C, 12C, 18C; Valeriana officinalis HPUS 6C, 12C, 18C.

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Directions

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Homeopathic remedies may not be effective for everyone. • Individual results may vary. May take up to 60 days to see results.

Inactive ingredients
Advantol® 300, Lactose, Magnesium stearate, Mannitol, Microcrystalline cellulose

Other information

- Refer to outer carton for complete information. • Store at room temperature 15° to 30° C (59° to 86° F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving Tablets™ are homeopathic dilutions, for details see www.thereliefproducts.com.

© 2018 All rights reserved to TRP Company, Inc. Manufactured exclusively for TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502
Questions or Comments? www.thereliefproducts.com 888-969-6855

Do not use if tamper evident seal is torn, broken or missing.

NO VARNISH

FIBROMYALGIA RELIEF

bryonia alba root - causticum - loeselia mexicana whole - magnesium phosphate - pulsatilla vulgaris - toxicodendron pubescens leaf - valerian tablet, orally disintegrating

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-171
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LOESELIA MEXICANA WHOLE (UNII: XA8YCV5M3E) (LOESELIA MEXICANA WHOLE - UNII:XA8YCV5M3E)	LOESELIA MEXICANA WHOLE	6 [hp_C]
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_C]
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	6 [hp_C]
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_C]
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	6 [hp_C]
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics			
Color	white	Score	no score
Shape	DIAMOND	Size	10mm
Flavor		Imprint Code	TRP
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-171-14	1 in 1 PACKAGE	05/28/2020	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/28/2020	

