#### FIBROMYALGIA RELIEF- bryonia alba root - causticum - loeselia mexicana whole - magnesium phosphate - pulsatilla vulgaris - toxicodendron pubescens leaf - valerian tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Fibromyalgia Relief® Fast Dissolving Tablets

Bryonia HPUS 6C, 12C, 18C Causticum HPUS 6C, 12C, 18C Hoitzia HPUS 6C, 12C, 18C Magnesia phosphorica HPUS 6C,12C,18C Pulsatilla HPUS 6C,12C,18C Rhus tox HPUS 6C,12C,18C Valeriana officinalis HPUS 6C,12C,18C

HPUS indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Bryonia HPUS	Difficulty moving, Stiff joints, acute soreness	
Causticum HPUS	Muscle and nerve soreness	
Hoitzia HPUS	Chronic discomfort, fatigue	
Magnesia phosphorica HPUSCramping, Fatigue		
Pulsatilla HPUS	Migrating soreness	
Rhus tox HPUS	Soft tissue discomfort	
Valeriana officinalis HPUS	Sleeplessness, Irritable bowels	

#### Uses

 According to homeopathic indications these ingredients provide temporary relief from symptoms such as:
Muscle soreness
Fatigue
Nerve / soft tissue tenderness
Multiple tender points; after serious causes have been ruled out by a physician.
These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

#### Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

#### Directions

- Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.

- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking. Homeopathic remedies may not be effective for everyone.
- Individual results may vary. May take up to 60 days to see results.

#### Other information

• Store at room temperature 15 ° to 30 ° C (59 ° to 86 ° F). • Keep bottle tightly closed.

• Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Fibromyalgia Relief® Fast Dissolving TabletsTM are homeopathic dilutions, for details see www.thereliefproducts.com.

#### **Inactive Ingredients**

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

#### Do not use if tamper evident seal is torn, broken or missing.

Do not use if tamper evident seal is torn, broken or missing.

#### Stop use

#### Stop use and ask a doctor if:

Symptoms persist for more than 7 days or worsen.

#### Warnings

### • A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

#### **Questions or Comments?**

Questions or Comments? 888-969-6855 www.thereliefproducts.com

**Principal Display Panel** 



Directions Subability and children 2 years and over. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Fake 1 tablet 3 times a day or as directed by a physician. • Use up to 5 times a days a reset • Sissolve entire tablet under tongue. • Do not chew or swallow whole. • Fake 1 tablet 3 times a days or as directed by a physician. • Use up to 5 times a days a reset • Sissolve entire tablet U of mixtures before or at least 10 minutes aber eating or chinking. Children under the age of 2: Consulta a physician before use Consult a physician before use.

Do not use if tamper evident seal is torn, broken or missing.

#### FIBROMYALGIA RELIEF

(PF) HOMEOPATHIC

FAST DISSOLVING TABLETS

70 Tablets

bryonia alba root - causticum - loeselia mexicana whole - magnesium phosphate - pulsatilla vulgaris - toxicodendron pubescens leaf - valerian tablet, orally disintegrating

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-171	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	<b>Basis of Strength</b>	Strength			
<b>LOESELIA MEXICANA WHOLE</b> (UNII: XA8YCV5M3E) (LOESELIA MEXICANA WHOLE - UNII: XA8YCV5M3E)	LOESELIA MEXICANA WHOLE	6 [hp_C]			
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_C]			
CAUSTICUM (UNII: DD5F01WKFU) (CAUSTICUM - UNII:DD5F01WKFU)	CAUSTICUM	6 [hp_C]			
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	6 [hp_C]			
<b>PULSATILLA VULGARIS</b> (UNII: 176KB35JEV) (PULSATILLA VULGARIS - UNII:176KB35JEV)	PULSATILLA VULGARIS	6 [hp_C]			
TOXICODENDRON PUBESCENS LEAF (UNII: 6I0182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6I0182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_C]			

#### **Inactive Ingredients**

Ingredient Name	Strength
MANNITOL (UNII: 30WL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPOVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

## Product CharacteristicsColorwhiteScoreno scoreShapeDIAMONDSize10mmFlavorIonImprint CodeTRPContainsIsolationImprint CodeImprint Code

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-171- 14	1 in 1 PACKAGE	05/28/2020	
1		70 in 1 BOTTLE; Type 0: Not a Combination Product		

# Marketing InformationMarketing CategoryApplication Number or Monograph<br/>CitationMarketing Start<br/>DateMarketing End<br/>Dateunapproved<br/>homeopathicO5/28/2020O5/28/2020

Revised: 4/2024

**TRP** Company