

# **MAJOR TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b sulfat ointment**

**Major Pharmaceuticals**

-----  
**Major Triple Antibiotic Ointment**

## **Active Ingredient**

Bacitracin Zinc 400 Units

## **Purpose**

First Aid Antibiotic

## **Active ingredient**

Neomycin 3.5 mg

## **Purpose**

First Aid Antibiotic

## **Active Ingredient**

Polymyxin B Sulfate 5000 Units

## **Purpose**

First Aid Antibiotic

## **Uses**

First Aid to help prevent infection in

- minor cuts
- scrapes
- burns

## **Warnings**

**For External Use Only.**

**Ask Doctor before use if you have**

deep or puncture wounds

animal bites

serious burns

### **Do Not Use**

- in eyes
- over large areas of the body
- if you are allergic to any of the ingredients

### **Stop Use and Ask Doctor if**

- If you need to use longer than 1 week
- The condition persists or gets worse
- A rash or allergic reaction develops

### **Directions**

- Clean the affected area
- Apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

### **Inactive Ingredients**

mineral oil and white petrolatum

### **Questions**

Call 1-800-616-2471

### **Storage Information**

Avoid excessive heat and humidity

Store at room temperature 15° to 30°C (59° to 86°F).

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Other Information**

Tamper evident. Do not use if packet is torn, cut or opened.

Distributed By:

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive  
 Suite 233  
 Livonia, MI 48152  
 Product of USA

# OUTSIDE BOX



# INNER TUBE

**MAJOR**<sup>®</sup>  
Original Strength

NDC 0904-8805-31  
Compare to the active ingredients in  
Neosporin<sup>®</sup> Original Triple  
Antibiotic Ointment\*

**Triple Antibiotic Ointment**

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate

**First Aid Antibiotic**

Helps prevent infection in minor cuts,  
scrapes, and burns




NET WT 1 OZ (28 g)

**Active ingredients (each gram contains)**  
Bacitracin Zinc 400 units ..... First aid antibiotic  
Neomycin Sulfate 3.5 mg ..... First aid antibiotic  
Polymyxin B Sulfate 5,000 units ..... First aid antibiotic  
Use: First aid to help prevent infection in minor:  
• Cuts • Scrapes • Burns  
**Warnings:** For external use only.  
Do not use: • In the eyes • On large areas of the body  
• If you are allergic to any of the ingredients  
Ask a doctor before use if you have: • Deep or puncture wounds  
• Animal bites • Serious burns  
Stop use and ask a doctor if: • Condition persists or gets worse  
Keep out of reach of children. (090488-041)  
MAJOR<sup>®</sup> PHARMACEUTICALS www.majorpharmaceuticals.com  
Indianapolis, IN 46260

**Purpose(s)**  
• You need to use longer than 1 week  
• A rash or other allergic reaction develops  
Keep out of the reach of children. If needed, get medical help  
or contact a Poison Control Center (1-800-235-0222) immediately.  
**Directions:**  
• Clean the affected area and dry thoroughly.  
• Apply a small amount of this product (an amount equal to the  
surface area of the tip of a finger) on the area 1 to 3 times daily.  
• May be covered with a sterile bandage.  
Other information: Store at 20° to 25°C (68° to 77°F).  
**Active ingredients:** L-lysine, mineral oil, white petrolatum.  
**Questions?** Call 1-800-391-0887  
\*Compare to the active ingredients in Neosporin<sup>®</sup> Original Triple  
Antibiotic Ointment. See the Neosporin<sup>®</sup> Original Triple  
Antibiotic Ointment package insert.  
Rev. 03/24 MA 167 Re-order No. 701959

**Packaging**

OUTER BOX



INNER PACKET



# MAJOR TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b sulfat ointment

## Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:0904-8805

**Route of Administration** TOPICAL

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength            |
|--|-------------------|---------------------|
| <b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)        | NEOMYCIN          | 3.5 mg in 1 g       |
| <b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)       | BACITRACIN        | 400 [USP'U] in 1 g  |
| <b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K) | POLYMYXIN B       | 5000 [USP'U] in 1 g |

### Inactive Ingredients

| Ingredient Name                       | Strength |
|---------------------------------------|----------|
| <b>MINERAL OIL</b> (UNII: T5L8T28FGP) |          |
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)  |          |

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0904-8805-67 | 144 in 1 CARTON                                      | 05/29/2020           |                    |
| 1 |                  | 0.9 g in 1 PACKET; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:0904-8805-31 | 1 in 1 BOX   | 08/20/2024           |                    |
| 2 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product    |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M004                                     | 04/20/2020           |                    |

**Labeler** - Major Pharmaceuticals (191427277)

**Registrant** - Trifecta Pharmaceuticals USA LLC (079424163)

Revised: 9/2024

Major Pharmaceuticals