

**ERBORIAN CC RED CORRECT COLOR CORRECTING SPF 25- octinoxate, octisalate, titanium dioxide, zinc oxide cream**  
**LABORATOIRES M&L**

-----  
**ERBORIAN CC Red Correct Color Correcting Cream SPF 25**

***Drug Facts***

***Active ingredients***

Octinoxate 6.00%  
Octisalate 2.00%  
Titanium dioxide 2.34%  
Zinc oxide 3.84%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. –2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: ask a doctor

### ***Other information***

- Protect the product in this container from excessive heat and direct sun

### ***Inactive ingredients***

AQUA/WATER - CYCLOMETHICONE - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - CI 77891/TITANIUM DIOXIDE - C12-15 ALKYL BENZOATE - DIMETHICONE - VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - MAGNESIUM SULFATE - BUTYLENE GLYCOL - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - ALUMINUM HYDROXIDE - TRIHYDROXYSTEARIN - PHENOXYETHANOL - MICA - METHICONE - PALMITIC ACID - STEARIC ACID - ETHYLHEXYLGLYCERIN - TOCOPHERYL ACETATE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - TRIETHOXYCAPRYLYLSILANE - PARFUM/FRAGRANCE - HEXYL CINNAMAL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANIOL - EUGENOL - LIMONENE - CI 77492/IRON OXIDES - CI 77288/CHROMIUM OXIDE GREENS - CI 77491/ IRON OXIDES - CI 77499/IRON OXIDES

### ***Questions or comments?***

Call toll free 1-866-464-3358

**Package Labeling: 1.5 mL**




FRONT



BACK

## Package Labeling: 5 mL





## Package Labeling: 15 mL

HERE'S YOUR SKIN, BE PROUD OF IT.



### Drug Facts

Active ingredients	Purpose
Octinoxate 6.00%.....	Sunscreen
Octisalate 2.00%.....	Sunscreen
Titanium dioxide 2.34%.....	Sunscreen
Zinc oxide 3.84%.....	Sunscreen

### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

### Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. -2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: ask a doctor

### Other information

- Protect the product in this container from excessive heat and direct sun ▶

### Drug Facts (continued)

#### Inactive ingredients

AQUA/WATER - CYCLOMETHICONE - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - CI 77891/TITANIUM DIOXIDE - C12-15ALKYL BENZOATE - DIMETHICONE - VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSS-POLYMER - DISTEARDIMONIUM HECTORITE - MAGNESIUM SULFATE - BUTYLENE GLYCOL - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER-ALUMINUM HYDROXIDE - TRIHYDROXYSTEARIN - PHENOXETHANOL - MICA - METHICONE - PALMITIC ACID - STEARIC ACID - ETHYLHEXYLGLYCERIN - TOCOPHERYL ACETATE - POLYESTER-1 - SILICA DIMETHYL SILYLATE - TRIETHOXYCAPRYLSILANE PARFUM/FRAGRANCE - HEXYL CINNAMAL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANIOL - EUGENOL - LIMONENE - CI 77492/IRON OXIDES - CI 77288/CHROMIUM OXIDE GREENS - CI 77491/IRON OXIDES - CI 77499/IRON OXIDES

#### Questions or comments?

Call toll free  
1-866-464-3358

www.erborian.com  
Made in South Korea  
Mfd for M&L  
04100 Manosque - France



**erborian**  
KOREAN SKIN THERAPY

## CC RED CORRECT

COLOR-CORRECTING CREAM  
NEUTRALIZES REDNESS  
SOOTHES

BUILDABLE COVERAGE  
EVEN SKIN TONE

BROAD SPECTRUM  
SPF 25 SUNSCREEN

WITH  
CENTELLA ASIATICA

CC RED CORRECT is the right blend of color & care to leave a natural-looking finish.

#### REDNESS CORRECTOR BUILDABLE COVERAGE

Instantly helps to:

- Neutralize the appearance of redness.
- Revive radiance.
- Visibly blur.

#### A TRUE SOOTHING FORMULA WITH SPF 25 SUN PROTECTION

- Helps to reduce the appearance of redness.
- Soothes & hydrates skin.
- Effective protection from UV rays.

[Apply and massage over the skin to release the encapsulated pigments.] Tested under dermatological supervision. Non-comedogenic.



15 ML - NET WT. 0.5 OZ.



## Package Labeling: 45 mL

HERE'S YOUR SKIN, BEPROUD OF IT.

**erborian**  
KOREAN SKIN THERAPY

### Drug Facts

**Active ingredients Purpose**

Octinoxate 6.00%.....Sunscreen  
Octisalate 2.00%.....Sunscreen  
Titanium dioxide 2.34% Sunscreen  
Zinc oxide 3.84%.....Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** ■ rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center

### Drug Facts (continued)

**Inactive ingredients**

AQUA/WATER - CYCLOMETHICONE - DIPROPYLENE GLYCOL - GLYCERIN - PEG-10 DIMETHICONE - METHYL TRIMETHICONE - CI 77891/TITANIUM DIOXIDE - C12-15 ALKYL BENZOATE - DIMETHICONE - VINYL DIMETHICONE/ METHICONE - SILSESQUOXANE CROSSPOLYMER - DISTEARDIMONIUM HECTORITE - MAGNESIUM SULFATE - BUTYLENE GLYCOL - CENTELLA ASIATICA EXTRACT - TALC - DIMETHICONE/ VINYL DIMETHICONE CROSSPOLYMER- ALUMINUM HYDROXIDE - TRIHYDROXY- STEARIN - PHENOXYETHANOL - MICA - METHICONE - PALMITIC ACID - STEARIC ACID - ETHYLHEXYLGLYCERIN - TOCOPHERYL ACETATE - POLY- ESTER-1 - SILICA DIMETHYL SILYLATE- TRIETHOXYCAPRYLSILANE - PARFUM/ FRAGRANCE - HEXYL CINNAMAL - ALPHA-ISOMETHYL IONONE - LINALOOL - CITRONELLOL - GERANIOL - EUGENOL - LIMONENE - CI 77492/ IRON OXIDES - CI 77288/CHROMIUM OXIDE GREENS - CI 77491/IRON OXIDES - CI 77288/IRON OXIDES

## CC RED CORRECT

COLOR-CORRECTING CREAM  
NEUTRALIZES REDNESS  
SOOTHES

BUILDABLE COVERAGE  
EVEN SKIN TONE

BROAD SPECTRUM  
SPF 25 SUNSCREEN

WITH  
**CENTELLA ASIATICA**

Thanks to its green transformative texture, CC RED CORRECT is the right blend of **color & care** to neutralize and reduce the appearance of redness and leave a natural-looking skin finish.

**REDNESS CORRECTOR  
BUILDABLE COVERAGE**

Thanks to our Korean technology of encapsulated pigments that adapt to the skin tone for a more even complexion.

Instantly helps to:

- Neutralize the appearance of redness.
- Revive radiance.
- Visibly blur.

**A TRUE SOOTHING FORMULA  
WITH SPF 25 SUN PROTECTION**

With our Korean super ingredient CENTELLA ASIATICA





## ERBORIAN CC RED CORRECT COLOR CORRECTING SPF 25

octinoxate, octisalate, titanium dioxide, zinc oxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-953
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	23.4 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	38.4 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>MAGNESIUM SULFATE</b> (UNII: DE08037SAB)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>CENTELLA ASIATICA TRITERPENOIDS</b> (UNII: 4YS74Q4G4J)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>CITRONELLOL</b> (UNII: P01OUT964K)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>CHROMIC OXIDE</b> (UNII: X5Z09SU859)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-953-01	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	09/01/2025	
2	NDC:10345-953-05	1 in 1 BOX	09/01/2025	
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:10345-953-15	1 in 1 BOX	09/01/2025	
3		15 mL in 1 TUBE; Type 0: Not a Combination		

3		Product		
4	NDC:10345-953-45	1 in 1 BOX	09/01/2025	
4		45 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	09/01/2025	

**Labeler** - LABORATOIRES M&L (262533623)

**Registrant** - LABORATOIRES M&L (262533623)