

**GENESIS 110 SPRA- iodine liquid
IBA**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Genesis 110 SPRAY

ACTIVE INGREDIENTS:

Iodine..... 1.00%

(Provides A Full 1% Available Iodine As Used)

INERT INGREDIENTS:

Glycerine 10.00%
Other Inerts..... 89.00%

(Includes Buffering Agents, Stabilizing Agents and Surfactants)

TOTAL: 100.00%

pH of 5.5 at the time of manufacture

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION

KEEP OUT OF REACH OF CHILDREN

CAUTION

AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY

RECOMMENDED PROCEDURES FOR TEAT SANITATION:

A. PRE-MILKING (PRE-DIPPING)

1. Remove visible soils from the teats.

2. Observe formilk by stripping two or three streams of milk into a strip cup.
 3. Dip or spray the cow's teats full length with **Genesis 110 "SPRAY"** Teat Dip.
 4. Wait approximately 30 seconds.
 5. Remove all teat dip by thoroughly drying the teats and teat orifices and udder (if foaming or spraying) with a clean, single service paper towels(s).
 6. Attach milking unit.
- B. POST-MILKING (POST-DIPPING)
1. Immediately after milking, dip or spray all teats full length with **Genesis 110 "SPRAY"** Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED OR SPRAYED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

Genesis 110 Spray



GENESIS 110 "SPRAY" SANITIZING TEAT DIP

A Highly Effective Pre-Milking And Post-Milking Iodine Teat Dip With 10% Glycerine

Contains Superior Levels of Free Iodine for Fast Kill of Mastitis Causing Organisms

All Raw Materials Contained in This Product are NPE (Nonylphenol Ethoxylate) Free

Developed Especially for Use on Organic Dairy Farms or Where NPE Free Teat Dips Are Required

ACTIVE INGREDIENT:

Iodine..... 1.00%
(Provides A Full 1% Available Iodine As Used)

INERT INGREDIENTS:

Glycerine..... 10.00%
Other Inerts..... 89.00%

(Includes Buffering Agents, Stabilizing Agents and Surfactants)
TOTAL:..... 100.00%

pH of 5.5 at time of manufacture

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.


FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

**ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION
FOR MEDICAL EMERGENCIES CALL 1-800-424-9300**



RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

1. Remove visible soils from the teats.
2. Observe foremilk by stripping two or three streams of milk into a strip cup.
3. Dip, spray or foam the cow's teats full length with **GENESIS 110 "SPRAY" TEAT DIP.**
4. Wait approximately 30 seconds.
5. Remove all teat dip by thoroughly drying the teats, teat orifices and udder (if foaming or spraying) with a clean, single service paper towel(s).
6. Attach milking unit.

B. POST-MILKING (POST-DIPPING)

Immediately after milking, dip or spray all teats full length with **GENESIS 110 "SPRAY" TEAT DIP.** Ensure good coverage of all sides of the teats and teat orifices.

WARNING

DO NOT DILUTE THIS PRODUCT.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.

ENSURE THAT DIPPED OR SPRAYED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE: LOT NO.: NET CONTENTS: 15 GALLONS IBA STOCK # 260817 321W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

GENESIS 110 SPRA

iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1063
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	iodine	1.0 kg in 100 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1063-9	1040.99 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
2	NDC:29983-1063-8	216.25 kg in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/01/2016	

Labeler - IBA (019494160)

Registrant - IBA (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack