

NITROUS OXIDE- nitrous oxide gas
NEXAIR, LLC

nitrous oxide

UN1070

NITROUS OXIDE, USP

DO NOT REMOVE THIS LABEL.

DANGER! MAY CAUSE OR INTENSIFY FIRE OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.

Do not handle until all safety precautions have been read and understood. Keep/Store away from combustible materials, clothing. Keep reduction valves/valves and fittings free from oil and grease. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. Wear protective gloves/protective clothing/eye protection/face protection. IN CASE OF FIRE: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. WARNING: The administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx ONLY.

IN CASE OF EMERGENCY: CALL 1-888-639-2474 CAS: 10024-97-2

nexAir

Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104



UN2201

NITROUS OXIDE, REFRIGERAED LIQUID USP

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE-FIT CONNECTIONS

DANGER!

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

IN CASE OF EMERGENCY: CALL 1-888-639-2474

CAS: 10024-97-2

Do not handle until all safety precautions have been read and understood. Keep/Store away from combustible materials, clothing. Keep reduction valves/valves and fittings free from oil and grease. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. IN CASE OF FIRE: Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do NOT change or force fit connections. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

WARNING: The administration of Nitrous Oxide may be hazardous or contraindicated.

For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. Rx ONLY

nexAir

Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104

UN2201

NITROUS OXIDE, REFRIGERATED LIQUID USP




↑ ALWAYS KEEP CONTAINER
IN UPRIGHT POSITION ↑

DO NOT CHANGE OR
FORCE-FIT CONNECTIONS

DANGER!

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS REFRIGERATED GAS; MAY
CAUSE CRYOGENIC BURNS OR INJURY.
MAY CAUSE DROWSINESS OR DIZZINESS.
MAY DISPLACE OXYGEN AND CAUSE RAPID
SUFFOCATION.
COMBUSTIBLES IN CONTACT WITH
OXIDIZING REFRIGERATED LIQUIDS MAY
EXPLODE ON IGNITION OR IMPACT.

IN CASE OF EMERGENCY: CALL 1-888-639-2474
CAS: 10024-97-2



Do not handle until all safety precautions have been read and understood. Keep/Store away from combustible materials, clothing. Keep reduction valves/valves and fittings free from oil and grease. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves/face shield/eye protection. **IN CASE OF FIRE:** Stop leak if safe to do so. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Contact supplier for any special requirements. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do NOT change or force fit connections. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

WARNING: The administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **Rx ONLY.**

MDB-0016-NXA (Rev. 01)
DO NOT REMOVE THIS LABEL.
Distributed by nexAir, LLC, 1350 Concourse Ave., Suite 103, Memphis, TN 38104

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:12213-593
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:12213-593-13	986 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
2	NDC:12213-593-58	1577 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
3	NDC:12213-593-11	4928 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
4	NDC:12213-593-37	7885 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
5	NDC:12213-593-12	13798 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
6	NDC:12213-593-28	99647 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
7	NDC:12213-593-14	1628 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
8	NDC:12213-593-15	2468 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
9	NDC:12213-593-16	14328 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
10	NDC:12213-593-17	13818 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
11	NDC:12213-593-18	4936 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
12	NDC:12213-593-19	15818.5 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
13	NDC:12213-593-20	17798 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
14	NDC:12213-593-21	4063 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
15	NDC:12213-593-22	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
16	NDC:12213-593-23	408 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
17	NDC:12213-593-24	180 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	
18	NDC:12213-593-25	113 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206009	06/01/1996	

Labeler - NEXAIR, LLC (927024422)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-593)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		927024422	manufacture(12213-593)

Establishment

Name	Address	ID/FEI	Business Operations
Nexair, LLC		969017086	manufacture(12213-593)

Revised: 10/2025

NEXAIR, LLC