

LIDOCAINE 4% TOPICAL ANESTHETIC CREAM- lidocaine 4% cream cream
Mohnark Pharmaceuticals Inc.

Lidocaine 4% Topical Anesthetic Cream with Vit E

Active Ingredients

Lidocaine 4% w/w

Purpose

Topical Anesthetic

Uses temporarily relieves pain and itching due to:

- minor cuts
- minor scrapes
 - sunburn
 - minor skin irritations
 - minor burns
 - insect bites

Warnings

For external use only

When using this product

- do not use in or near the eyes
- do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away

Directions

- Adults and children 2 years and older: apply externally to the affected area up to 3-4 times a day.
- Children under 2 years of age: consult a doctor

Other information

- Store at USP controlled room temperature 20-25 °C (68-77 °F).

Inactive ingredients

benzyl alcohol, cabomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, trolamine, water

Dosage

40 milligrams/gram per application

Usage

- Adults and children 2 years and older: apply externally to the affected area up to 3-4 times a day.
- Children under 2 years of age: consult a doctor

Package Label

Proof 5-1-20
4/c



Drug Facts

Active Ingredients **Purpose**
Lidocaine 4% w/w...Local anesthetic

Uses temporarily relieves pain and itching due to:
• minor cuts • minor scrapes
• sunburn • minor skin irritations
• minor burns • insect bites

Warnings

For external use only.

When using this product

• do not use in or near the eyes
• do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

• allergic reaction occurs
• condition worsens or does not improve within 7 days
• symptoms clear up and return within a few days
• redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Adults and children 2 years and older: apply externally to the affected area up to 3-4 times a day.
• Children under 2 years of age: consult a doctor.

Other information

• Store at USP controlled room temperature 20-25°C (68-77°F).

Inactive ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, trolamine, water.

Lidocaine 4%
Topical Anesthetic Cream


MADE IN USA

Topical Anesthetic Cream
Lidocaine 4%

Lidocaine 4%
Topical Anesthetic Cream



Manufactured by:
Mohnark Pharmaceuticals, Inc.
Davie, Florida 33314 USA
Questions or comments?
Toll free: 1-866-611-5206



NET WT. 30 g



C34641

LIDOCAINE 4% TOPICAL ANESTHETIC CREAM

lidocaine 4% cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73715-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4.27 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	2 g in 100 g
WATER (UNII: 059QF0KO0R)	80.48 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73715-001-01	30 g in 1 TUBE; Type 0: Not a Combination Product	06/15/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/15/2020	

Labeler - Mohnark Pharmaceuticals Inc. (117013830)

Establishment

Name	Address	ID/FEI	Business Operations
Mohnark Pharmaceuticals Inc.		119340988	manufacture(73715-001)

Revised: 7/2025

Mohnark Pharmaceuticals Inc.