

BOSLEY WOMAN 2 MINOXIDIL TOPICAL SOLUTION- minoxidil solution
Scientific Hair Research, LLC

BOSLEY Woman 2% Minoxidil Topical Solution

Drug Facts

Active Ingredient

Minoxidil 2% w/v

Purpose

Hair regrowth treatment

Use

to regrow hair on the scalp

Warnings

For external use only

Flammable:Keep away from fire or flame

Do not use if:

- your degree of hair loss is more than that shown on the side of this carton. Minoxidil topical solution 2% may not work.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies on and children
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have

heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with

large amounts of cool tap water

- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- **apply one mL with dropper 2 times a day** directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton, It contains important information.
- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth, 33% had minimal regrowth). • **store at controlled room temperature 20° to 25°C (68° to 77°F).**

Inactive ingredients

Alcohol, Propylene Glycol, Purified Water

Questions or comments?

Call toll-free **1-800-BOSLEY1**

- Visit Website at www.bosleymd.com

Package Labeling:

Drug Facts

Active Ingredient	Purpose
Minoxidil 2.0%w/v	Hair regrowth treatment

Use to regrow hair on the scalp

Warnings
For external use only.
Flammable: Keep away from fire or flame.
Do not use if: • your degree of hair loss is more than that shown on the side of this carton, Minoxidil topical solution 2% may not work. • you have no family history of hair loss • your hair loss is sudden and/or patchy • your hair loss is associated with childbirth • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp
Ask a doctor before use if you have heart disease
When using this product: • do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water • some people have experienced changes in hair color and/or texture • it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. • the amount of hair regrowth is different for each person. This product will not work for all women.
Stop use and ask a doctor if
• chest pain, rapid heartbeat, faintness, or dizziness occurs
• sudden, unexplained weight gain occurs
• your hands or feet swell
• scalp irritation or redness occurs
• unwanted facial hair growth occurs
• you do not see hair regrowth in 4 months
May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children. If swallowed, get medical help, or contact a Poison Control Center right away.

Directions - apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information • see hair loss pictures on side of this carton • before use, read all information on carton and enclosed leaflet • keep the carton. It contains important information. • In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth). • **store at controlled room temperature 20° to 25°C (68° to 77°F)**

Inactive ingredients Alcohol, Propylene Glycol, Purified Water

Questions or comments? Call toll-free 1-800-BOSLEY1
• Visit Website at www.bosleymd.com

WOMEN'S
BOSLEY
WOMAN

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT



This Package Contains
One 60 mL (2 fl oz) Bottle of
Women's BosleyWoman
(one-month supply).
With child-resistant dropper
applicator
Information leaflet with complete
directions on how to use and
obtain best results
(Read enclosed leaflet before use)

Made in USA
800-BOSLEY1 ©2023 Bosley, Inc. All rights reserved.
BosleyMD.com.
Manufactured for Scientific Hair Research LLC, Los
Angeles, CA 90056
BP-SF0063N UC-8WMD02-01
Rev. Date 10/13/23

WOMEN'S
BOSLEY
WOMAN

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

NDC XXXXX-XXX-XX

WOMEN'S
BOSLEY
WOMAN

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT



Reactivates Hair
Follicles To
Stimulate Regrowth

Clinically Proven to
Help Regrow Hair

Topical Solution
Unscented

One Month Supply
One 60mL (2 fl. oz.) Bottle

Lot No.
Expiration
Date

WOMEN'S
BOSLEY
WOMAN

2% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

Minoxidil Topical Solution 2% is for women who have a general thinning of hair on the top of the scalp as shown. Minoxidil Topical Solution 2% has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



VERTEX



VERTEX



VERTEX

If women have more hair loss than shown above, Minoxidil Topical Solution 2% may not work.



Do not use if you have patchy hair loss as shown above.
For Best Results:
Apply Directly to Scalp.
Use Twice Daily



8 15266 01442 1

NDC XXXXX-XXX-XX

BOSLEY
WOMAN
BOSLEY

Women's
**2% Minoxidil
Topical
Solution, USP**
Hair Regrowth
Treatment

Reactivates hair follicles
to stimulate growth
Clinically proven
to help regrow hair

TOPICAL SOLUTION
UNSCENTED

ONE MONTH SUPPLY
60 ML (2 FL. OZ.)

**Read and keep carton and leaflet for full
product information**

Active Ingredient Minoxidil 2% w/v

Warnings

For external use only.

Flammable: Keep away from fire or flame

Do not use if

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children,
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart
disease**

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water,
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

**May be harmful if used when pregnant or
breast-feeding.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **apply one mL 2 times a day** directly onto the scalp in the hair loss area
- **see carton and enclosed leaflet for complete directions**
- using more or more often will not improve results
- continued use is necessary, or hair loss will begin again

Other Information

Store at Controlled Room Temperature 20° to 25°C (68° to 77°F)

Inactive Ingredients alcohol, propylene glycol, purified water

Questions? Call toll-free phone number

1-800-BOSLEY1 or reach us online at www.bosleymd.com

**For Best Results: Apply Directly to Scalp
Twice Daily**

Made in USA

800.BOSLEY1 ©2023 Bosley, Inc. All rights reserved. BosleyMD.com.

Manufactured for Scientific Hair Research LLC, Los Angeles, CA 90066

BP-SGF0053N BWMD-01

Rev. Date 10/03/23

BOSLEY WOMAN 2 MINOXIDIL TOPICAL SOLUTION

minoxidil solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69113-432
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:69113-432			

1	NDC: 69113-432-00	1 in 1 BOX	11/03/2023	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA078176		11/03/2023	

Labeler - Scientific Hair Research, LLC (961897647)

Revised: 12/2023

Scientific Hair Research, LLC