

**SHISEIDO SHEER MATIFYING COMPACT (REFILL) I00- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) I20- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) I40- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) I60- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) B20- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) B40- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) B60- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O20- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O40- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O60- octinoxate and titanium dioxide powder**  
**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O80- octinoxate and titanium dioxide powder**  
**SHISEIDO CO., LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SHISEIDO**  
**Sheer Matifying Compact (Refill)**  
**SPF 22**

### ***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 17.5%	Sunscreen

### **Uses**

- helps prevent sunburn
- higher SPF gives more sunburn protection

### **Warnings**

**For external use only.**

### **When using this product**

- keep out of eyes. Rinse with water to remove.

### **Stop use and ask a doctor if**

- rash or irritation develops and lasts.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply evenly before sun exposure and as needed.
- children under 6 months of age: ask a doctor.

**Inactive ingredients**

TALC, SYNTHETIC FLUORPHLOGOPITE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, BARIUM SULFATE, DIPHENYLSILOXY PHENYL TRIMETHICONE, SILICA, METHYL METHACRYLATE CROSSPOLYMER, DIMETHYLENECYCLOHEXANE BIS-HYDROXYSTEARAMIDE, CETYL ETHYLHEXANOATE, DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE, CROSSPOLYMER, HEXAMETHYLENE BIS-HYDROXYSTEARAMIDE, DIISOSTEARYL MALATE, NYLON-12, PEG/PPG-36/41 DIMETHYL ETHER, POLYSILICONE-2, SORBITAN SESQUIISOSTEARATE, DIMETHICONE, ALUMINUM HYDROXIDE, ALUMINUM DISTEARATE, DIMETHICONE/METHICONE COPOLYMER, METHICONE, TOCOPHEROL, DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE, BHT, TETRADECENE, CHLORPHENESIN, ZINC OXIDE, IRON OXIDES, MICA

**Questions?**

**1-800-906-7503**

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO  
MADE IN JAPAN

**[www.shiseido.com](http://www.shiseido.com)**

**PRINCIPAL DISPLAY PANEL - 9.8 g Carton**

**SHISEIDO**

**I00**

Sheer Matifying  
Compact (Refill)  
Long-lasting,  
Oil-free Foundation

SPF 22  
sunscreen

9.8g NET WT. .34 OZ.



## SHISEIDO SHEER MATIFYING COMPACT (REFILL) 100

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-319
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:52685-319-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) I20

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-320
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-320-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) I40

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-321
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-321-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) I60

octinoxate and titanium dioxide powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-322
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-322-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) B20

octinoxate and titanium dioxide powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-323
---------------------	----------------	---------------------------	---------------

<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g	
	Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g	
<b>Packaging</b>				
#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52685-323-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH NOT FINAL	part352	02/01/2010		

<b>SHISEIDO SHEER MATIFYING COMPACT (REFILL) B40</b>				
octinoxate and titanium dioxide powder				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-324	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g	
	Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g	
<b>Packaging</b>				
#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52685-324-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC MONOGRAPH NOT FINAL	part352	02/01/2010		

**SHISEIDO SHEER MATIFYING COMPACT (REFILL) B60**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-325
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52685-325-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O20**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-326
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:52685-326-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) O40

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-327
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-327-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

## SHISEIDO SHEER MATIFYING COMPACT (REFILL) O60

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-328
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
Titanium dioxide (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-328-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

**SHISEIDO SHEER MATIFYING COMPACT (REFILL) O80**

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-329
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	382 mg in 9.8 g
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (Titanium - UNII:D1JT611TNE)	Titanium dioxide	1.715 g in 9.8 g

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-329-30	1 in 1 CARTON		
1		9.8 g in 1 TRAY		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	02/01/2010	

**Labeler** - SHISEIDO CO., LTD. (690536453)**Establishment**

Name	Address	ID/FEI	Business Operations
SHISEIDO CO., LTD.		690536453	MANUFACTURE