

LIDOCAINE 5% TOPICAL ANORECTAL CREAM- lidocaine 5% topical anorectal cream cream

Mohnark Pharmaceuticals Inc.

Lidocaine 5% Topical Anorectal Cream

Active Ingredients

Lidocaine 5% w/w

Purpose

Local Anesthetic

Uses

helps relieve pain, itching and burning associated with hemorrhoids and other anorectal disorders

Warnings

For external use only

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask doctor if

- rectal bleeding occurs
- condition worsens or does not improve within 7 days
- allergic reaction occurs
- symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
- symptoms clear up and return in a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.

- Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: consult a doctor.

Other information

- Store at USP controlled room temperature 20-25 °C (68-77 °F).

Inactive ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, trolamine, water.

Dosage

50 milligrams/gram per application

Usage

- Adults and children 2 years and older: apply externally to the affected area up to 3-4 times a day.
- Children under 2 years of age: consult a doctor

Package Label

Proof 5-1-20
4/c



Drug Facts

Active Ingredients **Purpose**
Lidocaine 5% w/w...Local anesthetic

Uses helps relieve pain, itching and burning associated with hemorrhoids and other anorectal disorders.

Warnings

For external use only.

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- rectal bleeding occurs
- condition worsens or does not improve within 7 days
- allergic reaction occurs
- symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
- symptoms clear up and return within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: consult a doctor.

Other information

• Store at USP controlled room temperature 20-25°C (68-77°F).

Inactive Ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, triethylamine, water.

Lidocaine 5%
Topical Anorectal Cream

MADE IN USA

Pain Relief for Hemorrhoids & other Anorectal Disorders

Lidocaine 5%
Topical Anorectal Cream

- ✓ Relieves Pain
- ✓ Relieves Itching
- ✓ Relieves Burning

NET WT. 30 g



Manufactured by:
Mohnark Pharmaceuticals, Inc.
Davie, Florida 33314 USA
Questions or comments?
Toll free: 1-866-611-5206



8 60002 32491 3

Lidocaine 5%
Topical Anorectal Cream



C52315

LIDOCAINE 5% TOPICAL ANORECTAL CREAM

lidocaine 5% topical anorectal cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73715-002
Route of Administration	TOPICAL, RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	2 g in 100 g
WATER (UNII: 059QF0KO0R)	80 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73715-002-01	30 g in 1 TUBE; Type 0: Not a Combination Product	06/15/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	06/15/2020	

Labeler - Mohnark Pharmaceuticals Inc. (117013830)

Revised: 5/2025

Mohnark Pharmaceuticals Inc.