

LIDOCAINE 5% TOPICAL ANORECTAL CREAM- lidocaine 5% topical anorectal cream cream

Mohnark Pharmaceuticals Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Lidocaine 5% Topical Anorectal Cream

Active Ingredients

Lidocaine 5% w/w

Purpose

Local Anesthetic

Uses

helps relieves pain, itching and burning associated with hemorrhoids and other anorectal disorders

Warnings

For external use only

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask doctor if

- rectal bleeding occurs
- condition worsens or does not improve within 7 days
- allergic reaction occurs
- symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
- symptoms clear up and return in a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: consult a doctor.

Other information

- Store at USP controlled room temperature 20-25 °C (68-77 °F).

Inactive ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, trolamine, water.

Dosage

50 milligrams/gram per application

Usage

- Adults and children 2 years and older: apply externally to the affected area up to 3-4 times a day.
- Children under 2 years of age: consult a doctor

Package Label

Proof 5-1-20
4/c



Drug Facts

Active Ingredients **Purpose**
Lidocaine 5% w/w...Local anesthetic

Uses helps relieve pain, itching and burning associated with hemorrhoids and other anorectal disorders.

Warnings

For external use only.

When using this product

- avoid contact with eyes
- do not exceed recommended dosage unless directed by a doctor
- do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- rectal bleeding occurs
- condition worsens or does not improve within 7 days
- allergic reaction occurs
- symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase
- symptoms clear up and return within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before applying.
- Adults and children 12 years and older: apply externally to the affected area up to 6 times a day.
- Children under 12 years of age: consult a doctor.

Other information

• Store at USP controlled room temperature 20-25°C (68-77°F).

Inactive Ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, triethylamine, water.

Lidocaine 5%
Topical Anorectal Cream

MADE IN USA

Pain Relief for Hemorrhoids & other Anorectal Disorders

Lidocaine 5%
Topical Anorectal Cream

- ✓ Relieves Pain
- ✓ Relieves Itching
- ✓ Relieves Burning

NET WT. 30 g

Lidocaine 5%
Topical Anorectal Cream



Manufactured by:
Mohnark Pharmaceuticals, Inc.
Davie, Florida 33314 USA
Questions or comments?
Toll free: 1-866-611-5206



C52315

LIDOCAINE 5% TOPICAL ANORECTAL CREAM

lidocaine 5% topical anorectal cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73715-002
Route of Administration	TOPICAL, RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5.25 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	2 g in 100 g
WATER (UNII: 059QF0KO0R)	80 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73715-002-01	30 g in 1 TUBE; Type 0: Not a Combination Product	06/15/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/15/2020	

Labeler - Mohnark Pharmaceuticals Inc. (117013830)

Revised: 10/2024

Mohnark Pharmaceuticals Inc.