MAXIMUM STRENGTH SINUS RELIEF DAY AND NIGHT SOFTGELS - 24 CT-acetaminophen, dextromethorphan hydrobromide, guaifenesin, doxylamine succinate, phenylephrine hydrochloride
Topco Associates LLC

MAXIMUM STRENGTH** Sinus Relief Day and Night SOFTGELS

Drug Facts

Active ingredients (in each softgel) DAY

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg Guaifenesin 200 mg Phenylephrine HCl 5 mg

Active ingredients (in each softgel) NIGHT

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg Doxylamine succinate 6.25 mg Phenylephrine HCl 5 mg

Purposes

Pain reliever

Cough suppressant Expectorant Nasal decongestant

Purposes

Pain reliever

Cough suppressant Antihistamine Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
- headachecough
- minor aches & painssinus congestion & pressure
- runny nose and sneezing (NIGHT only)
- temporarily promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive (**DAY only**)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 softgels in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using these products

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddeningblistersrash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
 heart disease
 diabetes
- high blood pressure
 thyroid disease
- trouble urinating due to an enlarged prostate gland
- glaucoma (NIGHT only)
- a breathing problem such as emphysema or chronic bronchitis (NIGHT only)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers (NIGHT only)

When using these products

- do not use more than directed
- excitability may occur, especially in children (NIGHT only)
- marked drowsiness may occur (NIGHT only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (NIGHT only)
- avoid alcoholic drinks (NIGHT only)
- be careful when driving a motor vehicle or operating machinery (NIGHT only)

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control

Center right away.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels in any 24-hour period
- adults and children 12 years of age and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use

Other information

- store at controlled room temperature between 20-25°C (68-77°F)
- protect from light, heat and moisture

Inactive ingredients (DAY only)

FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, sorbitol sorbitan solution, titanium dioxide

Inactive ingredients (NIGHT only)

D&C Yellow No.10, FD&C Blue No.1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

1-888-423-0139

TopCare_® health

COMPARE TO MUCINEX® SINUS-MAX® DAY ACTIVE INGREDIENTS*

COMPARE TO MUCINEX® SINUS-MAX® NIGHT ACTIVE INGREDIENTS*

MAXIMUM STRENGTH**

*These products are not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex® Sinus-Max® Day & Night Softgel

QUALITY GUARANTEED

This TopCare[®] product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

READ AND KEEP OUTER CARTON FOR COMPLETE PRODUCT WARNINGS AND INFORMATION

DISTRIBUTED BY TOPCO ASSOCIATES LLC ITASCA, IL 60143 ©TOPCO STVA0925 topcare@topco.com www.topcarebrand.com

PRODUCT OF INDIA


**Per 4-hour dose.

Do not take DAY & NIGHT softgels at the same time. Do not take more than a total of 12 softgels in a 24-hour period. Do not take the first dose of the NIGHT softgels sooner than 4 hours after the last dose of the DAY softgels unless directed by a doctor.

Take only as directed.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Packaging



MAXIMUM STRENGTH SINUS RELIEF DAY AND NIGHT SOFTGELS - 24 CT

acetaminophen, dextromethorphan hydrobromide, guaifenesin, doxylamine succinate, phenylephrine hydrochloride kit

Product Information

Product Type HUMAN OTC DRUG	Item Code (Source)	NDC:76162-679
-----------------------------	--------------------	---------------

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:76162-679- 24	1 in 1 CARTON; Type 0: Not a Combination Product	10/13/2025	

Quant	Quantity of Parts			
Part #	Package Quantity	Total Product Quantity		
Part 1	2 BLISTER PACK	16		
Part 2	2 BLISTER PACK	8		

Part 1 of 2

SINUS RELIEF DAY

acetaminophen, dextromethorphan hydrobromide, guaifenesin, phenylephrine hydrochloride capsule, liquid filled

NDC:76162-680
ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6092ICV9RU)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	A13
Contains			

Packaging				
# Item Package Description		Marketing Start Date	Marketing End Date	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	10/13/2025		

Part 2 of 2

SINUS RELIEF NIGHT

acetaminophen, dextromethorphan hydrobromide, doxylamine succinate, phenylephrine hydrochloride capsule, liquid filled

Product Information		
Item Code (Source)	NDC:76162-681	
Route of Administration	ORAL	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength

D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	green	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	A07
Contains			

ı	Packaging				
-	# Item		Package Description	Marketing Start Date	Marketing End Date
	1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	10/13/2025			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/13/2025	

Labeler - Topco Associates LLC (006935977)

Revised: 12/2025 Topco Associates LLC