

CVS PHARMACY GLYCERIN LAXATIVE- glycerin suppository
CVS Pharmacy

CVS Pharmacy® Glycerin Suppositories 100 ct

Active Ingredient

Active Ingredient (in each suppository)	Purpose
Glycerin, USP 2 grams	Laxative

Uses

relieves occasional constipation (irregularity)
generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

Ask a doctor before use if you have

- abdominal pain - nausea - vomiting - noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over by doctor	1 suppository per day or as directed
---	--------------------------------------

children 2 to under 6 years Suppositories	use CVS/pharmacy(TM) Child
--	----------------------------

children under 2 years	ask a doctor
------------------------	--------------

insert 1 suppository well up into the rectum and retain fo 15 minutes
it need not melt to produce laxative action

Other information

keep tightly closed - avoid excessive heat

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Product Label



Compare to active ingredient in Fleet® Glycerin Suppositories*

GLYCERIN SUPPOSITORIES LAXATIVE

For fast, gentle relief of occasional constipation

100 ADULT SUPPOSITORIES

Drug Facts	
Active ingredient (in each suppository) Glycerin, USP 2 grams	Purpose Laxative
Uses • relieves occasional constipation (irregularity) • generally produces bowel movement in ¼ to 1 hour	
Warnings For rectal use only Do not use laxative products for longer than 1 week unless directed by a doctor. Ask a doctor before use if you have • abdominal pain • nausea • vomiting • noticed a sudden change in bowel habits that lasts over 2 weeks. When using this product you may have rectal discomfort or a burning sensation. Stop use and ask a doctor if • you have rectal bleeding • you fail to have a bowel movement after use of a laxative These could be signs of a serious condition. If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	

Drug Facts (continued)	
Directions	
adults and children 6 years and over	1 suppository per day or as directed by a doctor
children 2 to under 6 years	use CVS/pharmacy™ Child Suppositories
children under 2 years	ask a doctor
<ul style="list-style-type: none"> • insert 1 suppository well up into the rectum and retain for 15 minutes • it need not melt to produce laxative action 	
Other information • keep tightly closed • avoid excessive heat	
Inactive ingredients purified water, sodium hydroxide, stearic acid	
*This CVS/pharmacy™ product is not manufactured or distributed by C.B.Fleet Co., Inc., owner of the registered trademark Fleet®.	
TAMPER EVIDENT. Do not use if inner seal imprinted "SEALED FOR YOUR PROTECTION" is broken or missing. 19-10102CVIC Rev. D0511	

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2013 CVS/Pharmacy
1-800-ahoc-CVS
Made in the U.S.A.
V-14825

CVS Quality Money Back Guarantee

200236



0 50428 6 1944 5

CVS PHARMACY GLYCERIN LAXATIVE

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-109
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white (CLEAR)	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-109-00	100 in 1 JAR; Type 0: Not a Combination Product	09/18/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/18/2014	

Labeler - CVS Pharmacy (062312574)

Registrant - Unipack LLC (009248480)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(59779-109)

Revised: 1/2026

CVS Pharmacy