

**CHILDRENS ACETAMINOPHEN- acetaminophen tablet, chewable  
ARMY AND AIR FORCE EXCHANGE SERVICE**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Exchange Select 44-450**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablet
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

### ***Inactive ingredients***

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

### ***Questions or comments?***

**1-800-426-9391**

## Primary Display Panel

exchange select™

Compare To The Active Ingredient of  
Children's Tylenol®†  
Ages 2-11

**Children's**

**ACETAMINOPHEN**

**160 mg, chewable tablets**

**Pain Reliever + Fever Reducer**

aspirin & ibuprofen free

Chew or crush tablets completely before swallowing.  
Do not swallow tablets whole.

**24** Chewable  
Tablets

**Bubblegum**  
FLAVOR

Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

†This product is not manufactured or  
distributed by Johnson & Johnson  
Corporation, owner of the registered  
trademark Children's Tylenol®.

50844 REV1018A45008

**"SATISFACTION GUARANTEED OR YOUR MONEY BACK"**

Manufactured For Your Military Exchanges  
Distributed by: LNK International, Inc.  
Hauppauge, NY 11788  
1-800-426-9391

no print / no varnish area  
lot no. & exp. date



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

B-0066E-450-08-R  
REV1018A45008

**Drug Facts**

**Active ingredient**  
(in each chewable tablet)  
Acetaminophen 160 mg ..... Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

**Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- skin rash
- blistering

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Drug Facts (continued)**

Ask a doctor before use if your child has liver disease. Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ this product does not contain directions or complete warnings for adult use

- do not give more than directed
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

**Drug Facts (continued)**

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

**Inactive ingredients** citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrose hydrate, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

**Questions or comments?** 1-800-426-9391

†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.  
50844 REV1018A45008  
SATISFACTION GUARANTEED OR YOUR MONEY BACK.  
Manufactured For Your Military Exchanges  
Distributed by: LNK International, Inc.  
Hempstead, NY 11788  
1-800-426-9391

exchange select<sup>™</sup>

Compare To The Active Ingredient of Children's Tylenol®† Ages 2-11

# Children's ACETAMINOPHEN

160 mg, chewable tablets  
Pain Reliever + Fever Reducer

aspirin & ibuprofen free

Chew or crush tablets completely before swallowing.  
Do not swallow tablets whole.

24 Chewable Tablets

Bubblegum FLAVOR

Actual Size

quality value

Exchange Select 44-450

## CHILDRENS ACETAMINOPHEN

acetaminophen tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:5530 1-450
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

**Inactive Ingredients**

Ingredient Name	Strength
CROSPROVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

**Product Characteristics**

Color	PINK	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	44;450
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-450-08	1 in 1 CARTON	02/25/2005	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	02/25/2005	

**Labeler** - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(55301-450)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(55301-450)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	PACK(5530 1-450)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		967626305	PACK(5530 1-450)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		868734088	PACK(5530 1-450)

Revised: 7/2019

ARMY AND AIR FORCE EXCHANGE SERVICE