

## **LEADER CHERRY SORE THROAT LOZENGES- benzocaine lozenge**

### **Cardinal Health**

-----  
**Benzocaine 15 mg**  
**Menthol 3.6 mg**

#### **Active ingredients (in each lozenge)**

Benzocaine 15 mg

Menthol 3.6 mg

#### **Purpose**

Oral anesthetic

Oral anesthetic

**Uses** temporarily relieves these symptoms:

- occasional minor irritation, pain, sore mouth and sore throat

#### **Warnings**

##### **Methemoglobinemia warning:**

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

**Allergy alert:** Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

#### **Do not use**

- for teething
- in children under 2 years of age

#### **Stop use and ask doctor if**

- sore throat is severe or irritation, pain or redness persists or worsens
- sore mouth symptoms do not improve in 7 days

**If pregnant of breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact Poison Control Center right away.

**Directions**

adults and children 5 years and older - allow 1 lozenge to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor

children under 5 years - do not use

**Other information**

- store at room temperature
- protect from moisture

**Inactive ingredients:** Corn starch, corn syrup, FD&C Red #40, glycerin, medium chain triglycerides, natural and artificial flavors, propylene glycol, soybean oil, sucrose and water.

**Questions?** Call **1-800-245-2898**. Monday through Friday, 9AM - 4PM EST

No Ink or Coating  
Lot/Exp Info

No Ink or Coating

No Ink or Coating

NDC 70000-0554-1

# Fast-Acting Sore Throat Lozenges

Benzocaine, 15 mg | Menthol, 3.6 mg  
Oral Anesthetic

Cherry  
Flavor

Temporary Relief of Minor  
Sore Throat Pain and Irritation

## 18 LOZENGES



Actual Size

COMPARE TO  
CEPACOL®  
active ingredients\*

100% Money Back Guarantee

# LEADER<sup>2</sup>

# LEADER<sup>2</sup>

## Fast-Acting Sore Throat Lozenges

Benzocaine, 15 mg | Menthol, 3.6 mg  
Oral Anesthetic

**Drug Facts (continued)**  
**Inactive ingredients** Corn starch, corn syrup, FD&C Red #40, glycerin, medium chain triglycerides, natural & artificial flavors, propylene glycol, soybean oil, sucrose and water.  
**Questions?** Call 1-800-245-2898, Monday through Friday, 9AM - 4PM EST.

**Drug Facts**  
**Active ingredients (in each lozenge)**  
Benzocaine 15 mg  
Menthol 3.6 mg  
Oral anesthetic

**Purpose**  
Temporarily relieves these symptoms:  
■ occasional minor irritation, pain, sore mouth and sore throat

**Warnings**  
**Methemoglobinemia warning:**  
Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:  
■ pale, gray, or blue colored skin (cyanosis)  
■ headache  
■ rapid heart rate  
■ shortness of breath  
■ dizziness or lightheadedness  
■ fatigue or lack of energy

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

**Allergy alert:** Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics.

**Do not use**  
■ for teething  
■ in children under 2 years of age

**Stop use and ask doctor if**  
■ sore throat is severe or irritation, pain or redness persists or worsens  
■ sore mouth symptoms do not improve in 7 days

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact Poison Control Center right away.

**Directions**  
adults and children  
allow 1 lozenge to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor  
children under 5 years  
do not use

**Other information**  
■ store at room temperature  
■ protect from moisture

PN-320293  
REV. 5/20  
CIN 5509169  
FPO  
0 96295 13965 5  
©2020 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health Logo, LEADER, and the Leader Logo are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.  
DISTRIBUTED BY CARDINAL HEALTH, DUBLIN, OHIO 43017  
www.myleader.com 1-800-200-6333

Gluten-Free

# LEADER CHERRY SORE THROAT LOZENGES

benzocaine lozenge

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0554
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	15 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3.6 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	17mm
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	B
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:70000-0554-1	18 in 1 BLISTER PACK; Type 0: Not a Combination Product	06/04/2020	



### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/04/2020	

**Labeler** - Cardinal Health (063997360)

**Registrant** - Bestco LLC (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
Bestco LLC		002149136	manufacture(70000-0554)