

**FOLIGAIN PROFESSIONAL SERIES EXTRA STRENGTH FOR WOMEN MINOXIDIL
TOPICAL HAIR REGROWTH TREATMENT- minoxidil solution
WR Group, Inc.**

**Foligain Professional Series Extra Strength for Women Minoxidil Topical
Solution USP 2% Hair Regrowth Treatment**

Drug Facts

Active ingredient

Minoxidil 2% w/v

Purpose

Hair regrowth treatment for women

Use

to regrow hair on the scalp. (see picture on side of carton)

Warnings

For external use only. For use by women only. Flammable:Keep away from fire or flame.

Do not use if you:

- have hair loss associated with childbirth.
- have hair loss other than that shown on the side of this carton, because this product may not work for you.
- have no family history of hair loss.
- have sudden and/or patchy hair loss.
- do not know the reason for your hair loss.
- are under 18 years of age.
- have a red, inflamed, infected, irritated or painful-feeling scalp.
- use other medicines on the scalp.

Ask a doctor before use

if you have heart disease.

When using this product

- do not apply on other parts of the body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.

- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if you experience:

- chest pain, rapid heartbeat, faintness, or dizziness.
- sudden, unexplained weight gain.
- swelling of the hands or feet.
- scalp irritation or redness.
- unwanted facial hair growth.
- no hair regrowth in 4 months.

May be harmful if used when pregnant or breastfeeding.

KEEP OUT OF REACH OF CHILDREN.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 1 mL with dropper two (2) times a day directly onto the scalp in the hair loss area.
- Using more product, or using product more often will not improve results.
- Continued use is necessary to increase and maintain your hair regrowth, or hair loss will begin again.

Other information

- See hair loss pictures on side of this carton.
- Before use, read all information on carton and enclosed leaflet.
- Keep the carton. It contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 2% minoxidil topical solution for women.
- In clinical studies of mostly white women aged 18-49 years with moderate degrees of hair loss, 2% minoxidil topical solution for women provided more hair regrowth than 2% minoxidil topical solution.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).

Inactive ingredients

Alcohol, Propylene Glycol, Purified Water.

Questions or comments?

- call us at +1 (844) 473-7279
- visit www.foligain.com

Package Labeling:

FOLIGAIN[®]
PROFESSIONAL SERIES

EXTRA STRENGTH FOR WOMEN

Minoxidil

TOPICAL SOLUTION USP, 2%

THREE MONTH SUPPLY

#1 DERMATOLOGIST RECOMMENDED ACTIVE INGREDIENT

FOLIGAIN[®]
PROFESSIONAL SERIES

EXTRA STRENGTH FOR WOMEN

Minoxidil

TOPICAL SOLUTION USP, 2%

HAIR REGROWTH TREATMENT

Clinically Proven to Help Regrow Hair

Reactivates Hair Follicles to Stimulate Growth

NDC XXXXX-XXX-XX

NOT TO BE USED BY MEN


THREE MONTH SUPPLY

UNSCENTED TOPICAL SOLUTION

THREE X 2 FL oz (60 mL) Bottles

HAIR REGROWTH TREATMENT

Women's FOLIGAIN[®] is for women who have experienced general thinning of hair on the top of their scalp as shown. Women's FOLIGAIN[®] has been shown to regrow women's hair with the following degrees of thinning hair or hair loss:




VERTEX

VERTEX

VERTEX

If women have more hair loss or hair loss in a place other than shown above, Women's FOLIGAIN[®] may not work. Do not use if you have patchy hair loss as shown below.



VERTEX

Drug Facts

Active ingredient
Minoxidil 2% w/v... Hair regrowth treatment for women

Purpose
Use to regrow hair on the scalp. (see picture on side of carton)

Warnings
For external use only. For use by women only. Flammable: Keep away from fire or flame.

Do not use if you:

- have hair loss associated with childbirth.
- have hair loss other than that shown on the side of this carton, because this product may not work for you.
- have no family history of hair loss.
- have sudden and/or patchy hair loss.
- do not know the reason for your hair loss.
- are under 18 years of age.
- have a red, inflamed, infected, irritated or painful-feeling scalp.
- use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if you experience:

- chest pain, rapid heartbeat, faintness, or dizziness.
- sudden, unexplained weight gain.

Drug Facts (continued)

- swelling of the hands or feet.
- scalp irritation or redness.
- unwanted facial hair growth.
- no hair regrowth in 4 months.

May be harmful if used when pregnant or breastfeeding. KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 1 mL with dropper two (2) times a day directly onto the scalp in the hair loss area.
- Using more product, or using product more often will not improve results.
- Continued use is necessary to increase and maintain your hair regrowth, or hair loss will begin again.

Other information

- See hair loss pictures on side of this carton.
- Before use, read all information on carton and enclosed leaflet.
- Keep the carton. It contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 2% minoxidil topical solution for women.
- In clinical studies of mostly white women aged 18-49 years with moderate degrees of hair loss, 2% minoxidil topical solution for women provided more hair regrowth than 2% minoxidil topical solution.
- Store at controlled room temperature 20° to 25°C (68° to 77°F).

Inactive ingredients
Alcohol, Propylene Glycol, Purified Water.

Questions or comments?

- call us at +1 (844) 473-7279
- visit www.foligain.com

FOLIGAIN[®]
PROFESSIONAL SERIES


EXTRA STRENGTH FOR WOMEN

Minoxidil

TOPICAL SOLUTION USP, 2%

EXTRA STRENGTH Hair Regrowth Treatment

This Package Contains:



- Three 2 fl oz (60 mL) Bottles of FOLIGAIN[®] Extra Strength 2% Minoxidil (three month supply)
- One child-resistant dropper applicator
- Information leaflet with complete directions on how to use and obtain best results. (Read enclosed leaflet before use.)

#16498 • C26

www.foligain.com

Manufactured for: FOLIGAIN[®] 2625 S. 16th Street, Phoenix, AZ 85034 USA

8 50080 51205 0

NDC XXXXX-XXX-XX

FOLIGAIN[®]
PROFESSIONAL SERIES

EXTRA STRENGTH FOR WOMEN

Minoxidil

TOPICAL SOLUTION USP, 2%

CLINICALLY PROVEN TO HELP REGROW HAIR

ONE MONTH SUPPLY

HAIR REGROWTH TREATMENT

TOPICAL SOLUTION UNSCENTED

2 FL oz (60 mL)

Active Ingredient
Minoxidil 2% w/v
Hair regrowth treatment for women.

Use to regrow hair on the scalp. (vertex only, see picture on side of carton)

Warnings
For external use only. For use by women only.

Flammable: Keep away from fire or flame.

Do not use if you:

- have hair loss associated with childbirth
- have hair loss other than that shown on the side of this carton, because this product may not work for you
- have no family history of hair loss
- have sudden and/or patchy hair loss
- do not know the reason for your hair loss
- are under 18 years of age
- have a red, inflamed, infected, irritated or painful-feeling scalp
- use other medicines on the scalp.

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture.

Stop use and ask a doctor if you experience

- chest pain, rapid heartbeat, faintness, or dizziness
- sudden, unexplained weight gain
- swelling of the hands or feet
- scalp irritation or redness
- unwanted facial hair growth
- no hair regrowth in 4 months.

#16498 • C26

May be harmful if used when pregnant or breastfeeding. KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply 1 mL two (2) times a day directly onto the scalp in the hair loss area
- See enclosed leaflet for complete directions for use
- Using more product, or using product more often will not improve results
- Continued use is necessary or hair loss will begin again.

Other information

- See hair loss pictures on side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep the carton. It contains important information
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 2% minoxidil topical solution for women
- In clinical studies of mostly white women aged 18-49 years with moderate degrees of hair loss, 2% minoxidil topical solution for women provided more hair regrowth than 2% minoxidil topical solution
- Store at controlled room temperature 20° to 25°C (68° to 77°F).

Inactive Ingredients
Alcohol, Propylene Glycol, Purified Water.

Questions or comments?

- call us at +1 (844) 473-7279
- visit www.foligain.com

Manufactured for FOLIGAIN[®]
2625 S. 16th Street,
Phoenix, AZ 85034 USA

FOLIGAIN PROFESSIONAL SERIES EXTRA STRENGTH FOR WOMEN MINOXIDIL TOPICAL HAIR REGROWTH TREATMENT

minoxidil solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69607-9530
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69607-9530-0	3 in 1 BOX	05/05/2026	
1		60 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078176	05/05/2026	

Labeler - WR Group, Inc. (089173699)

Registrant - Pure Source, LLC (080354456)

Revised: 5/2026

WR Group, Inc.