RITE AID CHILDRENS ALLERGY RELIEF- cetirizine hydrochloride solution Rite Aid Corporation

Rite Aid_® Children's Allergy Relief

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

• use only with enclosed dosing cup

adults and children 6 years and over	1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2 teaspoonfuls (10 mL) in 24 hours.
adults 65 years and older 1 teaspoonful (5 mL) once daily; do take more than 1 teaspoonful (5 mL) hours.	
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

• store between 20° to 25°C (68° to 77°F)

Inactive ingredients

artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucrose

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY:

Rite Aid

30 Hunter Lane, Camp Hill, PA 17011

PRINCIPAL DISPLAY PANEL - 240 mL Bottle Carton

 $\begin{aligned} &RITE\\ &AID_{\Re}\\ &PHARMACY \end{aligned}$

Compare to the active ingredient in Children's Zyrtec®*

ORIGINAL PRESCRIPTION STRENGTH

children's allergy relief

cetirizine hydrochloride oral solution 1 mg/mL

antihistamine

INDOOR & OUTDOOR ALLERGIES

24 hour relief of:

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

2 years & older

grape flavored syrup dosing cup included

8 FL OZ (240 mL)



ORIGINAL PRESCRIPTION STRENGTH

children's allergy relief

cetirizine hydrochloride oral solution 1 mg/mL

antihistamine



Compare to the active ingredient in Children's Zyrtec®*

ORIGINAL PRESCRIPTION STRENGTH

children's allergy relief

cetirizine hydrochloride oral solution 1 mg/mL

antihistamine

RITE AID PHARMACY Compare to the active ingredient in Children's Zyrtec®*

ORIGINAL PRESCRIPTION STRENGTH

children's allergy relief

cetirizine hydrochloride oral solution 1 mg/mL

antihistamine

INDOOR & OUTDOOR ALLERGIES

24 hour relief of:

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

2 years & older

grape

syrup

flavored

dosing cup included

INDOOR & OUTDOOR ALLERGIES

24 hour relief of:

sneezing

- runny nose
- itchy, watery eyes
- itchy throat or nose

2 years & older

grape flavored syrup



dosing cup included

8 FL OZ (240 mL)

8 FL OZ (240 mL)



819 0-1170-27002



Compare to the active ingredient in Children's Zyrtec®*

ORIGINAL PRESCRIPTION STRENGTH

children's allergy relief

cetirizine hydrochloride oral solution 1 mg/mL

Drug Facts (continued)

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- · drowsiness may occur
- · avoid alcoholic drinks
- · alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- · if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions • use only with enclosed dosing cup

6 years and over

adults and children 1 teaspoonful (5 mL) or 2 teaspoonfuls (10 mL) once daily depending upon severity of symptoms; do not take more than 2



T. 1000000000000000000000000000000000000	teaspooniuis (10 mL) in 24 nours.	
adults 65 years and older	1 teaspoonful (5 mL) once daily; do not take more than 1 teaspoonful (5 mL) in 24 hours.	
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) once daily. If needed, dose can be increased to a maximum of 1 teaspoonful (5 mL) once daily or 1/2 teaspoonful (2.5 mL) every 12 hours. Do not give more than 1 teaspoonful (5 mL) in 24 hours.	
children under 2 years of age	ask a doctor	
consumers with liver or kidney disease	ask a doctor	

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients artificial grape flavor, glacial acetic acid, glycerin, methylparaben, natural and artificial banana flavor, propylene glycol, propylparaben, purified water, sodium acetate (anhydrous), sucrose

Questions? Call 1-866-923-4914

*This product is not manufactured or distributed by UCB Pharma, S.A. CORPORATION BELGIUM, owner of the registered trademark Children's Zyrtec[®].

B159.0

RITE AID CHILDRENS ALLERGY RELIEF

cetirizine hydrochloride solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0279

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Cetirizine Hydrochloride (UNII: 64O047KTOA) (Cetirizine - UNII:YO7261ME24)	Cetirizine Hydrochloride	5 mg in 5 mL

Inactive Ingredients

Ingredient Name Strength

acetic acid (UNII: Q40Q9N063P)	
glycerin (UNII: PDC6A3C0OX)	
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
sodium acetate anhydrous (UNII: NVG71ZZ7P0)	
sucrose (UNII: C151H8M554)	

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0279-1	1 in 1 CARTON		
1		240 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090182	04/22/2008	

Labeler - Rite Aid Corporation (014578892)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment				
Name	Address	ID/FEI	Business Operations	
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(11822-0279)	

Revised: 1/2013 Rite Aid Corporation