

NO DRIP NASAL MIST- oxymetazoline spray liquid
CVS Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Oxymetazoline Hydrochloride 0.05%

Purpose

Nasal Decongestant

Uses

Temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- Shrinks swollen membranes so you can breathe more freely

Warnings

Ask a Doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to enlarged prostate gland.

When using this product

- **Do not use more than directed**
- do not use for more than three days, Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

stop use and ask a doctor if

symptoms persist.

if pregnant or breast-feeding

ask a health professional before use.

Keep out of the reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Before using for the first time, remove the protective cap from the tip and prime the pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm and even stroke, and sniff deeply.
- Wipe nozzle clean after use.
- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age consult a doctor.

Other information

- store between 20° and 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive Ingredients

Benzalkonium Chloride Solution, Benzyl Alcohol, Edetate Disodium, Flavor, Glycerin, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, Polyethylene Glycol, Povidone, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

Principal Panel 0.5 FLOZ Bottle



CVS Health No Drip Nasal Mist

Extra Moisturizing

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)

CVS Health. **Extra Moisture**

No Drip
Nasal Mist
 OXYMETAZOLINE HCl 0.05%
 Nasal decongestant
 0.5 FL OZ (15 mL)

12 HOUR

SEE CARTON FOR FULL LABELING
 DO NOT USE IF PRINTED SEAL OVER
 CAP IS TORN OR MISSING

Active ingredient
 Oxymetazoline hydrochloride 0.05%

Uses • See Carton.

Warnings Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland.

When using this product • do not use more than directed • do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor** if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2016 CVS/Pharmacy CVS.com® 1-800-SHOP CVS
 Made in the U.S.A. of U.S. and imported ingredients and components V-34744 7908073

CVS Health. **Extra Moisture**

No Drip
Nasal Mist
 OXYMETAZOLINE HCl 0.05%
 Nasal decongestant
 0.5 FL OZ (15 mL)

12 HOUR

SEE CARTON FOR FULL LABELING
 DO NOT USE IF PRINTED SEAL OVER
 CAP IS TORN OR MISSING

Active ingredient
 Oxymetazoline hydrochloride 0.05%

Uses • See Carton.

Warnings Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland.

When using this product • do not use more than directed • do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor** if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2016 CVS/Pharmacy CVS.com® 1-800-SHOP CVS
 Made in the U.S.A. of U.S. and imported ingredients and components V-34744 7908073

CVS Health. **Extra Moisture**

No Drip
Nasal Mist
 OXYMETAZOLINE HCl 0.05%
 Nasal decongestant
 0.5 FL OZ (15 mL)

12 HOUR

SEE CARTON FOR FULL LABELING
 DO NOT USE IF PRINTED SEAL OVER
 CAP IS TORN OR MISSING

Active ingredient
 Oxymetazoline hydrochloride 0.05%

Uses • See Carton.

Warnings Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland.

When using this product • do not use more than directed • do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. • temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur • use of this container by more than one person may spread infection. **Stop use and ask a doctor** if symptoms persist.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** To use: squeeze cap at base on opposite sides and twist cap counterclockwise to remove. Secure cap after use. • adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. • children under 6 years of age: ask a doctor.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2016 CVS/Pharmacy CVS.com® 1-800-SHOP CVS
 Made in the U.S.A. of U.S. and imported ingredients and components V-34744 7908073

Principal display panel- Carton label



12 HOUR PUMP MIST

No Drip



DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Oxymetazoline hydrochloride 0.05%, Nasal decongestant

Uses • temporarily relieves nasal congestion due to:
• common cold • hay fever • upper respiratory allergies • temporarily relieves sinus congestion and pressure • shrinks swollen nasal membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product
• do not use more than directed
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
• use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist
if pregnant or breast-feeding, ask a health professional before use
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.
• adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
• children under 6 years of age ask a doctor

Drug Facts (continued)

Other information
• store between 20° to 25°C (68° to 77°F)
• retain carton for future reference on full labeling

Inactive ingredients
Benzalkonium Chloride Solution, Benzyl Alcohol, Ethable Oxonium, Flavor, Glycerin, Microcrystalline Cellulose and Carbonylmethylcellulose Sodium, Polyethylene Glycol, Potassium Phosphate Dibasic, Sodium Phosphate Monobasic

Cap removal instructions:
To remove cap, squeeze cap at base on opposite sides on the two turn impressions with fingers. While squeezing, twist cap counterclockwise to remove. Press down to use. Refer to arrows on cap.

To reapply cap, turn cap on pump clockwise until it locks.

*This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin® No Drip Extra Moisturizing Pump Mist.

IMPORTANT: KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING



Compare to the active ingredient in Afrin® No Drip Extra Moisturizing Pump Mist
Extra Moisture

No Drip
Nasal Mist



OXYMETAZOLINE HCl 0.05%
Nasal decongestant
12 HOUR PUMP MIST

- Soothes and helps rehydrate dry noses
- Fast & effective congestion relief



Actual Bottle Size on Side Panel
0.5 FL OZ (15 mL)



Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2018 CVS pharmacy
CVS.com®
1-800-SHOP CVS
Made in the U.S.A. of U.S. and imported ingredients and components
V-34744

CVS Quality
Always Back Guarantee

Package Contains One Bottle

Actual Size

LOT

EXP

#968295



50428 26475 1
968295 0-50428-26475-1

901019



12 HOUR PUMP MIST

No Drip



DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Purpose
Oxymetazoline hydrochloride 0.05%, Nasal decongestant

Uses • temporarily relieves nasal congestion due to:
• common cold • hay fever • upper respiratory allergies • temporarily relieves sinus congestion and pressure • shrinks swollen nasal membranes so you can breathe more freely

Warnings
Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product
• do not use more than directed
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
• use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.
• adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
• children under 6 years of age ask a doctor

Drug Facts (continued)

Other information
• store between 20° to 25°C (68° to 77°F)
• retain carton for future reference on full labeling

Inactive ingredients
Benzalkonium Chloride Solution, Benzyl Alcohol, Ethable Oxonium, Flavor, Glycerin, Microcrystalline Cellulose and Carbonylmethylcellulose Sodium, Polyethylene Glycol, Potassium Phosphate Dibasic, Sodium Phosphate Monobasic

Cap removal instructions:
To remove cap, squeeze cap at base on opposite sides on the two turn impressions with fingers. While squeezing, twist cap counterclockwise to remove. Press down to use. Refer to arrows on cap.

To reapply cap, turn cap on pump clockwise until it locks.

*This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin® No Drip Extra Moisturizing Pump Mist.

IMPORTANT: KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING



Compare to the active ingredient in Afrin® No Drip Extra Moisturizing Pump Mist
Extra Moisture

No Drip
Nasal Mist



OXYMETAZOLINE HCl 0.05%
Nasal decongestant
12 HOUR PUMP MIST

- Soothes and helps rehydrate dry noses
- Fast & effective congestion relief



Actual Bottle Size on Side Panel

0.5 FL OZ (15 mL)



Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2018 CVS pharmacy
CVS.com®
1-800-SHOP CVS
Made in the U.S.A. of U.S. and imported ingredients and components
V-34744



Package Contains One Bottle

Actual Size

LOT

EXP

#968295



50428 26475 1

968295 0-50428-26475-1

901019



CVS Health No Drip

Nasal Mist

Extra Moisturizing

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)



NO DRIP NASAL MIST

oxymetazoline spray liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-312
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	50 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0KO0R)	
POVIDONE (UNII: FZ989GH94E)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-312-51	1 in 1 CARTON	08/30/2018	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/30/2018	

Labeler - CVS Health (062312574)

Registrant - Sheffield Pharmaceuticals LLC (151177797)

Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceutical LLC		151177797	manufacture(69842-312)

Revised: 10/2018

CVS Health