

NITROGEN- nitrogen gas
PURITY CYLINDER GASES INC

Nitrogen

NITROGEN, COMPRESSED NF
UN1066

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

PURITY CYLINDER GASES, INC.
2580 28TH ST SW, WYOMING, MI 49519
616-532-2375

**NITROGEN,
COMPRESSED
NF
UN1066**



Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.


CONTENTS: _____
LPG
GASES

NITROGEN, COMPRESSED NF
UN1066

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For us only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety

precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL. PURITY CYLINDER GASES, INC. 2580 28TH ST SW, WYOMING, MI 49519 616-532-2375

**NITROGEN,
COMPRESSED
NF
UN1066**



37049 (04/11)
PURITY CYLINDER GASES, INC.
 2580 28TH ST SW • WYOMING, MI 49519
 616-532-2375

only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, contraindications and side effects, and the precautions to be taken. **WARNING: CONTAINS GAS UNDER PRESSURE. DO NOT EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.** Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 **DO NOT REMOVE THIS PRODUCT LABEL.**

CONTENTS:
 LTR
 QTR

NITROGEN

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10927-101
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10927-101-07	623 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
2	NDC:10927-101-08	566 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
3	NDC:10927-101-09	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	

4	NDC:10927-101-10	1097 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
5	NDC:10927-101-11	6825 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	
6	NDC:10927-101-12	8751 L in 1 CYLINDER; Type 0: Not a Combination Product	10/20/2038	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205766	10/20/1938	

Labeler - PURITY CYLINDER GASES INC (065878860)

Establishment

Name	Address	ID/FEI	Business Operations
PURITY CYLINDER GASES INC		120042374	manufacture(10927-101)

Revised: 10/2018

PURITY CYLINDER GASES INC