

GLADIATOR PREP MAX BASE- sodium chlorite pre dip liquid
BouMatic, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gladiator PrepMax Base

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Helps reduce the spread of organisms which may cause Mastitis

USE DIRECTIONS

NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY

Do not mix with any chemicals other than GLADIATOR™ PREP MAX ACTIVATOR, and water.

In a well-ventilated area, mix 1 part GLADIATOR PREP MAX BASE and 1 part GLADIATOR PREP MAX ACTIVATOR and 20 parts water. Do not mix more product than will be used in 24-hours.

PRE-DIPPING:

Before milking, dip or spray entire teat with the mixed product. Wipe teats dry after application using single-service towels to avoid cross contamination.



Gladiator™ PrepMax Base

TEAT DIP CONCENTRATE BASE
BASE POUR SOLUTION DE TREMPAGE DE DIOXYDE DE CHLORE
SELLADOR DE DIOXÍDEO DE CLORO

Reduce the spread of organisms which may cause mastitis
Aide à réduire la prolifération des organismes pouvant causer la mastite

MODE D'EMPLOI
NE PAS EMPLOYER SUR L'HUMAIN
POUR L'USAGE EXTERNE SEULEMENT

DIRECCIONES DE USO
NO PARA USO HUMANO
PARA USO EXTERNO SOLAMENTE

Do not mix with any chemicals other than those listed on the label.
N'ajoutez rien d'autre que les produits mentionnés sur l'étiquette.

Do not mix with any chemicals other than those listed on the label.
N'ajoutez rien d'autre que les produits mentionnés sur l'étiquette.

Do not mix with any chemicals other than those listed on the label.
N'ajoutez rien d'autre que les produits mentionnés sur l'étiquette.

PRE-DIPPING: Before milking, dip or immerse teats in the product for 15-20 minutes. Wipe teats dry after application using clean towels to avoid cross contamination.

PRE-TRAITE: Avant la traite, trempez ou plongez les tétines dans le produit pendant 15 à 20 minutes. Essuyez les tétines après l'application avec des serviettes propres pour éviter la contamination de la tétine.

PRE-SELLADO: Antes de ordear, selle las tétinas con el producto durante 15 a 20 minutos. Limpie y seque el pezón después de aplicar este producto con toallas limpias para prevenir la contaminación de la teta.

Active Ingredient (Sodium Chlorite 0.9%)
 Ingrédients Actifs (Chlorite de Sodium 0.9%)
 Ingredientes Activos (Clorato de Sodio 0.9%)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53706 • www.boumatic.com • Made in U.S.A.



Gladiator™ PrepMax Base

KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE

PRETREATING: Before milking, dip or immerse teats in the product for 15-20 minutes. Wipe teats dry after application using clean towels to avoid cross contamination.

PRE-TRAITEMENT: Avant la traite, trempez ou plongez les tétines dans le produit pendant 15 à 20 minutes. Essuyez les tétines après l'application avec des serviettes propres pour éviter la contamination de la tétine.

PRE-SELLADO: Antes de ordear, selle las tétinas con el producto durante 15 a 20 minutos. Limpie y seque el pezón después de aplicar este producto con toallas limpias para prevenir la contaminación de la teta.

ACTIVE INGREDIENT (Sodium Chlorite 0.9%)
INGRÉDIENTS ACTIFS (Chlorite de Sodium 0.9%)
INGREDIENTES ACTIVOS (Clorato de Sodio 0.9%)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53706 • www.boumatic.com • Made in U.S.A.

PREVENTING DISEASE: Before milking, dip or immerse teats in the product for 15-20 minutes. Wipe teats dry after application using clean towels to avoid cross contamination.

PREVENIR LES MALADIES: Avant la traite, trempez ou plongez les tétines dans le produit pendant 15 à 20 minutes. Essuyez les tétines après l'application avec des serviettes propres pour éviter la contamination de la tétine.

PREVENIR ENFERMEDADES: Antes de ordear, selle las tétinas con el producto durante 15 a 20 minutos. Limpie y seque el pezón después de aplicar este producto con toallas limpias para prevenir la contaminación de la teta.

ACTIVE INGREDIENT (Sodium Chlorite 0.9%)
INGRÉDIENTS ACTIFS (Chlorite de Sodium 0.9%)
INGREDIENTES ACTIVOS (Clorato de Sodio 0.9%)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53706 • www.boumatic.com • Made in U.S.A.

GLADIATOR PREPMax BASE

sodium chlorite pre dip liquid

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48106-2031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H3745B6)	SODIUM CHLORITE	74 g in 10 L	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48106-2031-1	18.9 L in 1 DRUM		
2	NDC:48106-2031-2	56.8 L in 1 DRUM		
3	NDC:48106-2031-3	208 L in 1 DRUM		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Always use caution when withdrawing your cows to a new test dip.

Remember these industry guidelines:

Read the dip test and for clean teats. Always replace dip cups regularly to prevent the new dip from becoming contaminated. Always use clean towels to dry teats after dipping to prevent cross contamination of the test dip.

Apply dip to teats and udders. Dip teats and udders for 15-20 minutes. Wipe teats dry after dipping to prevent cross contamination of the test dip.

Aggressively remove barnyard and outdoor manure from teats. Manure on teats can reduce the effectiveness of the dip. Aggressively remove barnyard and outdoor manure from teats before dipping.

Monitor cows for changes in skin conditions. Some cows may develop skin conditions that are not related to the dip. Monitor cows for changes in skin conditions and consult your veterinarian if necessary.

Spécial attention pendant l'essai de votre nouveau produit.

Spécial attention pendant l'essai de votre nouveau produit.

Spécial attention pendant l'essai de votre nouveau produit.



8524622

LR 09/2016
 UN 9892038

unapproved drug other		05/17/2017	
--------------------------	--	------------	--

Labeler - BouMatic, LLC (124727400)

Registrant - BouMatic, LLC (124727400)

Establishment

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Revised: 6/2024

BouMatic, LLC