

**GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D- cetirizine hydrochloride,  
pseudoephedrine hydrochloride tablet, film coated, extended release  
Amerisource Bergen**

-----  
**Amerisource Bergen All Day Allergy-D Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland

- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**

- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

### **Inactive ingredients**

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

### **Questions or comments?**

**1-800-719-9260**

### **Package/Label Principal Display Panel**

Compare to Zyrtec-D<sup>®</sup> active ingredients

Original Prescription Strength

All Day Allergy-D

**ALLERGY & CONGESTION**

cetirizine hydrochloride and pseudoephedrine hydrochloride

extended release tablets, 5 mg/120 mg

antihistamine/nasal decongestant

Indoor & Outdoor Allergies

12 Hour Relief of:

Sneezing – Itchy, Watery Eyes – Runny Nose

Itchy Throat or Nose - Sinus Pressure – Nasal Congestion

actual size

24 Extended Release Tablets



Original Prescription Strength

# All Day Allergy-D

▶ ALLERGY & CONGESTION

cetirizine hydrochloride and pseudoephedrine hydrochloride  
extended release tablets, 5 mg/120 mg  
antihistamine/nasal decongestant



Compare to Zyrtec-D® active ingredients\*

NDC 46122-626-62

Original Prescription Strength

# All Day Allergy-D

▶ ALLERGY & CONGESTION

cetirizine hydrochloride and pseudoephedrine hydrochloride  
extended release tablets, 5 mg/120 mg  
antihistamine/nasal decongestant

## Indoor & Outdoor Allergies


12 Hour Relief of:

- Sneezing • Itchy, Watery Eyes • Runny Nose
- Itchy Throat or Nose • Sinus Pressure • Nasal Congestion

actual size



## 24 Extended Release Tablets



1476229 C2

OPEN OTHER END

### Drug Facts

#### Active ingredients

(in each extended release tablet)

Cetirizine HCl 5 mg.....	Antihistamine
Pseudoephedrine HCl 120 mg.....	Nasal decongestant

#### Purpose

#### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
  - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves freer breathing through the nose

#### Warnings

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

### Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

- When using this product do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

#### If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

#### Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

\*Good Neighbor Pharmacy® All Day Allergy-D is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.

GLUTEN FREE

Distributed By  
AmerisourceBergen  
1300 Morris Drive  
Chesterbrook, PA 19087  
Questions or Concerns?  
[www.mygnp.com](http://www.mygnp.com)



### Drug Facts (continued)

#### Other information

- store between 20° to 25° C (68° to 77° F)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

#### Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? 1-800-719-9260

AB C#: 1 022965 0



0 87701 43228 6

# GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-626
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-626-62	24 in 1 CARTON	03/30/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	03/30/2020	

