

**GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D- cetirizine hydrochloride,
pseudoephedrine hydrochloride tablet, film coated, extended release
Amerisource Bergen**

Amerisource Bergen All Day Allergy-D Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease

- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor

consumers with liver or kidney disease

ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

Package/Label Principal Display Panel

GOOD NEIGHBOR PHARMACY®

Compare to Zyrtec-D® active ingredients

Original Prescription Strength

All Day Allergy-D

ALLERGY + SINUS

cetirizine hydrochloride and pseudoephedrine hydrochloride

extended release tablets, 5 mg/120 mg

antihistamine/nasal decongestant

Indoor + Outdoor Allergies

12 Hour Relief

• Sneezing • Itchy, Watery Eyes • Runny Nose • Itchy Nose or Throat

NASAL CONGESTION + SINUS PRESSURE

actual size

24 Extended Release Tablets



Original Prescription Strength

All Day Allergy-D

▶ ALLERGY + SINUS

cetirizine hydrochloride and pseudoephedrine hydrochloride
extended release tablets, 5 mg/120 mg
antihistamine/nasal decongestant



Compare to Zyrtec-D® active ingredients*

NDC 46122-626-62

Original Prescription Strength

All Day Allergy-D

▶ ALLERGY + SINUS

cetirizine hydrochloride and pseudoephedrine hydrochloride
extended release tablets, 5 mg/120 mg
antihistamine/nasal decongestant

Indoor + Outdoor Allergies

12 Hour Relief



• Sneezing • Itchy, Watery Eyes • Runny Nose • Itchy Nose or Throat

NASAL CONGESTION + SINUS PRESSURE

actual size



24 Extended Release Tablets



Important: Read all product information before using. Keep this box for important information.

14762 29 C3

OPEN OTHER END

<p>Drug Facts</p> <p>Active ingredients (in each extended release tablet)</p> <p>Cetirizine HCl 5 mg.....Antihistamine Pseudoephedrine HCl 120 mg.....Nasal decongestant</p> <p>Purpose</p> <p>Uses</p> <ul style="list-style-type: none"> ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ nasal congestion ■ reduces swelling of nasal passages ■ temporarily relieves sinus congestion and pressure ■ temporarily restores freer breathing through the nose <p>Warnings</p> <p>Do not use ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ heart disease ■ thyroid disease ■ diabetes ■ glaucoma ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland ■ liver or kidney disease. Your doctor should determine if you need a different dose. 	<p>Drug Facts (continued)</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p>When using this product</p> <ul style="list-style-type: none"> ■ do not use more than directed ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> ■ an allergic reaction to this product occurs. Seek medical help right away. ■ you get nervous, dizzy, or sleepless ■ symptoms do not improve within 7 days or are accompanied by fever <p>If pregnant or breast-feeding:</p> <ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p>Directions ■ do not break or chew tablet; swallow tablet whole</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">adults and children 12 years and over</td> <td style="width: 50%;">take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.</td> </tr> <tr> <td>adults 65 years and over</td> <td>ask a doctor</td> </tr> <tr> <td>children under 12 years of age</td> <td>ask a doctor</td> </tr> <tr> <td>consumers with liver or kidney disease</td> <td>ask a doctor</td> </tr> </table>	adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.	adults 65 years and over	ask a doctor	children under 12 years of age	ask a doctor	consumers with liver or kidney disease	ask a doctor
adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.								
adults 65 years and over	ask a doctor								
children under 12 years of age	ask a doctor								
consumers with liver or kidney disease	ask a doctor								

Drug Facts (continued)

Other information ■ store between 20° to 25°C (68° to 77°F)

- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? call 1-800-719-9260

ABC#: 10282812 Rev: 09/23



3 46122 62662 0

*Good Neighbor Pharmacy® All Day Allergy-D is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.

GLUTEN FREE

Distributed By
AmerisourceBergen
1 West First Avenue
Conshohocken, PA 19428
Questions or Concerns?
www.mygnp.com



GOOD NEIGHBOR PHARMACY ALL DAY ALLERGY D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-626
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-626-62	24 in 1 CARTON	03/30/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	03/30/2020	

Labeler - Amerisource Bergen (007914906)