

MAXIMUM STRENGTH HYDROCORTISONE CREAM- hydrocortisone cream cream

Walgreens

Walgreens® Hydrocortisone Cream 2oz

Active Ingredient

Hydrocortisone, USP 1%

Purpose

Anti-itch

Uses

for the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, jewelry, detergents, cosmetics, psoriasis, seborrheic dermatitis, for external genital, feminine and anal itching, other uses of this product should be only under the advice and supervision of a doctor

Warnings

For external use only

Do not use

for external feminine itching if you have a vaginal discharge. Consult a doctor.

for the treatment of diaper rash. Consult a doctor.

When using this product

avoid contact with the eyes, do not begin the use of any other hydrocortisone product unless directed by a doctor, for external anal itching: do not use more than directed unless directed by a doctor, do not put this product into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

symptoms last for more than 7 days, the condition gets worse, symptoms clear up and occur again in a few days, rectal bleeding occurs, consult doctor promptly

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older * apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age * do not use, consult a doctor.

For external anal itching - Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.

Children under 12 years of age: consult a doctor.

Other information

Storage temperature: not to exceed 30 °C (86 °F). Protect from freezing.

Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive Ingredients

benzyl alcohol, cetareth 20, cetaryl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, methylparaben, peg-40 stearate, purified water. May contain citric acid or sodium citrate solution to adjust pH.

Tube Label

Walgreens

Hydrocortisone Cream

Maximum Strength
HYDROCORTISONE 1% / ANTI-ITCH CREAM
NET WT 2 OZ (56 g)

Drug Facts **Active ingredient** Hydrocortisone, USP 1% **Purpose** Anti-itch
Uses For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to: ■ eczema ■ insect bites ■ poison ivy ■ poison oak ■ poison sumac ■ soaps ■ jewelry ■ detergents ■ cosmetics ■ psoriasis ■ seborrheic dermatitis
Warnings For external use only
■ for external genital, feminine and anal itching ■ other uses of this product should be only under the advice and supervision of a doctor
Do not use ■ for external feminine itching if you have a vaginal discharge. Consult a doctor. ■ for the treatment of diaper rash. Consult a doctor.
When using this product ■ avoid contact with the eyes ■ do not begin the use of any other hydrocortisone product unless directed by a doctor
For external anal itching:
■ do not use more than directed unless directed by a doctor ■ do not put this product into the rectum by using fingers or any mechanical device or applicator
Stop use and ask a doctor if ■ symptoms last for more than 7 days ■ the condition gets worse ■ symptoms clear up and occur again in a few days
■ rectal bleeding occurs, consult doctor promptly
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. 1-800-222-1222
Directions Adults and children 2 years of age and older ■ apply to affected area not more than 3 to 4 times daily
Children under 2 years of age ■ do not use, consult a doctor
For external anal itching Adults: when practical, clean the affected area with mild soap and warm water, rinse thoroughly, gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
Children under 12 years of age consult a doctor
Other information ■ Storage temperature: not to exceed 30°C (86°F). Protect from freezing.
■ Before using any medication, read all label directions. Keep carton, it contains important information.
Inactive ingredients benzyl alcohol, cetareth 20, cetaryl alcohol, cetyl palmitate, glycerin, isopropyl myristate, isostearyl neopentanoate, methylparaben, peg-40 stearate, purified water. Our pharmacists recommend the Walgreens brand.
May contain citric acid or sodium citrate solution to adjust pH. **100% SATISFACTION GUARANTEED** walgreens.com ©2021 Walgreen Co. ITEM 931429 W00000-0000-0 **W30R6021-F**
Questions? 1-800-625-4728

Carton Label

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0638
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
PEG-40 STEARATE (UNII: ECU18C66Q7)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0638-04	1 in 1 CARTON	06/07/2016	
1	NDC:0363-0638-02	56 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/07/2016	

Labeler - Walgreens (008965063)

Registrant - Unipack LLC (116015769)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(0363-0638)

Revised: 1/2026

Walgreens