

GABAPENTIN- gabapentin capsule
GABAPENTIN- gabapentin tablet, film coated
GABAPENTIN- gabapentin tablet
DIRECT RX

GABAPENTIN

Gabapentin (gab" a pen' tin)Capsules

What is the most important information I should know about gabapentin capsules?

Do not stop taking gabapentin capsules without first talking to your healthcare provider.

Stopping gabapentin capsules suddenly can cause serious problems.

Gabapentin capsules can cause serious side effects including:

1. Suicidal Thoughts. Like other antiepileptic drugs, gabapentin capsules may cause suicidal thoughts or actions in a very small number of people, about 1 in 500.

Call a healthcare provider right away if you have any of these symptoms, especially if they are new, worse, or worry you:

- thoughts about suicide or dying
- attempts to commit suicide
- new or worse depression
- new or worse anxiety
- feeling agitated or restless
- panic attacks
- trouble sleeping (insomnia)
- new or worse irritability
- acting aggressive, being angry, or violent
- acting on dangerous impulses
- an extreme increase in activity and talking (mania)
- other unusual changes in behavior or mood

How can I watch for early symptoms of suicidal thoughts and actions?

- Pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings.
- Keep all follow-up visits with your healthcare provider as scheduled.

Call your healthcare provider between visits as needed, especially if you are worried about symptoms.

Do not stop taking gabapentin capsules without first talking to a healthcare provider.

- Stopping gabapentin capsules suddenly can cause serious problems. Stopping a

seizure medicine suddenly in a patient who has epilepsy can cause seizures that will not stop (status epilepticus).

- Suicidal thoughts or actions can be caused by things other than medicines. If you have suicidal thoughts or actions, your healthcare provider may check for other causes.

2. Changes in behavior and thinking -Using gabapentin capsules in children 3 to 12 years of age can cause emotional changes, aggressive behavior, problems with concentration, restlessness, changes in school performance, and hyperactivity.

3. Gabapentin capsules may cause a serious or life-threatening allergic reaction that may affect your skin or other parts of your body such as your liver or blood cells. This may cause you to be hospitalized or to stop gabapentin capsule. You may or may not have a rash with an allergic reaction caused by gabapentin capsule. Call a healthcare provider right away if you have any of

The following symptoms:

- skin rash
- hives
- difficulty breathing
- fever
- swollen glands that do not go away
- swelling of your face, lips, throat or tongue
- yellowing of your skin or of the whites of the eyes
- unusual bruising or bleeding
- severe fatigue or weakness
- unexpected muscle pain
- frequent infections

These symptoms may be the first signs of a serious reaction. A healthcare provider should examine you to decide if you should continue taking gabapentin capsules.

What are gabapentin capsules?

Gabapentin capsules are a prescription medicine used to treat:

- Pain from damaged nerves (postherpetic pain) that follows healing of shingles (a painful rash that comes after a herpes zoster infection) in adults.
- Partial seizures when taken together with other medicines in adults and children 3 years of age and older with seizures.

Who should not take gabapentin capsules?

Do not take gabapentin capsules if you are allergic to gabapentin or any of the other ingredients in gabapentin capsules. See the end of this Medication Guide for a complete list of ingredients in gabapentin capsules.

What should I tell my healthcare provider before taking gabapentin capsules?

Before taking gabapentin capsules, tell your healthcare provider if you:

- have or have had kidney problems or are on hemodialysis
- have or have had depression, mood problems, or suicidal thoughts or behavior
- have diabetes
- are pregnant or plan to become pregnant. It is not known if gabapentin capsules can harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking gabapentin capsules. You and your healthcare provider will decide if you should take gabapentin capsules while you are pregnant.

o **Pregnancy Registry:** If you become pregnant while taking gabapentin capsules, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry. The purpose of this registry is to collect information about the safety of antiepileptic drugs during pregnancy. You can enroll in this registry by calling 1-888-233-2334.

- are breast-feeding or plan to breast-feed. Gabapentin capsules can pass into breast milk. You and your healthcare provider should decide how you will feed your baby while you take gabapentin capsules.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Taking gabapentin capsules with certain other medicines can cause side effects or affect how well they work. Do not start or stop other medicines without talking to your healthcare provider.

Know the medicines you take. Keep a list of them and show it to your healthcare provider and pharmacist when you get a new medicine.

How should I take gabapentin capsules?

- Take gabapentin capsules exactly as prescribed. Your healthcare provider will tell you how much gabapentin capsules to take.

o Do not change your dose of gabapentin capsules without talking to your healthcare provider.

o Take gabapentin capsules with water.

- Gabapentin capsules can be taken with or without food. If you take an antacid containing aluminum and magnesium, such as Maalox®, Mylanta®, Gelusil®, Gaviscon®, or Di-Gel®, you should wait at least 2 hours before taking your next dose of gabapentin capsules.

If you take too much gabapentin capsules, call your healthcare provider or your local Poison Control Center right away at 1-800-222-1222.

What should I avoid while taking gabapentin capsules?

- Do not drink alcohol or take other medicines that make you sleepy or dizzy while taking gabapentin capsules without first talking with your healthcare provider. Taking gabapentin capsules with alcohol or drugs that cause sleepiness or dizziness may make your sleepiness or dizziness worse.
- Do not drive, operate heavy machinery, or do other dangerous activities until you know

how gabapentin capsules affects you. Gabapentin capsules can slow your thinking and motor skills.

What are the possible side effects of gabapentin capsules?

Gabapentin capsules may cause serious side effects including:

See “What is the most important information I should know about gabapentin capsules?”

- problems driving while using gabapentin capsules. See “What I should avoid while taking gabapentin capsules?”
- sleepiness and dizziness which could increase the occurrence of accidental injury, including falls
- The most common side effects of gabapentin capsules include:
 - lack of coordination • feeling tired
 - viral infection • fever
 - feeling drowsy • jerky movements
 - nausea and vomiting • difficulty with coordination
 - difficulty with speaking • double vision
 - tremor • unusual eye movement
 - swelling, usually of legs and feet

Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of gabapentin capsules. For more information, ask your healthcare provider or pharmacist.

Call your doctor for medical advice about side effects. You may report side effects to Time Cap Laboratories 1 877 290-4008 and/or FDA at 1-800-FDA-1088.

How should I store gabapentin capsules?

- Store gabapentin capsules between 68°F to 77°F (20°C to 25°C).

Keep gabapentin capsules and all medicines out of the reach of children.

General information about the safe and effective use of gabapentin capsules

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide. Do not use gabapentin capsules for a condition for which it was not prescribed. Do not give gabapentin capsules to other people, even if they have the same symptoms that you have. It may harm them.

This Medication Guide summarizes the most important information about gabapentin capsules. If you would like more information, talk with your healthcare provider. You can ask your healthcare provider or pharmacist for information about gabapentin capsules that was written for healthcare professionals.

What are the ingredients in gabapentin capsules?

Active ingredient: gabapentin, USP

Inactive ingredients in the capsules: lactose monohydrate, corn starch, and talc.

The 100 mg capsule shell contains gelatin and titanium dioxide.

The 300 mg capsule shell contains gelatin, titanium dioxide, and yellow iron oxide.

The 400 mg capsule shell contains gelatin, red iron oxide, titanium dioxide, and yellow iron oxide. The imprinting ink contains FD&C Blue No. 2, propylene glycol and shellac.

This Medication Guide has been approved by the U.S. Food and Drug Administration.

Rx only

Manufactured for:

Time-Cap-Labs, INC,

7 Michael Avenue, Farmingdale, NY 11735, USA

Manufactured by:

Marksans Pharma Ltd.

Plot No. L-82, L-83, Verna Indl. Estate,

Verna, Goa-403 722, India

Rev. 11/17

100 mg Capsules (White/White colored, size '3' hard gelatin capsules with "103" printed on body of capsules containing white to off white granular powder) Bottles of 100 & 500



Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-178-72

GABAPENTIN

800mg

120 Tabs

Generic For: **NEURONTIN**

Each film-coated tablet contains 800 mg of gabapentin, USP

Lot# 12N02109
Prod# 4193-800-72

Packaged and Distributed By: **DIRECT Rx**

Discard After: 7/31/23
72189-178-72

12N02109 Dawsonville,
7/31/23 GA 30534
BF8XC

Mfg. By SeisGen Pharmaceuticals, Inc.
Hauppauge, NY 11788
NDC 50228-178-05

Mfg Lot: F178042
JFR11/12/2021 8163861

GABAPENTIN 800mg
NDC 72189-178-72 120 Tabs
Lot 12N02109 Exp 7/31/23
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-72 120 Tabs
Lot 12N02109 Exp 7/31/23
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-72 120 Tabs
Lot 12N02109 Exp 7/31/23
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-72 120 Tabs
Lot 12N02109 Exp 7/31/23
Mfg NDC 50228-178-05

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-109-72

GABAPENTIN

100mg

120 Caps

Generic For: **NEURONTIN**

Each Capsule Contains: Gabapentin, USP 100mg

Lot# SAMPLE
Prod# 4193-100-72

Packaged and Distributed By: **DIRECT Rx**

Discard After: 11/30/21
72189-109-72

SAMPLE
11/30/21 Dawsonville,
A5ZK3 GA 30534

Mfg. For: Time Cap Labs, Inc.
Farmingdale, NY 11735
NDC 49483-605-50

Mfg Lot: SAMPLE
6/8/2020 SAMPLE

GABAPENTIN 100mg
NDC 72189-109-72 120 Caps
Lot SAMPLE Exp 11/30/21
Mfg NDC 49483-605-50

GABAPENTIN 100mg
NDC 72189-109-72 120 Caps
Lot SAMPLE Exp 11/30/21
Mfg NDC 49483-605-50

GABAPENTIN 100mg
NDC 72189-109-72 120 Caps
Lot SAMPLE Exp 11/30/21
Mfg NDC 49483-605-50

GABAPENTIN 100mg
NDC 72189-109-72 120 Caps
Lot SAMPLE Exp 11/30/21
Mfg NDC 49483-605-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-109-90

Gabapentin

100mg

90 Caps

Generic For: **Neurontin**

Each capsule contains: Gabapentin, USP 100mg

Lot# 08JN2004
Prod# 4193-100-90

Packaged and Distributed By: **DIRECT Rx**

Discard After: 3/31/22
72189-109-90

08JN2004
3/31/22 Dawsonville,
A5ZJZ GA 30534

Mfg. For Time-Cap Labs, Inc.
Farmingdale, NY 11735, USA
NDC 49483-605-50

Mfg Lot: 900004
BW 6/8/2020 1223543

Gabapentin 100mg
NDC 72189-109-90 90 Caps
Lot 08JN2004 Exp 3/31/22
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-90 90 Caps
Lot 08JN2004 Exp 3/31/22
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-90 90 Caps
Lot 08JN2004 Exp 3/31/22
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-90 90 Caps
Lot 08JN2004 Exp 3/31/22
Mfg NDC 49483-605-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.



NDC 72189-158-90

Gabapentin

800mg

90 Tabs

Generic For: **Neurontin**

Each film-coated tablet contains: Gabapentin, USP...800 mg

Lot# 20N02022
Prod# 4193-800-90

Packaged and Distributed By: **DIRECT R**



Discard After: 5/31/22
72189-158-90
20N02022
5/31/22
A8XJV Dawsonville, GA 30534

Dist. By ACI Healthcare USA, Inc.

Mfg Lot: 7707188A
RC 11/20/2020 849518
Coral Springs, FL 33065
NDC 71093-112-04

Gabapentin 800mg
NDC 72189-158-90 90 Tabs
Lot 20N02022 Exp 5/31/22
Mfg NDC 71093-112-04

Gabapentin 800mg
NDC 72189-158-90 90 Tabs
Lot 20N02022 Exp 5/31/22
Mfg NDC 71093-112-04

Gabapentin 800mg
NDC 72189-158-90 90 Tabs
Lot 20N02022 Exp 5/31/22
Mfg NDC 71093-112-04

Gabapentin 800mg
NDC 72189-158-90 90 Tabs
Lot 20N02022 Exp 5/31/22
Mfg NDC 71093-112-04

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.



NDC 72189-113-90

Gabapentin

400mg

90 Caps

Generic For: **Neurontin**

Each capsule contains: Gabapentin, USP 400mg

Lot# 24JN2001
Prod# 72189-0113-90

Packaged and Distributed By: **DIRECT R**



Discard After: 1/31/22
72189-113-90
24JN2001
1/31/22
A6BAQ Dawsonville, GA 30534

Mfg. For Time-Cap Labs, Inc.

Farmingdale, NY 11735, USA
NDC 49483-607-50

Mfg Lot: 920001
BW 8/23/2020 1229050

Gabapentin 400mg
NDC 72189-113-90 90 Caps
Lot 24JN2001 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-90 90 Caps
Lot 24JN2001 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-90 90 Caps
Lot 24JN2001 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-90 90 Caps
Lot 24JN2001 Exp 1/31/22
Mfg NDC 49483-607-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.



NDC 72189-109-60

Gabapentin

100mg

60 Caps

Generic For: **Neurontin**

Each capsule contains: Gabapentin, USP 100mg

Lot# 10JY2004
Prod# 72189-0109-60

Packaged and Distributed By: **DIRECT R**



Discard After: 10/31/21
72189-109-60
10JY2004
10/31/21
A8KJR Dawsonville, GA 30534

Mfg. For Time-Cap Labs, Inc.

Farmingdale, NY 11735, USA
NDC 49483-605-50

Mfg Lot: 909001
BP 7/10/2020 C1637239

Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-0178-90

GABAPENTIN

800mg

90 Tabs

Generic For: **NEURONTIN**

Each film-coated tablet contains 800 mg of gabapentin, USP

Lot# 08FE2111
Prod# 72189-178-90

Packaged and
Distributed By:



Discard After: 8/31/22
72189-0178-90

08FE2111 Dawsonville,
8/31/22 GA 30534
A94CR

Mfg By: Seigen Pharmaceuticals, Inc.
Hempstead, NY 11798
NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-0178-90 90 Tabs
Lot 08FE2111 Exp 8/31/22
Mfg NDC 50228-178-05
GABAPENTIN 800mg
NDC 72189-0178-90 90 Tabs
Lot 08FE2111 Exp 8/31/22
Mfg NDC 50228-178-05
GABAPENTIN 800mg
NDC 72189-0178-90 90 Tabs
Lot 08FE2111 Exp 8/31/22
Mfg NDC 50228-178-05
GABAPENTIN 800mg
NDC 72189-0178-90 90 Tabs
Lot 08FE2111 Exp 8/31/22
Mfg NDC 50228-178-05

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-289-90

Losartan Pot/HCTZ

100/25 mg

90 Tabs

Generic For: **Hyzaar**

Each film-coated tablet contains 100 mg of losartan potassium, USP and 25 mg of hydrochlorothiazide, USP

Lot# 250C2114
Prod# 4234-100-90

Packaged and
Distributed By:



Discard After: 1/31/25
72189-289-90
250C2114 Dawsonville,
1/31/25 GA 30534
BPREW

Mfg. For: Merck & Co., Inc.
Kenilworth, NJ 07033
NDC 33342-052-10

Losartan Pot/HCTZ 100/25 mg
NDC 72189-289-90 90 Tabs
Lot 250C2114 Exp 1/31/25
Mfg NDC 33342-052-10
Losartan Pot/HCTZ 100/25 mg
NDC 72189-289-90 90 Tabs
Lot 250C2114 Exp 1/31/25
Mfg NDC 33342-052-10
Losartan Pot/HCTZ 100/25 mg
NDC 72189-289-90 90 Tabs
Lot 250C2114 Exp 1/31/25
Mfg NDC 33342-052-10

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-109-60

Gabapentin

100mg

60 Caps

Generic For: **Neurontin**

Each capsule contains: Gabapentin, USP 100mg

Lot# 10JY2004
Prod# 72189-0109-60

Packaged and
Distributed By:



Discard After: 10/31/21
72189-109-60
10JY2004 Dawsonville,
10/31/21 GA 30534
ASKJR

Mfg. For: Time-Cap Labs, Inc.
Farmingdale, NY 11735, USA
NDC 49483-605-50

Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50
Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50
Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50
Gabapentin 100mg
NDC 72189-109-60 60 Caps
Lot 10JY2004 Exp 10/31/21
Mfg NDC 49483-605-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. Dosage: See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-158-60

Gabapentin

800mg

60 Tabs

Generic For: **Neurontin**

Each film-coated tablet contains: Gabapentin, USP...800 mg

Lot# 31AU2209
Prod# 4193-800-60

Packaged and
Distributed By:



Discard After: 2/28/23
72189-158-60
31AU2209 Dawsonville,
2/28/23 GA 30534
805E4

Mfg. By: ACI Healthcare USA, Inc.
Coral Springs, FL 33065
NDC 71093-112-04

Gabapentin 800mg
NDC 72189-158-60 60 Tabs
Lot 31AU2209 Exp 2/28/23
Mfg NDC 71093-112-04
Gabapentin 800mg
NDC 72189-158-60 60 Tabs
Lot 31AU2209 Exp 2/28/23
Mfg NDC 71093-112-04
Gabapentin 800mg
NDC 72189-158-60 60 Tabs
Lot 31AU2209 Exp 2/28/23
Mfg NDC 71093-112-04
Gabapentin 800mg
NDC 72189-158-60 60 Tabs
Lot 31AU2209 Exp 2/28/23
Mfg NDC 71093-112-04

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-178-30

GABAPENTIN

800mg

30 Tabs

Generic For: **NEURONTIN**
Each film-coated tablet contains 800 mg of gabapentin, USP

Lot# 01SE2228
Prod# 4193-800-30

Discard After: 4/30/24
72189-178-30
01SE2228
4/30/24 Dawsonville, GA 30534

Packaged and Distributed By: **DIRECT R**

Mfg. By: ScieGen Pharmaceuticals, Inc.
Hempstead, NY 11790
NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-30 30 Tabs
Lot 01SE2228 Exp 4/30/24
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-30 30 Tabs
Lot 01SE2228 Exp 4/30/24
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-30 30 Tabs
Lot 01SE2228 Exp 4/30/24
Mfg NDC 50228-178-05

GABAPENTIN 800mg
NDC 72189-178-30 30 Tabs
Lot 01SE2228 Exp 4/30/24
Mfg NDC 50228-178-05

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-113-72

Gabapentin

400mg

120 Caps

Generic For: **Neurontin**
Each capsule contains: Gabapentin, USP 400mg

Lot# 23JN2004
Prod# 4193-400-72

Discard After: 1/31/22
72189-113-72
23JN2004
1/31/22 Dawsonville, GA 30534

Packaged and Distributed By: **DIRECT R**

Mfg. For Time-Cap Labs, Inc.
Farmingdale, NY 11735, USA
NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-72 120 Caps
Lot 23JN2004 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-72 120 Caps
Lot 23JN2004 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-72 120 Caps
Lot 23JN2004 Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-72 120 Caps
Lot 23JN2004 Exp 1/31/22
Mfg NDC 49483-607-50

Caution: Federal law prohibits transfer of this drug to any person other than the patient for whom it was prescribed. See package insert. Store between 68-77 degrees F. For RX ONLY. Keep out of reach of children.

NDC 72189-113-30

Gabapentin

400mg

30 Caps

Generic For: **Neurontin**
Each capsule contains: Gabapentin, USP 400mg

Lot# SAMPLE
Prod# 4193-400-30

Discard After: 1/31/22
72189-113-30
SAMPLE
1/31/22 Dawsonville, GA 30534

Packaged and Distributed By: **DIRECT R**

Mfg. For: Time-Cap Labs, Inc.
Farmingdale, NY 11735, USA
NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-30 30 Caps
Lot SAMPLE Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-30 30 Caps
Lot SAMPLE Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-30 30 Caps
Lot SAMPLE Exp 1/31/22
Mfg NDC 49483-607-50

Gabapentin 400mg
NDC 72189-113-30 30 Caps
Lot SAMPLE Exp 1/31/22
Mfg NDC 49483-607-50



GABAPENTIN

gabapentin capsule

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72189-109(NDC:49483-605)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GABAPENTIN (UNII: 6CW7F3G59X) (GABAPENTIN - UNII:6CW7F3G59X)	GABAPENTIN	100 mg

Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
GELATIN (UNII: 2G86QN327L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	16mm
Flavor		Imprint Code	103
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72189-109-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	
2	NDC:72189-109-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	
3	NDC:72189-109-72	120 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	
4	NDC:72189-109-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	06/12/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090007	06/12/2020	

GABAPENTIN

gabapentin capsule

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72189-113(NDC:49483-607)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GABAPENTIN (UNII: 6CW7F3G59X) (GABAPENTIN - UNII:6CW7F3G59X)	GABAPENTIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
GELATIN (UNII: 2G86QN327L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
SHELLAC (UNII: 46N107B71O)	

Product Characteristics

Color	orange	Score	no score
-------	--------	-------	----------

Shape	CAPSULE	Size	21mm
Flavor		Imprint Code	105
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72189-113-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2020	
2	NDC:72189-113-72	120 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2020	
3	NDC:72189-113-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2020	
4	NDC:72189-113-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090007	10/15/2020	

GABAPENTIN

gabapentin tablet, film coated

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72189-158(NDC:71093-112)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GABAPENTIN (UNII: 6CW7F3G59X) (GABAPENTIN - UNII:6CW7F3G59X)	GABAPENTIN	800 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ 8H6N6OH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYDROXYPROPYL CELLULOSE, LOW SUBSTITUTED (UNII: 2165RE0K14)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
TALC (UNII: 7SEV7J4R1U)	
POLOXAMER 407 (UNII: TUF2IWW3M2)	
MANNITOL (UNII: 3OWL53L36A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	10mm
Flavor		Imprint Code	NT;151
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72189-158-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2020	
2	NDC:72189-158-72	120 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2020	
3	NDC:72189-158-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2020	
4	NDC:72189-158-60	60 in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203244	12/01/2020	

GABAPENTIN

gabapentin tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72189-178(NDC:50228-178)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GABAPENTIN (UNII: 6CW7F3G59X) (GABAPENTIN - UNII:6CW7F3G59X)	GABAPENTIN	800 mg

Inactive Ingredients

Ingredient Name	Strength
POLOXAMER 407 (UNII: TUF2IVW3M2)	
MANNITOL (UNII: 3OWL53L36A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)				
CROSPVIDONE (UNII: 2S7830E561)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
HYPROMELLOSES (UNII: 3NXW29V3WO)				
COPOVIDONE K25-31 (UNII: D9C330MD8B)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
TALC (UNII: 7SEV7J4R1U)				
Product Characteristics				
Color	white	Score	2 pieces	
Shape	CAPSULE	Size	19mm	
Flavor		Imprint Code	SG;178	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72189-178-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2021	
2	NDC:72189-178-72	120 in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2021	
3	NDC:72189-178-30	30 in 1 BOTTLE; Type 0: Not a Combination Product	02/08/2021	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA205101		02/08/2021	

Labeler - DIRECT RX (079254320)

Registrant - DIRECT RX (079254320)

Establishment

Name	Address	ID/FEI	Business Operations
DIRECT RX		079254320	repack(72189-113, 72189-158, 72189-178, 72189-109)