

**CVS STOMACH RELIEF ULTRA STRENGTH- bismuth subsalicylate suspension  
CVS PHARMACY**

-----  
**CVS Ultra Strength Pink Bismuth Subsalsicylate 525 mg Drug Facts**

**Active ingredient (in each 15 mL dose)**

Bismuth subsalicylate 525 mg

**Purposes**

Upset stomach reliever and antidiarrheal

**Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

**Warnings**

**Reye's syndrome:**Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea or vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

**Do not use if you have**

- an ulcer
- a bleeding problem
- bloody or black stool

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor or pharmacist before use if you are**

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

### **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur

### **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- shake well before use
- only use dose cup provided
- **adults and children 12 years and over:**
- 15 mL (1 dose) every ½ hour or 30 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
- 15 mL (1 dose) every ½ hour as needed overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:**ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

### **Other information**

- **each 15 mL dose cup contains:**potassium 7 mg, sodium 5 mg
- **salicylate 230 mg**
- low sodium
- sugar free
- store at room temperature
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

### **Inactive ingredients**

carboxymethylcellulose sodium, D&C Red No. 22, D&C Red No. 28, flavor, microcrystalline cellulose, potassium hydroxide, potassium sorbate, purified water, salicylic acid, simethicone emulsion, sodium benzoate, sucralose, xanthan gum

**Questions or comments?**

**1-866-467-2748**

**Do not use if imprinted shrink band is missing or broken.**

**Principal Display Panel**

NDC 51316-707-12

**\*Compare to the active ingredient in Pepto-Bismol<sup>®</sup> Ultra Strength**

Ultra Strength

**pink bismuth**

bismuth subsalicylate

Upset Stomach Reliever/Antidiarrheal

Natural Cherry flavor

Relieves:

- Nausea
- Heartburn
- Indigestion
- Upset Stomach
- Diarrhea

12 FL. OZ. (354 mL)

2X CONCENTRATED FORMULA\*\*

**Distributed by:**

**\*This product is not manufactured or distributed by Procter & Gamble, distributor of Pepto-Bismol<sup>®</sup> Ultra Strngth.**



# CVS STOMACH RELIEF ULTRA STRENGTH

bismuth subsalicylate suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-707
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CDI18YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>D&amp;C RED NO. 22</b> (UNII: 1678RKX8RT)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZ H3C48M4T)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>WATER</b> (UNII: 059QF0KOOR)	
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)	
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y1O)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

**SUCRALOSE** (UNII: 96K6UQ3ZD4)

**XANTHAN GUM** (UNII: TTV12P4NEE)

### Product Characteristics

<b>Color</b>	pink (viscous)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-707-12	354 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	10/10/2022	

**Labeler** - CVS PHARMACY (062312574)

Revised: 12/2025

CVS PHARMACY