

MEDART HAND SANITIZER GEL- alcohol gel
Chengdu MedArt Medical Scientific CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient(s)

Alcohol 75 v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, cabomer, purified water USP, ethylhexyl glycerol, glycerol

Package Label - Principal Display Panel

30 mL NDC: 78861-001-01

MEDART™
**Hand
Sanitizer Gel**

Killing
99.99%*
common germs that may make you sick

***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

30mL

MEDART™ Hand Sanitizer Gel

Drug Facts

Active Ingredient	Purpose
Ethanol 60% ~ 75%(V/V)	antimicrobial

Use
Hand sanitizer to help reduce bacteria on the skin.

Warnings
For external use only.
When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.
Stop use and ask a doctor if irritation or rash appears and lasts.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away.
Flammable, keep away from fire or flame.
Keep away from light, dry, well-ventilated and sealed place.

Directions
Put enough product in your palm to cover hands and rub hands briskly until dry.
Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients
Carbomer , Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence,Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer: Chengdu MedArt Medical Scientific CO.,LTD.
Chengdu MedArt Medical Scientific CO.,LTD.
ADD: 102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu, Sichuan, China


6 921461 300741

50 mL NDC: 78861-001-02

MEDART™
**Hand
Sanitizer Gel**

Killing
99.99%*
common germs that may make you sick

***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

50mL

MEDART™ Hand Sanitizer Gel

Drug Facts

Active Ingredient	Purpose
Ethanol 60% ~ 75%(V/V)	antimicrobial


Use
Hand sanitizer to help reduce bacteria on the skin.

Warnings
For external use only.
When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.
Stop use and ask a doctor if irritation or rash appears and lasts.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away.
Flammable, keep away from fire or flame.
Keep away from light, dry, well-ventilated and sealed place.

Directions
Put enough product in your palm to cover hands and rub hands briskly until dry.
Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients
Carbomer, Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer: Chengdu MedArt Medical Scientific CO.,LTD.
Chengdu MedArt Medical Scientific CO.,LTD.
ADD: 102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu, Sichuan, China


6 921461 300758

100 mL NDC: 78861-001-03

MEDART™

Hand Sanitizer Gel

Killing
99.99%*
common germs that may make you sick

***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

100ml

MEDART™ Hand Sanitizer Gel

Drug Facts

Active Ingredient	Purpose
Ethanol 60% ~ 75%(V/V)	antimicrobial

Use

Hand sanitizer to help reduce bacteria on the skin.

Warnings

For external use only.

When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash appears and lasts.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away.

Flammable, keep away from fire or flame.

Keep away from light, dry, well-ventilated and sealed place.

Directions

Put enough product in your palm to cover hands and rub hands briskly until dry.

Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients

Carbomer, Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer:
Chengdu MedArt Medical Scientific CO.,LTD.
ADDR:102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu,Sichuan,China



200 mL NDC: 78861-001-04

Killing
99.99%*
common germs that may make you sick

MEDART™ Hand Sanitizer Gel

Killing 99.99%* common germs that may make you sick

***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus, Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

200ml

MEDART™ Hand Sanitizer Gel

Drug Facts
Active Ingredient
Ethanol 60% ~ 75%(V/V)
Purpose
antimicrobial
Use
Hand sanitizer to help reduce bacteria on the skin.
Warnings
For external use only.
When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.
Stop use and ask a doctor if irritation or rash appears and lasts.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away.
Flammable, keep away from fire or flame.
Keep away from light, dry, well-ventilated and sealed place.
Directions
Put enough product in your palm to cover hands and rub hands briskly until dry.
Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.
Inactive ingredients
Carbomer, Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer:
Chengdu MedArt Medical Scientific CO.,LTD.
ADDR:102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu,Sichuan,China

250 mL NDC: 78861-001-05

MEDART™

Hand Sanitizer Gel

Killing 99.99%* common germs that may make you sick



***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

250ml

MEDART™ Hand Sanitizer Gel

Drug Facts

Active Ingredient -----	Purpose
Ethanol 60% ~ 75%(V/V)	antimicrobial

Use

Hand sanitizer to help reduce bacteria on the skin.

Warnings

For external use only.

When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash appears and lasts.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Contact Center right away.

Flammable, Keep away from fire or flame.

Keep away from light, dry, well-ventilated and sealed place.

Directions

Put enough product in your palm to cover hands and rub hands briskly until dry. Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients

Carbomer, Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer:
Chengdu MedArt Medical Scientific CO., LTD.
ADDR: 102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu, Sichuan, China



6 921461 300666

450 mL DC: 78861-001-06

MEDART™

Hand Sanitizer Gel

Killing 99.99%* common germs that may make you sick



***By suspension quantitative germicide test:**
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

450ml

MEDART™ Hand Sanitizer Gel

Drug Facts

Active Ingredient -----	Purpose
Ethanol 60% ~ 75%(V/V)	antimicrobial

Use

Hand sanitizer to help reduce bacteria on the skin.

Warnings

For external use only.

When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash appears and lasts.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Contact Center right away.

Flammable, Keep away from fire or flame.

Keep away from light, dry, well-ventilated and sealed place.

Directions

Put enough product in your palm to cover hands and rub hands briskly until dry. Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients

Carbomer, Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT: Indicated on the bottle
EXP: Indicated on the bottle
TEL: (+86) 028-85114632
Manufacturer:
Chengdu MedArt Medical Scientific CO., LTD.
ADDR: 102 Tianying Road, Hi-Tech Industrial
Development West Zone,
Chengdu, Sichuan, China



6 921461 300642


500 mL NDC: 78861-001-07




1000 mL NDC: 78861-001-08



2000 mL NDC: 78861-001-09





Killing
99.999%
common germs that may make you sick

MEDART™

Hand Sanitizer Gel

Killing 99.999%* common germs that may make you sick

*As determined against standard germs used.
Efficacy based on laboratory tests performed on Bacillus, Escherichia coli and Pseudomonas aeruginosa strains.

(NFC) indicated on the bottle
(CE) indicated on the bottle
(FSC) indicated on the bottle
(FSC) indicated on the bottle
Chicago Market Medical Scientific CO., LTD
#208 E. Taylor Road, 1st Tech Industrial
Development West Zone,
Chongqing, Sichuan, China

5000ml

MEDART™ Hand Sanitizer Gel

Drug Facts	Purpose
Active Ingredient Ethanol 60% ~ 75%(V/V)	antimicrobial
Use Hand sanitizer to help reduce bacteria on the skin.	
Warnings For external use only. When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash appears and lasts. Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away. Flammable, keep away from fire or flame. Keep away from light, dry, well-ventilated and sealed place.	
Directions Put enough product in your palm to cover hands and rub hands briskly until dry. Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel. Inactive ingredients Carbomer, Triethanolamine, Ethylhexyl glycerin, Glycerin, Vitamin E, Colorant, Essence, Purified water	

MEDART™

Hand Sanitizer Gel

Killing
99.99%
common germs that may make you sick

*By suspension quantitative germicide test:
Logarithmic value of disinfection for Staphylococcus Aureus,
Escherichia Coli and Pseudomonas Aeruginosa ≥ 5.00
Logarithmic value of disinfection for Candida Albicans ≥ 4.00

60ml

MEDART™
Hand Sanitizer Gel

Drug Facts

Active Ingredient ----- **Purpose**

Ethanol 60% ~ 75%(V/V) antimicrobial

Use

Hand sanitizer to help reduce bacteria on the skin.

Warnings

For external use only.
When using this product do not use in or near the eyes. In case of contact, rinse eyes thoroughly with water.
Stop use and ask a doctor if irritation or rash appears and lasts.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Contact Center right away.
Flammable, keep away from fire or flame.
Keep away from light, dry, well-ventilated and sealed place.

Directions

Put enough product in your palm to cover hands and rub hands briskly until dry.
Children under 6 years of age should be supervised when using MEDART™ Hand Sanitizer Gel.

Inactive ingredients

Carbomer , Triethanolamine, Ethylhexyl glycerol, Glycerol, Vitamin E, Colorant, Essence, Purified water

MFD: Indicated on the bottle
LOT : Indicated on the bottle
EXP : Indicated on the bottle
TEL : (+86) 028-85114632
Manufacturer :
Chengdu MedArt Medical Scientific CO.,LTD.
ADDR:102 Tianying Road, Hi-Tech Industrial Development West Zone, Chengdu,Sichuan,China

6 921461 300826

alcohol gel

6 921461 300826

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:78861-001
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)			ALCOHOL	75 mL in 100 mL
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)			1 mL in 100 mL	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78861-001-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
2	NDC:78861-001-02	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
3	NDC:78861-001-03	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
4	NDC:78861-001-04	200 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
5	NDC:78861-001-05	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
6	NDC:78861-001-06	450 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
7	NDC:78861-001-07	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
8	NDC:78861-001-08	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
9	NDC:78861-001-09	2000 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
10	NDC:78861-001-10	5000 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
11	NDC:78861-001-11	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333A	03/30/2020	

Labeler - Chengdu MedArt Medical Scientific CO., LTD. (544339602)

Establishment			
Name	Address	ID/FEI	Business Operations
Chengdu MedArt Medical Scientific CO., LTD.		544339602	manufacture(78861-001)

Revised: 11/2021

Chengdu MedArt Medical Scientific CO., LTD.