HAND SANITIZER- alcohol gel SanitizeNow Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

The hand sanitizer is manufactured using only the following ingredients in the preparation of the product:

Alcohol (ethanol) (70%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20. Sterile distilled water or boiled cold water. Hydrogen Peroxide Glycerin Isopropyl Myristate 0% to < 0.25% Propylene Glycol Carbomer and/or acrylates/alkyl polymers Aloe Arborescens Leaf Tocopheryl Acetate Fragrance

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds
- in eyes. In case of contact, rinse eyes thoroughly with water

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

Water, Hydrogen Peroxide, Glycerin, Carbomer and/or Crosspolymers, Isopropyl Myristate 0% to < 0.25%, Propylene Glycol, Aloe Arborescens Leaf and/or Tocopheryl Acetate, Fragrance.

Package Label - Principal Display Panel

355 mL NDC: 74988-731-35




59 mL NDC: 74988-731-20

| Drug Facts | Hand Sanitizer | and infections. | nds from germs Manufactured |
|--|--|--|---|
| Active Ingredient Purpose Ethyl Alcohol 70% Antiseptic | | | the USA. FDA |
| Use: Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. | N . A | regis | tered |
| Warnings: For external use only. Flammable. Keep away from fire or flame. | | 01 | 02 |
| Do not use • on open skin wounds • on children under the age of 2 months | P i r e x x | * F | ጠኪ 🤎 |
| When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. | | | V. Elle |
| top use and ask a doctor if irritation or rash occurs. These nay be signs of a serious condition. | High Potency Hand Sanitizer | | |
| Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | | Dispense hand sanitizer on your palms. | Rub hands together, palm to palm and back of each hand. |
| Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. | KORINULA HIGH B | 03 | 04 |
| Other Information • Store between 59" - 86'F (15" - 30'C) • Avoid freezing and excessive heat above 104'F (40'C) | | | • |
| nactive Ingredients Water, Hydrogen Peroxide, Glycerin, arbomer and/or Crosspolymers, Isopropyl Myristate 0% to < 25%, Propylene Glycol, Aloe Arborescens Leaf and/or ccopheryl Acetate, Fragrance. | Alcohol Formula | | |
| e | -2014 • AJUNO | Rub tips of hand with palm of other hand. | Cover all surfaces until hands feel dry (about 20 sec.) |
| FD/2 0 * 374988 * 731202 | Made with Plant Extracts and Skin Conditioner | | |
| | KILLS 99.9% OF GERMS* | This product is NDC: 749 | FDA Registered 88-731-20 |

2 oz (59 mL)

118 mL NDC: 74988-731-40



236 mL NDC: 74988-731-80

| | 1 | 0 B | |
|---|--|---|---|
| Active Ingredient Ethyl Alcohol 70% | Purpose Antiseptic | | ADVANCED |
| Use: Hand sanitizer to help reduce bact can cause disease. For use when scap a available. | | Dispense hand sanitizer on your palms. | Hand Sanitizer |
| Warnings: For external use only. Flam from fire or flame. | nmable. Keep away | e dur | |
| Do not use • on open skin wounds • or age of 2 months | n children under the | | |
| When using this product keep out of mouth. In case of contact with eyes, rins with water. | | Rub hands together, palm to palm and back of each hand. | P + rexx |
| Stop use and ask a doctor if irritation These may be signs of a serious condition | | • | |
| Keep out of reach of children. If swa help or contact a Poison Control Center i | | Rub tips of hand with palm | High Potency Hand Sanitizer |
| Directions • Place enough product on I surfaces. Rub hands together until dry. • under 6 years of age when using this pr swallowing. | Supervise children | of other hand. | Alcohol Formula |
| Other Information • Store between 59 Avoid freezing and excessive heat above | | * 11.1 | Formula or ^{CH} OIH • VINNO |
| Inactive Ingredients Water, Hydrogen Carborner and/or Crosspolymers, Isopr to < 0.25%, Propylene Glycol, Aloe Arbo and/or Tocopheryl Acetate, Fragrance. | ropyl Myristate 0% orescens Leaf | Cover all surfaces until hands feel dry (about 20 sec.) | Made with Plant Extracts and Skin Conditioner |
| This product is FDA Registered NDC: 74988-731-80 | | | KILLS 99.9 % OF GERMS* |
| S M | vistributed by: SanitizeNow Mesa, Arizona w.sanitizenow.co | Shield your hands from germs and infections. | 8 oz (236 mL) |
| 3 mL NDC: 74988- | -731-16 T | | |
| Inua Esste | | | |
| tive Ingredient Purpose | Sincia your | Hand Sani | tizep |
| tive Ingredient Purpose tyl Alcohol 70% Antiseptic e: Hand sanitizer to help reduce bacteria that tentially can cause disease. For use when soap | Shield your hands from germs and infections. | Hand Sanit | tizer a a a a a a a a a a a a a a a a a a a |
| tive Ingredient Purpose nyl Alcohol 70% Antiseptic e: Hand sanitizer to help reduce bacteria that feritally can cause disease. For use when soap water are not available. rrnings: For external use only. Flammable. | hands from germs | | |
| tive Ingredient Purpose myl Alcohol 70% Antiseptic e: Hand sanitizer to help reduce bacteria that tentially can cause disease. For use when soap d water are not available. arnings: For external use only. Flammable. ep away from fire or flame. not use • on open skin wounds • on children | hands from germs and infections. Manufactured | | |
| tive Ingredient N/ Alcohol 70% Purpose Antiseptic e: Hand sanitizer to help reduce bacteria that tentially can cause disease. For use when soap d water are not available. Image: Comparison of the soap antisection of the soap antisection of the soap away from fire or flame. not use + on open skin wounds + on children der the age of 2 months Image here, sears, a mouth. In case of contact with eyes, rins eves | hands from germs and infections. Manufactured and bottle in the USA. | Hand Sanit Pirre | |
| tive Ingredient Purpose myl Alcohol 70% Antiseptic e: Hand sanitizer to help reduce bacteria that tertially can cause disease. For use when soap d water are not available. er away from fire or flame. not use + on open skin wounds + on children der the age of 2 months then using this product keep out of eyes, ears, d mouth. In case of contact with eyes, rinse eyes roughly with water. po use and ask a doctor if irritation or rash | hands from germs and infections. Manufactured and bottle in the USA. FDA | | 01 02 Image: Construction of the state of |
| tive Ingredient NJ Alcohol 70% Purpose Antiseptic e: Hand sanitizer to help reduce bacteria that tentially can cause disease. For use when soap d water are not available. Image: Source state state and the source state state state ep away from fire or flame. und use + on open skin wounds • on children der the age of 2 months Image: Source state ep away from fire or flame. en use + on open skin wounds • on children der the age of 2 months Image: Source state ep away from fire or flame. en use + on open skin wounds • on children der ontult. In case of contact with eyes, rinse eyes proughly with water. Image: Source state ep ause and ask a doctor if irritation or rash curs. These may be signs of a serious condition. ep out of reach of children. If swallowed, get dical help or contact a Poison Control Center If swallowed, get contact a Poison control Center | hands from germs and infections. Manufactured and bottle in the USA. FDA | Pirre | 01 02 Image: Construction of the state of |
| Drug Facts tive Ingredient tyl Alcohol 70% Purpose Antiseptic ex: Hand santizer to help reduce bacteria that tentially can cause disease. For use when soap d water are not available. Antiseptic arrangs: For external use only. Flammable. Antiseptic ep away from fire or flame. Antiseptic arot use • on open skin wounds • on children der the age of 2 months Antiseptic hen using this product keep out of eyes, ears, d mouth. In case of contact with eyes, rinse eyes oroughly with water. On use and ask a doctor if irritation or rash curs. These may be signs of a serious condition. ep aud of reach of children. If swallowed, get detal help or contact a Poison Control Center that away. The surfaces. Rub hands together until dry. • pervise children under 6 years of age when using s product to avoid swallowing. | hands from germs and infections. Manufactured and bottle in the USA. FDA registered | Piperce High Potency Hand | 01 02 Dispense hand sanitizer on your palms. Rub hands together, palm to palm and back of each hand. Sanitizer 03 04 04 05 04 06 04 07 04 08 04 09 04 00 04 01 04 01 04 02 04 04 04 05 04 06 04 07 04 08 04 09 04 09 04 01 04 02 04 04 04 05 04 06 04 06 04 06 04 07 04 08 04 09 04 09 04 09 04 00 04 04 04 05 04 |
| tive Ingredient nyl Alcohol 70% Purpose Antiseptic e: Hand sanitizer to help reduce bacteria that tentially can cause disease. For use when soap d water are not available. externation of the soap d water are not available. armings: For external use only. Flammable. ep away from fire or flame. externation of the soap d water are not available. not use + on open skin wounds + on children der the age of 2 months on children der the age of 2 months ren using this product keep out of eyes, ears, d mouth. In case of contact with eyes, rinse eyes proughly with water. on use ad esk a doctor if irritation or rash curs. These may be signs of a serious condition. ep use and ask a doctor if irritation occurrer th away. revises children. If swallowed, get dical help or contact a Poison Control Center th away. returns - Place enough product on hands to pervise children under 6 years of age when using | hands from germs and infections. Manufactured and bottle in the USA. FDA registered | Piperce High Potency Hand | Image: Constraint of the part of th |

3.79 L NDC: 74988-731-37

r

473 mL (16 oz)



208 L NDC: 74988-731-55

| Active Ingredient Ethyl Alcohol 70% | Purpose Antiseptic | |
|---|-----------------------|--|
| Use: Hand sanitizer to help reduce bacter can cause disease. For use when soap an available. | | Dispense hand sanitizer on your palms. |
| Warnings: For external use only. Flam from fire or flame. | nable. Keep away | |
| Do not use • on open skin wounds • on age of 2 months | children under the | Rub hands together, palm to palm and back of each hand. |
| When using this product keep out of e mouth. In case of contact with eyes, rinse with water. | | • |
| Stop use and ask a doctor if irritation (These may be signs of a serious condition | | Rub tips of hand with palm of other hand. |
| Keep out of reach of children. If swall help or contact a Poison Control Center rig | | ை ூரிற |
| Directions • Place enough product on ha surfaces. Rub hands together until dry. • under 6 years of age when using this pro swallowing. | Supervise children | Cover all surfaces until hands feel dry (about 20 sec.) |
| Other Information • Store between 59* Avoid freezing and excessive heat above | | FDA |
| Inactive Ingredients Water, Hydrogen P Carbomer and/or Crosspolymers, Isoprop to < 0.25%, Propylene Glycol, Aloe Arbore Tocopheryl Acetate, Fragrance. | yl Myristate 0% | This product is FDA Registe NDC: 74988-731-55 |
| bield your hands from ge nfections. Manufactured pottle in the USA. FDA re | and | |

Hand Sanitizer



High Potency Hand Sanitizer



Made with Plant Extracts and Skin Conditioner

KILLS 99.9 % OF GERMS*

208 L (55 Gal)

1041 L NDC: 74988-731-41

Hand Sanitizer



High Potency Hand Sanitizer



Made with Plant Extracts and Skin Conditioner

KILLS 99.9 % OF GERMS*

1041 L (275 Gal)

Drug Facts 01 Active Ingredient Purpose Ethyl Alcohol 70% Antiseptic Use: Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available. Warnings: For external use only. Flammable. Keep away from fire or flame. Do not use • on open skin wounds • on children under the age of 2 months When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions . Place enough product on hands to cover all surfaces. Rub hands together until dry. . Supervise children

under 6 years of age when using this product to avoid swallowing. **Other Information** • Store between 59° - 86°F (15° - 30°C) •

Avoid freezing and excessive heat above 104°F (40°C)

Inactive Ingredients Water, Hydrogen Peroxide, Glycerin, Carbomer and/or Crosspolymers, Isopropyl Myristate 0% to < 0.25%, Propylene Glycol, Aloe Arborescens Leaf and/or Tocopheryl Acetate, Fragrance.

Shield your hands from germs and infections. Manufactured and bottle in the USA. FDA registered





This product is FDA Registered NDC: 74988-731-41



25741 L NDC: 74988-731-74



HAND SANITIZER

alcohol gel

| Product Information | | | | |
|-------------------------------------|----------------|-----------|-------------------|-----------------|
| Product T ype | HUMAN OTC DRUG | Item Code | (Source) | NDC:74988-731 |
| Route of Administration | TOPICAL | | | |
| | | | | |
| | | | | |
| Active Ingredient/Active M | loiety | | | |
| Ingredient Name | | | Basis of Strength | Strongth |
| Ing | redient Name | | Dasis of Strength | Strength |
| Ing ALCOHOL (UNII: 3K9958V90M) (| | | ALCOHOL | 70 mL in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| .ALPHATO COPHEROL ACETATE, D- (UNII: A7E6112E4N) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| HYDROGEN PEROXIDE (UNII: BBX060AN9V) | |
| WATER (UNII: 059QF0KO0R) | |
| ISOPROPYL MYRISTATE (UNII: 0 RE8K4LNJS) | |
| ALOE ARBORESCENS LEAF (UNII: 09TD8L5SQV) | |
| | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|----------------------|---|-------------------------|-----------------------|
| 1 | NDC:74988-731- 20 | 59 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/15/2020 | |
| 2 | NDC:74988-731- 40 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/15/2020 | |
| | NDC:74988-731- 80 | 236 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/15/2020 | |
| 4 | NDC:74988-731- 16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 06/15/2020 | |
| 5 | NDC:74988-731- 37 | 3790 mL in 1 JUG; Type 0: Not a Combination Product | 06/15/2020 | |
| 6 | NDC:74988-731- 55 | 208000 mL in 1 DRUM; Type 0: Not a Combination Product | 06/15/2020 | |
| | NDC:74988-731- 41 | 1041000 mL in 1 TANK; Type 0: Not a Combination Product | 06/15/2020 | |
| 8 | NDC:74988-731- 74 | 25741000 mL in 1 CONTAINER; Type 0: Not a Combination Product | 06/15/2020 | |
| 9 | NDC:74988-731- 35 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 10/16/2020 | |
| | | | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333A | 06/15/2020 | |

Labeler - SanitizeNow Inc. (117475870)

| Establishment | | | | |
|------------------|---------|-----------|------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| SanitizeNow Inc. | | 117475870 | manufacture(74988-731) | |

Revised: 10/2020

Sanitize Now Inc.