# FORMOCLEAN GEL HAND SANITIZER- alcohol gel Applichem, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

#### **Active Ingredient(s)**

Medicinal ingredient: Ethyl alcohol 70% v/v...... Purpose: Antiseptic

#### **Purpose**

Antiseptic, Hand Sanitizer

#### Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

#### Warnings

For external use only. Flammable. Keep away from heat or flame

#### Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

#### **Directions**

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

#### Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)


#### **Inactive ingredients**

Water (Aqua), Glycerin, Hydrogen Peroxide, Alkyl Acrylate Crosspolymer, Triethanolamine, Aloe, Lauryl Alcohol, Myristyl Alcohol, Fragrance (Parfum), PEG Dimethicone

#### **Package Label - Principal Display Panel**

3.8 L NDC: 74751-003-01





Drug Facts	
Active ingredient[s]	Purpose
Medicinal ingredient: Ethyl alcohol 70% v/v	Antsepto
Use[s]	
Hand Sanitizer to help reduce bacteria that pote	ntially can cause disease. Fo
use when scap and water are not available.	
Warnings	
For external use only. Flammable. Keep away	y from heat or flame.
Do not use	
on children less than 2 months of age	
- on open skin wounds	
When using this product keep out of eyes, ear	rs, and mouth. In case of
contact with eyes, rinse eyes thoroughly with wa	ater.
Stop use and ask a doctor if inflation or rash of	ocurs. These may be signs o
a serious condition.	
Keep out of reach of children. If swallowed, go	et medical help or contact a
Poison Control Center right away.	
Directions	an arminin ex co
· Place enough product on hands to cover all su	rfaces. Rub hands together
until dry.	
- Supervise châdren under 6 years of age when	using this product to avoid
swallowing.	A STATE OF THE STA
Other information	
<ul> <li>Store between 15-30C (59-88F)</li> </ul>	
<ul> <li>Avoid freezing and excessive heat above 4DC</li> </ul>	(104F)
Inactive ingredients Water (Aqua), Glycein,	Hydrogen Perceide, Alkyl Acryla
Crosspolymer, Trolamine, Laurel Alcohol, Myristyl Alcohol	ohol, Fragrance (Parfum)

HAND SANITIZER NON-STERILE SOLUTION ALCOHOL ANTISEPTIC 70% TOPICAL SOLUTION

FormoClean, A brand of Applichem Inc 3211 Nebraska Ave, Suite 300, Council Bluffs, IA 51501

Hand Sanifizer to help reduce bacteria that potentially can cause disease. For

For external use only. Flammable. Keep away from heat or flame

Keep out of reach of children. If swellowed, get medical help or centact is

Place sneigh product on hands to cover all surfaces. Rob hands together

· Supervise children under 6 years of age when using this product to avoid

use when soap and water are not available.

contact with eyes, rese eyes thoroughly with voter.

Ригрове

Drug Facts Active ingredient(s)

Warnings

a serious condition.

until dry

Poison Control Center right away

+ Stare between 15-39C (59-88F)

19 L NDC: 74751-003-05



## **Gel Hand Sanitizer**

5 GALLONS/19L FRESH EUCALYPTUS SCENT











HAND SANITIZER NON-STERILE SOLUTION ALCOHOL ANTISEPTIC 70% TOPICAL SOLUTION



 Award freezing and excessive heat above 40C (104F)
 Inactive ingradients state (Agua), Dysam, Hydrogen Persode, Allys Arryk FormoClean, A brand of Applichem Inc. 3211 Nebraska Ave, Suite 300, Council Bloffs, IA 51501

189 L NDC: 74751-003-50



HAND SANITIZER NON-STERILE SOLUTION ALCOHOL ANTISEPTIC 70% TOPICAL SOLUTION

Made in the USA

Drug Facts Active ingredient(s) Ригрове Medicinal ingredient Ethyl alcohol 70% yv. Use(s) Hand Sanitzer to help reduce bacteria that potentially can cause disease. For use when soop and water are not available. For external use only. Flammable. Keep away from heat or flam or children less than 2 months of age When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rese eyes thoroughly with water Stop use and ask a doctor if inflation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swellowed, get medical help or contact is Poison Control Center right away. Directions · Place areagn product on hands to cover all surfaces. Rob hands together until dry · Supervise children under 6 years of age when using this product to sooid Other information + Store between 15-39C (59-88F) Award freezing and excessive heat above 40C (104F) Inactive ingredients Halor (Agus), Blyson, Hydrogon Perzode, Aleyi Azryla

FormoClean, A brand of Applichem Inc. 3211 Nebraska Ave. Suite 300, Council Bluffs, IA 51501



250 mL NDC: 74751-003-08



500 mL NDC: 74751-003-16



NON-STERILE SOLUTION ALCOHOL ANTISEPTIC 70%

TOPICAL SOLUTION





### Gel Hand Sanitizer











16.9 FL OZ/500 mL - 70% ALCOHOL FRESH EUCALYPTUS SCENT



Drug Fects	
Active ingredienţis;	Papani
Redoná ingredent žítyl etutet 70% etc.	Attispto
tinghij	
Hand Santteer to help reduce bacteria that potents	illy can cause
chasse. For one when soop and nater are not any	faths.
donings	Victoria State
For external use only. Flammable, Keep many for	on but or films
Sonel use	
- on children less than 2 months of age	
- in oper sits wounds	
When using this product loop out of eyes, sars,	ed nich, hiss
of contact with eyes, these eyes thoroughly with less	MC (
Stop sew and ask a doctor if inhalten or next occu-	rs. These may be
signs of a serious condition	
Keep out of reach of stilldren. If swallower, get t	edsive x
contact a Police Control Contin right every	
Sirentons	SHOKULIYA
- Place enough product or hands to cover all surface	os Ribhards
together until dry	
- Supervise different order if years of agreement as	ng the product to
avoic realitating.	
Other Information	
- Store between 15-30C (SI-86F)	

#### FORMOCLEAN GEL HAND SANITIZER

alcohol gel

D 1			. •	
Prod	uct I	ntor	mati	on

HUMAN OTC DRUG NDC:74751-004 Product Type Item Code (Source)

**Route of Administration** TOPICAL

## **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) ALCOHOL 70.6586 mL in 100 mL

#### **Inactive Ingredients Ingredient Name** Strength 1.3344 mL in 100 mL **GLYCERIN** (UNII: PDC6A3C0OX) HYDROGEN PERO XIDE (UNII: BBX060AN9V) 0.1258 mL in 100 mL WATER (UNII: 059QF0KO0R) TROLAMINE (UNII: 903K93S3TK) 0.6023 mL in 100 mL METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (4500 MPA.S) (UNII: T967IEU43C) 7.6152 mL in 100 mL PEG-10 DIMETHICO NE (600 CST) (UNII: 8 PR7V1S VM0) 0.0216 mL in 100 mL MYRISTYL LACTATE (UNII: 1D822OC34X) $0.2656\ mL$ in $100\ mL$ ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X) 0.2665 mL in 100 mL 0.0187 mL in 100 mL WEST INDIAN LEMONGRASS OIL (UNII: 5BIA40E9ED)

Packaging									
D 1 .									
	Packaging								

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74751-004- 01	3800 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	
2	NDC:74751-004- 05	19000 mL in 1 PAIL; Type 0: Not a Combination Product	03/30/2020	
3	NDC:74751-004- 50	190000 mL in 1 DRUM; Type 0: Not a Combination Product	03/30/2020	
4	NDC:74751-004- 08	250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	
5	NDC:74751-004- 16	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/30/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	03/30/2020		

## Labeler - Applichem, Inc (039829528)

Revised: 11/2020 Applichem, Inc