SINUS PLUS HEADACHE- acetaminophen and phenylephrine hydrochloride tablet, coated MARC GLASSMAN, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1123B-MAR-2022-1005

Drug Facts

Active ingredients (in
each caplet)PurposeAcetaminophen 325 mgPain reliever/fever
reducerPhenylephrine HCl 5 mgNasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
 - headache
 - sinus congestion and pressure
 - nasal congestion
 - minor aches and pains
- helps decongest sinus openings and passages
- promotes sinus drainage
- helps clear nasal passages
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12	 take 2 caplets every 4 hours swallow whole; do not crush, chew, or dissolve do not take more than 10 caplets
vears and over	 do not take more than 10 caplets

Jeans and over	in 24 hours
children under 12 years	 ask a doctor

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information and warnings

Inactive ingredients

acesulfame potassium, colloidal silicon dioxide, corn starch, croscarmellose sodium, crospovidone, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylene glycol, stearic acid, talc, titanium dioxide

PRINCIPAL DISPLAY PANEL

Marc's ®

NDC 68998-323-05

†Compare to the active ingredients in Tylenol® Sinus + Headache

Daytime • Non-Drowsy • For Adults

Sinus + Headache

Acetaminophen, Phenylephrine HCI

PAIN RELIEVER/FEVER REDUCER, NASAL DECONGESTANT

For Relief of:

- Sinus Headache
- Sinus Pressure
- Nasal Congestion

Actual Size

24 COOL TASTE CAPLETS

	NC		Marcs. Daytime - Non-Drowsy - For Adults Sinus + Headache	
NC	Drag Facts (continued) Drag Facts (continued) Martings Warnings Warnings Warnings	Drug Facts (continued) The product is not munderlined to monochrone of Strictburded by: marchive ingredients Distributed by: deshoard by Makel communder of the orbit. Inactive ingredients xecultume potassim, colored is not more construct, cross-mellese sodum. This product is not munderlined by Makel Communder of the orbit. More Glossmon, inc. Inactive ingredients xecultume potassim, colored is not more construct, cross-mellese sodum. West 10 deministry. West 10 deministry. Revelored, DN 4413O West 10 deministry. Revelored, OH 4413O West 10 deministry. Revelored, product, propriere synch, cross-mellese sodum. Do NOT USE IF BUSTER UNITS West 10 deministry. Revelored, product, propriere synch, cross-mellese sodum. Do NOT USE IF BUSTER UNITS Marc TORN ON BROKEN	<text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text>	Drug Facts Drug Facts (continued) Active ingredients (in each caplet) Purpose Active ingredients (in each caplet) Purpose Active ingredients (in each caplet) Purpose Printiepinim HCI S mg entry extraction allocation Best entry extraction allocation Printiepinim HCI S mg entry extraction allocation Best entry extraction allocation Best entry extraction Best entry extraction Printing HCI S mg entry extraction Best entry extraction Intervent entry extraction
SINU	NC S PLUS HEADACHE		0 99581 91068 6	

acetaminophen and phenylephrine hydrochloride tablet, coated

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (S	Source)	NDC:6899	8-323
Route of Administration	ORAL				
Active Ingredient/Active	Mojety				
Active Ingredient/Active	Molecy				
Ingree	dient Name		Basis of Str	rength	Strength
ACETAMINOPHEN (UNII: 36209ITL	.9D) (ACETAMINOPHEN - UNI	I:362O9ITL9D)	ACETAMINOPHEN		325 mg
PHENYLEPHRINE HYDROCHLORI UNII:1WS297W6MV)	DE (UNII: 04JA59TNSJ) (PHE	NYLEPHRINE -	PHENYLEPHRINE HYDROCHLORIDE		5 mg
Inactive Ingredients					
	Ingredient Name			St	rength
ACESULFAME POTASSIUM (UNII:	230V73Q5G9)				
SILICON DIOXIDE (UNII: ETJ7Z6XB	U4)				

CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI2606933)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: 08232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characterist	ics		
Color	green	Score	no score
Shape	OVAL	Size	17mm
Flavor	MINT	Imprint Code	AAA;1123
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68998- 323-05	2 in 1 CARTON	06/15/2020	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
M	larketing l	nformation		
M	a rketing l Marketing Category	nformation Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - MARC GLASSMAN, INC. (094487477)

Revised: 10/2022

MARC GLASSMAN, INC.