

DELLA SOFT- iodine solution solution
DeLaval Inc.

Della Soft

Della Soft

Storage: Store at room temperature

Approval No.: 12 Chiku A No. 833

Veterinary Pharmaceutical Product - Teat Disinfectant for Cattle

Disinfection and sanitization of bovine teats.

Use the solution undiluted.

Pour into a cup or similar container and briefly immerse the teats after each milking.

Ingredients and Quantities (per 100g)

Iodine-glycerin complex solution.....1.82 g (Available iodine: 0.5g)

Sodium iodide.... 0.10 g

Glycerin..... 1.07 g

Add image transcription here...

Precautions to Be Observed

This product must be used only for the purposes specified in its indications and effects.

Follow the specified dosage and administration strictly.

Precautions for Handling and Disposal:

Use this product undiluted, and shake gently before use to ensure thorough mixing. Do not use metal containers, as this product is corrosive.

Do not mix this product with other disinfectants.

Organic matter consumes available iodine; therefore avoid contamination.

If a large amount of milk or other organic matter is mixed in, discard the solution and refill the container with fresh product.

Do not reuse the product if it has been left standing for a long period after use.

Keep Out of Reach of Children. Store at room temperature, avoiding direct sunlight.

If the product freezes in cold environments, warm it to room temperature and liquefy it before use.

To avoid misuse and maintain product quality, do not transfer the product to another container.

In case of leakage, rinse with plenty of water. When disposing of unused product, avoid

contaminating the environment or water systems, and follow local regulations.
Dispose of used containers in accordance with local ordinances.

Precautions During Use

Wear protective goggles when using this product.

If the product gets into your eyes, rinse immediately with plenty of water, including the inner eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.

Wear long-sleeved clothing and protective gloves when handling the product. If the product comes into contact with skin, wash thoroughly with soap and plenty of water, and remove contaminated clothing and shoes. Do not ingest this product.

If accidentally swallowed, give plenty of water, induce vomiting if appropriate, and seek medical attention immediately.

Ensure adequate ventilation during use. If vapors are inhaled, move to an area with fresh air.

Precautions for Cattle:

Adverse reactions: In rare cases, hypersensitivity such as rash may occur. If such symptoms appear, discontinue use and consult a veterinarian.

For external use only. Do not use this product for pre-milking disinfection.

Net volume:

Lot No.:

Expiration date:

DeLaval

1290-111028

1290-A8333

デラ・ソフト™ エンハスト

動物用医薬品 牛の乳頭殺菌消毒剤

【特徴又は効果】
牛の乳頭の殺菌及び消毒

【用法及び用量】
本薬は家庭にて使用し、コップなどの容器に入れ、母乳・母乳詰を短時間浸漬する。

【成分・分量 (100g 中)】
ヨウ素グリセリン複合液 1.82g (有効ヨウ素 0.5g)
ヨウ化ナトリウム 0.10g
グリセリン 1.07g

【注意】
小児の手の届かない場所に保管すること

【注意】
● 本薬は、包装、使用において定められた目的にのみ使用すること。
● 本薬は、定められた用法、用量を守ること。

【取扱い及び開封に関する注意】
● 本薬は、密閉せずに保管を厳しく禁じ、汚染物をよく除去してから使用すること。
● 本薬は、腐食性があるため、包装紙の損傷を使用しないこと。
● 本薬と他の消毒剤を混合しないこと。
● 汚染物は適切な消毒剤で消毒すること。万一、多数の乳汁等が混入した場合は、廃棄し、新たに本薬を容器に入れ、使用する。
● 一度使用した本薬で、長時間放置したものの使用は避けること。
● 本薬は、小児の手の届かないところに保管すること。
● 本薬は、直射日光を避け、涼しいところで保管すること。
● 本薬は、寒冷地等で凍結した場合は、室温で温めて溶かしてから使用すること。
● 本薬の瓶蓋を洗剤、本薬の残留を保持するため、瓶の内部に入れ替えしないこと。
● 本薬が凍結した場合は、大量の水で洗い流すこと。
● 本薬の瓶蓋に腐し、瓶蓋や水蒸への汚染に注意し、地方公共団体保健所に従って処分すること。
● 本薬の使用済み包装は、地方公共団体保健所に従って処分すること。

【併用する薬剤】
● 本薬の使用によりまれに薬剤等の効果定があらわれることがあるが、このような症状があらわれた場合は、使用を中止し、獣医師の指導を受けること。

【取扱い上の注意】
● 本薬は、外用以外には使用しないこと。
● 本薬を哺乳瓶の消毒に使用しないこと。

製造販売業者
デコビル 株式会社
北海道千歳市上島町1117-2
TEL 0123-40-8172

小児の手の届かない場所に保管のこと



1290

ご使用の前に、すべての指示を読んで、
理解してください。

1. 守らなければならないこと

【一般的な注意】

- 本薬は、包装、使用において定められた目的にのみ使用すること。
- 本薬は、定められた用法、用量を守ること。

【取扱い及び開封に関する注意】

- 本薬は、密閉せずに保管を厳しく禁じ、汚染物をよく除去してから使用すること。
- 本薬は、腐食性があるため、包装紙の損傷を使用しないこと。
- 本薬と他の消毒剤を混合しないこと。
- 汚染物は適切な消毒剤で消毒すること。万一、多数の乳汁等が混入した場合は、廃棄し、新たに本薬を容器に入れ、使用する。
- 一度使用した本薬で、長時間放置したものの使用は避けること。
- 本薬は、小児の手の届かないところに保管すること。
- 本薬は、直射日光を避け、涼しいところで保管すること。
- 本薬は、寒冷地等で凍結した場合は、室温で温めて溶かしてから使用すること。
- 本薬の瓶蓋を洗剤、本薬の残留を保持するため、瓶の内部に入れ替えしないこと。
- 本薬が凍結した場合は、大量の水で洗い流すこと。
- 本薬の瓶蓋に腐し、瓶蓋や水蒸への汚染に注意し、地方公共団体保健所に従って処分すること。
- 本薬の使用済み包装は、地方公共団体保健所に従って処分すること。

2. 使用に際して瓶を付けること

【開封前に対する注意】

- 本薬の使用の前には瓶蓋ががらを取り、万一、目に入った場合は、直ちに十分な水で洗い流し、その日の内にも15分位以上洗い流すこと。目の腫れが治まらない場合は、医師に相談するか治療を受けること。
- 本薬の使用の前には瓶蓋の表面と保護フィルムを洗い、万一、直視に付着した場合は、石鹸と十分な水ですぐに洗い流し、汚染された衣類や物を洗濯すること。
- 本薬を凍結しないこと。万一、凍結した場合は、大量の水を静かに、お湯をかけるなどの適切な処置を行い、ただちに室温で解凍すること。
- 本薬の使用時には、適切な温度を確保し、万一、凍結した場合は、室温の静かな場所に静置すること。

【併用する薬剤】

● 併用

- 本薬の使用によりまれに薬剤等の効果定があらわれることがあるが、このような症状があらわれた場合は、使用を中止し、獣医師の指導を受けること。

【取扱い上の注意】

- 本薬は、外用以外には使用しないこと。
- 本薬を哺乳瓶の消毒に使用しないこと。

正 装 量： ガロン (約 L)

ロット番号：

使用期限：

DELLA SOFT

iodine solution solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55756-784
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.5 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 335 (UNII: G6DQL26D50)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM IODIDE (UNII: F5WR8N145C)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:55756-784-01	208 L in 1 DRUM		
2	NDC:55756-784-02	56.8 L in 1 PAIL		
3	NDC:55756-784-08	19 L in 1 PAIL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		03/09/2026	

Labeler - DeLaval Inc. (173704867)

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, analysis, label, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, analysis, label, api manufacture

Revised: 3/2026

DeLaval Inc.