

**UMCKA COLD FLU BERRY- aconitum napellus, bryonia alba, eucalyptus globulus, eupatorium perfoliatum, gelsemium sempervirens, ipecacuanha, pelargonium sidoides, phosphorus syrup
Schwabe North America**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Umcka Cold Flu Berry Liquid

Active Ingredients

PELARGONIUM SIDOIDES 1X

ACONITUM NAPELLUS 4X

EUCALYPTUS GLOBULUS 2X

BRYONIA 4X

EUPATORIUM PERFOLIATUM 6X

GELSEMIUM SEMPERVIRENS 4X

PHOSPHORUS 6X

IPECACUANHA 3X

Inactive Ingredient

aronia juice

citric acid

ethyl alcohol

glycerin

lactose monohydrate

maltodextrin

natural flavors

potassium sorbate

purified water

sorbitol

Dosage & Administration

Directions

For best results, use at first sign of symptoms and continue to use for an additional 48 hours after symptoms cease.

Use only with enclosed dosage cup.

Adults & children 12 years of age and older: Take 1½ teaspoon (tsp) (7.5 mL) three times daily.

Children 6 to 11 years of age: Take 1 teaspoon (5 mL) two times daily.

Children under 6 years of age: consult a physician.

Purpose

Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/bronchial irritations, and temporarily relieves flu symptoms: chills/fever, congestion, cough, headache, hoarseness, minor aches/pains, sore throat, stuffy nose, sneezing/runny nose.

Indications & Usage

Shortens duration and reduces severity of symptoms associated with the common cold and throat/nasal/bronchial irritations, and temporarily relieves flu symptoms: chills/fever, congestion, cough, headache, hoarseness, minor aches/pains, sore throat, stuffy nose, sneezing/runny nose.

Warnings

Sore throat warning: severe or persistent sore throat for more than 2 days or if accompanied or followed by a high fever, headache, nausea, vomiting, or rash may be serious.

Consult a physician promptly.

Ask Doctor

Ask a doctor before use if you have a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema, or is accompanied by excessive phlegm (mucus).

Stop Use

Stop use and ask a doctor if new symptoms occur, symptoms worsen or do not get better within 7 days, fever worsens or lasts more than 3 days, or cough lasts more than 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children

Keep out of reach of children.

Overdose

In case of overdose, seek medical help or contact a Poison Control Center immediately.



Add image transcription here...

UMCKA COLD FLU BERRY

aconitum napellus, bryonia alba, eucalyptus globulus, eupatorium perfoliatum, gelsemium sempervirens, ipecacuanha, pelargonium sidoides, phosphorus syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-9148
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PELARGONIUM SIDOIDES ROOT (UNII: H6J53HEX8E) (PELARGONIUM SIDOIDES ROOT - UNII:H6J53HEX8E)	PELARGONIUM SIDOIDES ROOT	1 [hp_X] in 120 mL
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	4 [hp_X] in 120 mL
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X] in 120 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X] in 120 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X] in 120 mL
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	4 [hp_X] in 120 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 120 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	3 [hp_X] in 120 mL

Inactive Ingredients

Ingredient Name	Strength
ARONIA MELANOCARPA FRUIT JUICE (UNII: D2EVP827PJ)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	BERRY (NATURAL BERRY FLAVOR)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53499-9148-5	1 in 1 CARTON	07/01/2017	12/31/2025
1		120 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2017	12/31/2025

Labeler - Schwabe North America (831153908)

Establishment

Name	Address	ID/FEI	Business Operations
Schwabe North America, Inc		831153908	manufacture(53499-9148)

Revised: 4/2024

Schwabe North America