HAND SANITIZER- is opropyl alcohol gel ALL BETTER CBD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Isopropyl Alcohol (75%, v/v) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Sterile distilled water or boiled cold water.

The firm does not add other active or inactive ingredients. Different or additional ingredients may impact the quality and potency of the product.

Active Ingredient(s)

Isopropyl Alcohol 75% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydrogen peroxide, distilled water, fragrance, lemon

Package Label - Principal Display Panel

15 ml NDC: 77272-006-15



HAND SANITIZER							
isopropyl alcohol gel							
Product Information							
Product T ype	HUMAN OTC DRUG	Item Code (Source)		NDC:77272-006			
Route of Administration	TOPICAL						
Active Ingredient/Active Moiety							
Ingredient Name			Basis of Str	ength	Strength		
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)			ISOPROPYL ALCOHOL		75 mL in 100 mL		

Inactive Ingredient	S				
Ingredient Name				Strength	
LEMON (UNII: 24RS0A98	80)				
GLYCERIN (UNII: PDC6A3C0OX)				1.45 mL in 100 mL	
HYDROGEN PEROXIDE (UNII: BBX060AN9V)			0	0.125 mL in 100 mL	
WATER (UNII: 059QF0K	WATER (UNII: 059QF0KO0R)				
FRAGRANCE LAVENDE	R & CHIA F-153480 (UNII: S	SXS9CO2TZK)			
Product Characteri	stics				
Color		Score			
Shape		Size			
Flavor					
Contains					
Packaging					
	De alta era Da a		Maalaatia a Chaat Da	Market's a Date	
# Item Code	Package Des	-	_	ate Marketing End Date	
I NDC://2/2-006-15 15	mL in 1 BOTTLE; Type 0: No	ot a Combination Product	03/30/2020		
		Drug Facts			
		Drug Facts Active Ingredient Ethy stored 75%	Purpose		
		Active Ingredient Ethyl alcohol 75% Inactive Ingredients	Antiseptic		
		Active Ingredient Ethyl alcohol 75% Inactive Ingredients Isoprop/Achol, Gyderol, Cide Uses	Antiseptic		
		Active Ingredient Ethyl alcohol 75% Inactive Ingredients Isoprogri Alchol, Gyderol, Didl USes "Hand Sanitzer to help reduce "Recommended repeated use."	Antiseptic		
		Active Ingredient Ethyl stochol 75% Inactive Ingredients Isoprop/Actol, Glyderol, Didl Uses "Hand Santtaer to help reduce "Recommended repeated use. Warnings Flammable, Keep away from fir	Antiseptic led Water, Fragmance, Lemon Extract.		
		Active Ingredient Ethyl stochol 75% Inactive Ingredients Isogropy/Achol, Glyderol, Didl Uses "Hand Santlazer to help reduce "Recommended repeated use, Warnings Flammable, Keep away from fir For Extemal Use Orly, When using this product do not	Antiseptic lied Water, Pragrance, Lerron Extract. bacteria on the skin that could cause diseases.		
		Active Ingredient Ethyl acohol 75% Inactive Ingredients Isoprop/Achol, Glyderol, Didl Uses "Hend Smiller to help reduce "Recommended repeated use. Warnings Farmable. Keep away from fit For External Use Crity. When using this product do not eyes or mouth. In case of contact, rise eyes the	Antiseptic lied Water, Pragrance, Lerron Extract. bacteria on the skin that could cause diseases. e or open fismes. use near or around oroughly with water.		
		Active Ingredient Ethyl atcohol 75% Inactive Ingredients Isoprop/Aichol, Glyderol, Dat Uses "Head Santter to help reduce "Recommended repeated use. Warnings Farmable. Keep away from fit For External Use Only. When wate Dirks product do not eyes or mouth. In case of contact, rinse eyes th Step use immediately and cons	Antiseptic Ide Water, Prayrance, Lemon Exhract. bacteria on the skin that could cause diseases. e or open fiames. use near or around oroughty with water. uit a doctor If any inflations or rash continues. In consume, second the		
		Active Ingredient Ethyl stochol 75% Inactive Ingredients IsopropriActiol, Glyderol, Didl Uses "Namid Santlarer to help reduce "Recommender repeated use. Warnings Farmable, Keep away from for For Extema Use Only, Wees or mouth. In case of contact, rise eyes to Stop use Immediately and come Keep and of the mediately and come Keep and th	Antiseptic Ide Water, Prayrance, Lemon Exhract. bacteria on the skin that could cause diseases. e or open fiames. use near or around oroughty with water. uit a doctor If any inflations or rash continues. In consume, second the		
75	10	Active Ingredient Ethy atcohol 75% Inactive Ingredients Isoprop/Aichol, Gyderol, Dat Uses "Head Santter to help reduce "Recommended repeated use. Warnings Farmable. Keep away from fit For External Use Griy. When wahp link product do not gives or mouth. In case of contact, rinse eyes it Stop use immediately and cons Keep our of the resolv of children poloo control center immediat Directions "Hoch agenetics amount on "Reb hands mouth y unit op. "Recommender of pol	Antiseptic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around oroughly a th water. ui a clock if any infrations or reath continues. n. If consumed, seek medical help or contact the by		
75%		Active Ingredient Ethyl stochol 75% Inactive Ingredients Isoprop/Achol, Oyderol, Did Uses "Hood Sattlart to help reduce "Recommended repeated use. Warnings Parmable: Reep away from fir For External Use Orly. When usite this product do not eyes or motils. In case of contact, there eyes B Gob use Immediately and core page of a contact, there eyes a page of contact,	Antisectic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around anoughly with water. uid a dockrif fragm hitelations or rash continues. In: If consumed, seek medical help or contact the by our path to thoroughly cover your hands. abould be supervised when using this product. Filled In U.S.A		
75%	LEMON	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isoprop/Achol, Oyderol, Did Uses "Hood Sattlart to help reduce "Recommended repeated use. Warnings Parmable: Reep away from fir For External Use Orly. When usite this product do not eyes or motils. In case of contact, there eyes B Gob use Immediately and core page of a contact, there eyes a page of contact,	Antisectic led Water, Fragrance, Lemon Estract. led Water, Fragrance, Lemon Estract. led the skin that could cause diseases. e or open fitames. use near or around conceptly with water. uit a doctor if any inflations or rash continues. In. If consumed, seets medical help or contact the sty		
	055	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isograpy Achol, Oyderol, Did Uses "Head Santaer to help reduce "Recommended repeated use. Warnings Fammable, Reps away from fir For External Use Orig. When using this product do not eyed or contact, rises eyes th Stops use Immediately and cons fiesp out of the reach or childre Diffections TRice a generous amount on y "Reb hands to safely units" "Distribution of years of age "Children under 6 years of age "Children Under The Du LD Actions"	Antisectic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around anoughly with water. uid a dockrif fragm hitelations or rash continues. In: If consumed, seek medical help or contact the by our path to thoroughly cover your hands. abould be supervised when using this product. Filled In U.S.A		
	055	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isograpy Achol, Oyderol, Did Uses "Head Santaer to help reduce "Recommended repeated use. Warnings Fammable, Reps away from fir For External Use Orig. When using this product do not eyed or contact, rises eyes th Stops use Immediately and cons fiesp out of the reach or childre Diffections TRice a generous amount on y "Reb hands to safely units" "Distribution of years of age "Children under 6 years of age "Children Under The Du LD Actions"	Antisectic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around anoughly with water. uid a dockrif fragm hitelations or rash continues. In: If consumed, seek medical help or contact the by our path to thoroughly cover your hands. abould be supervised when using this product. Filled In U.S.A		
	055	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isograpy Achol, Oyderol, Did Uses "Head Santaer to help reduce "Recommended repeated use. Warnings Fammable, Reps away from fir For External Use Orig. When using this product do not eyed or contact, rises eyes th Stops use Immediately and cons fiesp out of the reach or childre Diffections TRice a generous amount on y "Reb hands to safely units" "Distribution of years of age "Children under 6 years of age "Children Under The Du LD Actions"	Antisectic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around anoughly with water. uid a dockrif fragm hitelations or rash continues. In: If consumed, seek medical help or contact the by our path to thoroughly cover your hands. abould be supervised when using this product. Filled In U.S.A		
ALCOHOL	LEMON 0.5 F	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isograpy Achol, Oyderol, Did Uses "Head Santaer to help reduce "Recommended repeated use. Warnings Fammable, Reps away from fir For External Use Orig. When using this product do not eyed or contact, rises eyes th Stops use Immediately and cons fiesp out of the reach or childre Diffections TRice a generous amount on y "Reb hands to safely units" "Distribution of years of age "Children under 6 years of age "Children Under The Du LD Actions"	Antisectic Ied Water, Fragmance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around anoughly with water. uid a dockrif fragm hitelations or rash continues. In: If consumed, seek medical help or contact the by our path to thoroughly cover your hands. abould be supervised when using this product. Filled In U.S.A		
Marketing Infor	Temon 0.5 F	Active Ingredient Etyl storbol 75% Inactive Ingredients Isomory/Achol. Oxference "Head Santter to help reduce "Recommended repeated use. Warnings Farmable. Keep away than fir For Extension Use Org. When using this product do not eyes or most. In case of contact, these eyes th Sites use thimsdisticly and cons Neep out of the reach of childre poten contact. Center immediate Differences on a potential of the second "Role a generous amount on y "Role and the second of the reach of childre Differences of age Difference of years of age Differences of age Difference	Antisectic led Water, Pagrance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around aroughly attered with water. uit a dockrif may hitelators or resh continues. In: If consumed, seet medical help or contact the by our path to thoroughly cover your hands. about be supervised when using this product. Filled In U.S.A		
ALCOHOL Marketing Infor Marketing Category	TEMON 0.5 F	Active Ingredient Ethyl stochol 75% Inactive Ingredients Isograpy Achol, Oyderol, Did Uses "Head Santaer to help reduce "Recommended repeated use. Warnings Fammable, Reps away from fir For External Use Orig. When using this product do not eyed or contact, rises eyes th Stops use Immediately and cons fiesp out of the reach or childre Diffections TRice a generous amount on y "Reb hands to safely units" "Distribution and the years of age "Children under 6 years of age "Children Under The Du LD Acho DZ Commence, CA 80500	Antisectic led Water, Fragmance, Lermon Estract. bacteria on the skin that could cause diseases. e or open flames. use near or around corruphly with water. uit a doctor if any inflations or rash continues. In if ornamed, seek medical help or contact the given before the service of t	ate Marketing End Date	
Marketing Infor	Temon 0.5 F	Active Ingredient Etyl storbol 75% Inactive Ingredients Isomory/Achol. Oxference "Head Santter to help reduce "Recommended repeated use. Warnings Farmable. Keep away than fir For Extension Use Orig. When using this product do not eyes or month. In case of contact, these eyes th Sites use thimsdisticly and cons Neep out of the reach of childre poten contact. Center immediate Differences on a part of the second "Rece agreemous amount on y "Rece agreemous amount	Antisectic led Water, Pagrance, Lemon Extract. bacteria on the skin that could cause diseases. e or open flames. use near or around aroughly attered with water. uit a dockrif may hitelators or resh continues. In: If consumed, seet medical help or contact the by our path to thoroughly cover your hands. about be supervised when using this product. Filled In U.S.A	ate Marketing End Date	

Labeler - ALL BETTER CBD (117511562)

Establishment						
Name	Address	ID/FEI	Business Operations			

Enter Establishment Name	117511562	manufacture(77272-006)

Revised: 6/2020

ALL BETTER CBD