NATURA GEL- alcohol gel Ad Medios & Mkt, S.A. de C.V.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Alcohol 70% v/v. Purpose: Antiseptic

Antiseptic, Hand Sanitizer

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

For external use only. Flammable. Keep away from heat or flame

in children less than 2 months of age on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.

Store between 15-30C (59-86F)

Avoid freezing and excessive heat above 40C (104F)

polyacrylic acid (Carbomer), triethanolamine (Trolamine), water



60 ml NDC 79058-001-01







8.45 fl oz (250ml)

250 ML NDC: 79058-001-02



500 ml NDC: 79058-001-03



1000 ML NDC:79058-001-04



3785 ML NDC:79085-001-05



Hand Sanitizer



- For use when soap and water are not available.

 Warnings
 For external use only. Flammable. Keep away from heat or flame.

 in children less than 2 months of age
 on open skin wounds

 When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

 Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

 Directions
 Place enough product on hands to cover all surfaces. Rub hands together until dry.
 Supervise children under 6 years of age when using this product to avoid swallowing.

 Other information
 - Store between 15-30°C (59-86°F)
- Avoid freezing and excessive heat above 40°C (104°F)

Inactive ingredients glycerin, polyacrylic acid (carbomer), triethanolamine (trolamine), water

LOT No.: BEST BEFORE:

169.07 fl oz (5000ml)

5000 ML NDC:79058-001-06







3rag Focts	
Minipolesia Press	
Auditions - Biological State (Solgheritan Sprint Stat printide consum disease - Biological State (Solgheritan Sprint Stat printide consum disease - Biological State (Solgheritan Sta	
Section of the Section Section Section of Section 1	
Was using the posted being color spin, earl, and most, in coroll contained copy, manager throughly	
hap not and sale aboritos Forbischer in such conten. Place may be signs of a action recording. Sang sale of sale if Bellifes in Frankland agriculturality in contents from Contents (seeing) to see	200 1170
Property and a second regard and an experience of the control of t	APPARAMENTS
Miles references: - Sans Spreader: (-81°C /1646**) - Sans Spreader: (-81°C /1646**) - Sans Spreader: (-81°C /1646**)	Audio Company
to the ingradient globally projects and controlled to commercial indirect, under	about in
SET No.	20-
6762.80 ft or (200 L)	

200,000 ML NDC: 79058-001-08

NATURA GEL

alcohol gel

D	ro	duct	Info	rma	tion
r	L O	шс		milia	HOH

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79058-001
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	70 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
TROLAMINE (UNII: 903K93S3TK)	1 mL in 100 mL	
WATER (UNII: 059QF0KO0R)	28.97 mL in 100 mL	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	0.03 mL in 100 mL	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:79058-001- 01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020		
2	NDC:79058-001- 02	250 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020		
3	NDC:79058-001- 03	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020		
4	NDC:79058-001- 04	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020		
	NDC -700E0 001				

5	05	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020
6	NDC:79058-001- 06	5000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020
7	NDC:79058-001- 07	20000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020
8	NDC:79058-001- 08	200000 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/17/2020

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/17/2020	

Labeler - Ad Medios & Mkt, S.A. de C.V. (812886810)

Registrant - Ad Medios & Mkt, S.A. de C.V. (812886810)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ad Medios & Mkt, S.A. de C.V.		812886810	manufacture(79058-001)	

Revised: 6/2020 Ad Medios & Mkt, S.A. de C.V.