CBD-KINGS WITH LIDOCAINE 4%- lidocaine, menthol, methyl salicylate, camphor patch 1ST MEDX LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CBD-KINGS WITH LIDOCAINE 4%

ACTIVE INGREDIENTS:

LIDOCAINE 4%

MENTHOL 3%

METHYL SALICYLATE 9%

CAMPHOR 1.2%

PURPOSE

TOPICAL ANESTHETIC

TOPICAL ANALGESIC

TOPICAL ANALGESIC

TOPICAL ANALGESIC

USES:

FOR THE TEMPORARY RELIEF OF MINOR ACHES AND PAINS OF MUSCLES AND JOINTS ASSOCIATED WITH ARTHRITIS, SIMPLE BACKACHE, STRAINS, SPRAINS, MUSCLE SORENESS AND STIFFNESS.

WARNINGS:

FOR EXTERNAL USE ONLY.

- USE ONLY AS DIRECTED.
- AVOID CONTACT WITH EYES AND MUCOUS MEMBRANES.
- DO NOT USE ON WOUNDS, CUTS, DAMAGED OR INFECTED SKIN AS WELL AS IN THE EYES, MOUTH, GENITALS, OR ANY OTHER MUCOUS MEMBRANES.
- DO NOT COVER WITH BANDAGES.

KEEP OUT OF REACH OF CHILDREN.

IF SWALLOWED, CALL POISON CONTROL

IF CONTACT DOES OCCUR WITH EYES, RINSE WITH COLD WATER AND CALL A DOCTOR. CHILDREN UNDER 12 YEARS OLD, CONSULT A DOCTOR BEFORE USE.

- IF YOU ARE ALLERGIC TO ANY INGREDIENTS IN THIS PRODUCT CONSULT A DOCTOR BEFORE USE.
- CONSULT YOUR PHYSICIAN: IF PREGNANT OR IF PAIN PERSISTS OR WORSENS.

DIRECTIONS:

FOR ADULTS AND CHILDREN 12 YEARS AND OVER, APPLY PATCH TO AFFECTED AREA 1

TO 2 TIMES DAILY OR AS DIRECTED BY PHYSICIAN. CLEAN AND DRY THE AFFECTED AREA. OPEN POUCH AND REMOVE PROTECTIVE FILM AND APPLY PATCH TO AFFECTED AREA. WASH HANDS WITH SOAP AND WATER AFTER APPLYING PATCH. RESEAL POUCH CONTAINING UNUSED PATCHES AFTER USE.

OTHER INFORMATION:

STORE BELOW 90°F/32°C

INACTIVE INGREDIENTS:

HEMP OIL 125MG, GLYCERIN 25%, POLYACRYLIC ACID 5%, PROPYLENE GLYCOL 2%, METHYL SALICYLATE, GLYCERIN, SODIUM POLYACRYLATE, DIHYDROXYALUMINUM AMINOACETATE, ISOPROPYL MYRISTATE, TARTARIC ACID, PROPYLENE GLYCOL, SORBITOL, EDTA2-NA, PROPYL P-HYDROXYBENZOATE, TWEEN 80, TITANIUM DIOXIDE, EXTRA MEDICAL PURIFIED WATER.

QUESTIONS?

888-319-6339



Patch size 2"x2" NDC: 72137-223-06



Drug Facts

Active Ingredients	Purpose
Lidocaine 4%	Topical Anesthetic
Menthol 1%	Topical Analgesic
Methyl Salicylate 9%	Topical Analgesic
Camphor 1.2%	Topical Analgesic

USCS: For the temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, sprains, muscle soreness and stifness.

Weirrings:

For external use only.

- Use only as directed.
- Avoid contact with eyes and mucous membranes.
- Do not use with heating devices or pads.
- Do not use on wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.
- · Do not cover with bandages.

Reep out of reach of children.

If swallowed, call poison control.

If contact does occur with eyes, rinse with cold water and call a doctor.

Children under 12 years old, consult a doctor before use.

- If you are allergic to any ingredients in this product consult a doctor before use.
- Consult your physician: if pregnant or if pain persists or worsens.

Directions: For adults and childraffected area 1 to 2 times daily or as of the affected area. Open pouch and reto affected area. Wash hands with some Reseal pouch containing unused patch

Other Information: Store be

Inractive Ingredients: 125m Polyacrylic Acid 5%, Propylene Glycol 28 Polyacrylate, Dihydroxyaluminum Amir Acid, Propylene Glycol, Sorbitol, ED Tween 80, Titanium Dioxide, Extra Medi

Questions? 888-319-6339

Manufactured for 1st-MedR Laurelton, NY 11413 888-319-6339 info@1st-Medx.com Made in China Patent pending

1ST MedX-Patch

This topical pain relief patch was recently reformulated by pharmacists who specialize in pain management. Natural ingredients have been added to these patches for a better, more refreshing smell. Scientific studies have shown that all ingredients used in this product significantly reduce pain and inflammation.

A combination of ingredients with analgesics and anesthetic properties are used in a unique way to maximize its pain relieving effects and to aid in addition to other therapies. This offers long lasting relief for a variety of pain conditions. 1st MedX Patch is manufactured in accordance with FDA regulations by an FDA approved manufacturer.

Active Ingredients:

Menthol 3% Lidocaine 4% Methyl Salicylate 9% Camphor 1.2%

Uses: This formulation can be used to assist patients in the treatment of mild to moderate acute or chronic aches or pain. Muscle or joint pain can be due to musculoligamentous strains, simple backache, tendonitis, osteoarthritis, rheumatoid arthritis, peripheral neuropathies such as diabetic neuropathy or post herpetic neuralgia, and other complex regional pains

Directions:

Apply patch to affected area 1 to 2 times daily or as directed by physician

Instructions for Use:

- 1. Clean and dry the affected area
- 2. Open pouch and remove one patch
- 3. Remove any protective film and apply directly to affected area of pain
- 4. Wash hands with soap and water after applying patch
- 5. Reseal pouch containing unused patches after each use

Oilblend on affected area twice a day or as many times as required

6. Pain relief varies from patient to patient; may need to use a few times to see benefit.

Mechanism of Action:

Menthol has some local anesthetic and counterirritant qualities and also acts as a weak kappa opioid receptor agonist making it an analgesic as well. Its ability to chemically trigger the cold-sensitive TRPM8 receptors in the skin is responsible for its cooling sensation when applied to the skin. Lastly, it enhances the efficacy of other topical applications by increasing penetration via vasodilatation.

Lidocaine is a common local anesthetic that relieves itching, burning, and pain. Topically, it blocks both initiation and conduction of nerve impulses by decreasing ionic flux through the neuronal membrane. Since it penetrates the skin, it creates an anesthetic effect by not just preventing pain signals from propagating to the brain but by stopping them before they begin.

Methyl Salicylate also known as wintergreen oil, is a natural product from many plant species. It is topically used to cause dilation of the capillaries thereby increasing blood flow to the area. Camphor-Regular application of Camphor and Coconut Oil Blend is highly effective to sooth and lessen skin itching or irritation. It also helps protect skin from getting excessive dry. Treatment: ... Apply a generous quantity of the Camphor and Coconut

CBD-KINGS WITH LIDOCAINE 4%

lidocaine, menthol, methyl salicylate, camphor patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72137-223
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LIDO CAINE (UNII: 98 PI200987) (LIDO CAINE - UNII:98 PI200987)	LIDOCAINE	4	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	9	
CAMPHOR OIL (UNII: 75IZZ8 Y727) (CAMPHOR OIL - UNII:75IZZ8 Y727)	CAMPHOR OIL	1.2	

Inactive Ingredients	
Ingredient Name	Strength
HEMP (UNII: TD1MUT01Q7)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYACRYLIC ACID (450000 MW) (UNII: KD3S7H73D3)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05115JN12J)	
DIHYDRO XYALUMINUM AMINO ACETATE (UNII: DO 250 MG0 W6)	
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)	
TARTARIC ACID (UNII: W4888I119H)	
SORBITOL (UNII: 506T60A25R)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
WATER (UNII: 059QF0KO0R)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:72137-223-05	5 in 1 POUCH	0 1/3 1/2 0 19	
1	1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	0 1/3 1/2 0 19	

Labeler - 1ST MEDX LLC (081071002)

Revised: 7/2019 1ST MEDX LLC