

**BENZOIN COMPOUND TINCTURE- benzoïn resin liquid**  
**Humco Holding Group, Inc.**

-----  
**Humco Benzoïn Compound Tincture, USP**

Drug Facts

**Active Ingredient**

Benzoïn

**Purpose**

Oral mucosal protectant

**Use**

Forms a coating over wound for protecting recurring canker sores

**Warnings**

For external use only. Do not swallow. Do not exceed recommended dosage.

**When using this product**

Children under 12 years of age should be supervised in the use of this product.

Do not use for more than 7 days unless directed by a dentist or doctor.

**Stop use and consult a dentist or doctor if**

sore mouth symptoms do not improve in 7 days. irritation, pain or redness persists or worsens. swelling, rash or fever develops.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adults and children 6 months of age and older: Dry the affected area, with cotton swab, apply undiluted to the affected area not more often than every 2 hours.

Children under 6 months of age: Consult a dentist or doctor.

## Other information

Flammable: Keep away from spark, heat or flame.

## Inactive Ingredients

Alcohol 77%, Aloe, Storax, Tolu Balsam

## Principal Display Panel - 16oz

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Benzoin.....	Oral mucosal protectant
<b>Indications</b>	
<ul style="list-style-type: none"> <li>Forms a coating over wound for protecting recurring canker sores</li> </ul>	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>Do not exceed recommended dosage</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>Do not use for more than 7 days unless directed by a dentist or doctor</li> </ul>	
<b>Stop use and consult a dentist or doctor promptly if</b>	
<ul style="list-style-type: none"> <li>sore mouth symptoms do not improve in 7 days</li> <li>irritation, pain or redness persists or worsens</li> <li>swelling, rash or fever develops</li> </ul>	
<p>Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Adults and children 6 months of age and older: Dry the affected area. Saturate a cotton applicator with medication. Apply the undiluted medication directly to the affected area. Do not use more often than every 2 hours.</li> <li>Children under 6 months of age: Consult a dentist or doctor</li> </ul>	
Continued ►	

**BENZOIN  
COMPOUND  
TINCTURE**  
ALCOHOL 77%

**HUMCO**<sup>TM</sup>  
A trusted name  
in home health care

\*Safety Sealed

**First  
Aid**

**USP XIX**

FIRST AID  
ANTISEPTIC

Flammable:  
Keep from  
spark,  
heat or flame.

16 FL oz  
(1 pt) 473 mL

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

**(Drug Facts continued)**

**Other information**

- Flammable: Keep away from spark, heat or flame.

**Inactive ingredients**

- Alcohol 77%, Aloe, Storax, Tolu Balsam

A43004 10 2021



HUMCO, Texarkana, TX 75501  
Questions or Comments? ☎ 1-800-662-3435  
"We Help People Feel Better"

✨ Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com)  
to find helpful hints, and learn more about  
Benzoin Compound.

**Drug Facts**

Active ingredients	Purpose
Benzoin.....	Oral mucosal protectant

**Use**

- Forms a coating over wound for protecting recurring canker sores.

**Warnings For external use only.**

- Do not swallow.
- Do not exceed recommended dosage.

**When using this product**

- Children under 12 years of age should be supervised in the use of this product.
- Do not use for more than 7 days unless directed by a dentist or doctor.

**Stop use and consult a dentist or doctor if**

- sore mouth symptoms do not improve in 7 days.
- irritation, pain or redness persists or worsens.
- swelling, rash or fever develops.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

- Adults and children 6 months of age and older: Dry the affected area, with cotton swab, apply undiluted to the affected area not more often than every 2 hours.
- Children under 6 months of age: Consult a dentist or doctor.

*Continued ▶*

NDC 0395-0243-16 \*Safety Sealed

# BENZOIN COMPOUND

## TINCTURE USP ALCOHOL 77%

A Trusted Name in Home Health Care



- Oral mucosal protectant
- Wound dressing

16 FL OZ (1 PT) 473 mL

**HUMCO**™

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

**(Drug Facts continued)**

**Other information**

- Flammable: Keep away from spark, heat or flame.

**Inactive ingredients**

- Alcohol 77%, Aloe, Storax, Tolu Balsam

HUMCO, Texarkana, TX 75501  
 Questions or Comments?  
 ☎1-800-662-3435  
 "We Help People Feel Better"


Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com) to find helpful hints, and learn more about Benzoin Compound.

REV.052009.RLG



3 03950 24316 0

Principal Display Panel - 2 oz

<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Benzoin.....</td> <td>Oral mucosal protectant</td> </tr> </tbody> </table> <p><b>Indications</b> ■ Forms a coating over wound for protecting recurring canker sores</p> <p><b>Warnings</b></p> <ul style="list-style-type: none"> <li>Do not exceed recommended dosage</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>Do not use for more than 7 days unless directed by a dentist or doctor</li> </ul> <p><b>Stop use and consult a dentist or doctor promptly if</b></p> <ul style="list-style-type: none"> <li>sore mouth symptoms do not improve in 7 days</li> <li>irritation, pain or redness persists or worsens</li> <li>swelling, rash or fever develops</li> </ul> <p style="text-align: right;"><i>Continued ▶</i></p>	Active ingredients	Purpose	Benzoin.....	Oral mucosal protectant	<p><b>BENZOIN COMPOUND TINCTURE</b></p> <p>ALCOHOL 77%</p> <p><b>HUMCO</b>™</p> <p>A trusted name in home health care</p>	<p>*Safety Sealed</p> <p><b>First Aid</b></p> <p><b>USP XIX</b></p> <ul style="list-style-type: none"> <li>ORAL MUCOSAL PROTECTANT</li> <li>WOUND DRESSING</li> </ul> <p>Flammable: Keep from spark, heat or flame.</p> <p>2 FL oz (59 mL)</p>	<p><b>*Warning:</b> Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.</p> <p><b>Drug Facts (continued)</b></p> <p><b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>Adults and children 6 months of age and older: Dry the affected area. Saturate a cotton applicator with medication. Apply the undiluted medication directly to the affected area. Do not use more often than every 2 hours.</li> <li>Children under 6 months of age: Consult a dentist or doctor</li> </ul> <p><b>Inactive ingredients</b> ■ Alcohol 77%, Aloe, Storax, Tolu Balsam</p> <p><b>Questions or Comments?</b> ☎1-800-662-3435</p> <p>Packed by: Humco, Texarkana, TX 75501</p>	 <p>3 03950 24392 4</p> <p>RO42920</p>
Active ingredients	Purpose							
Benzoin.....	Oral mucosal protectant							



**Drug Facts**

**Active ingredients Purpose**  
Benzoin.....Oral mucosal protectant

**Indications** ■ Forms a coating over wound for protecting recurring canker sores

**Warnings**  
■ Do not exceed recommended dosage

**When using this product**  
■ Do not use for more than 7 days unless directed by a dentist or doctor

**Stop use and consult a dentist or doctor promptly if**  
■ sore mouth symptoms do not improve in 7 days  
■ irritation, pain or redness persists or worsens  
■ swelling, rash or fever develops **Continued** ▶

**BENZOIN  
COMPOUND  
TINCTURE**  
ALCOHOL 77%



A trusted name in home health care

\*Safety Sealed  
**First Aid**

**USP XIX**

- ORAL MUCOSAL PROTECTANT
- WOUND DRESSING

Flammable: Keep from spark, heat or flame.

2 FL oz (59 mL)

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

**(Drug facts continued)**  
**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**  
■ **Adults and children 6 months of age and older:** Dry the affected area. Saturate a cotton applicator with medication. Apply the undiluted medication directly to the affected area. Do not use more often than every 2 hours.

■ **Children under 6 months of age:** Consult a dentist or doctor

**Inactive ingredients** ■ Alcohol 77%, Aloe, Storax, Tolu Balsam

**Questions or Comments?** ☎1-800-662-3435

REV13017  
3 03950 24392 4

**Drug Facts**

**Active ingredients Purpose**  
Benzoin.....Oral mucosal protectant

**Use** ■ Forms a coating over wound for protecting recurring canker sores.

**Warnings For external use only.**  
■ Do not swallow.  
■ Do not exceed recommended dosage.

**When using this product**  
■ Children under 12 years of age should be supervised in the use of this product.  
■ Do not use for more than 7 days unless directed by a dentist or doctor.

**Stop use and consult a dentist or doctor if**  
■ sore mouth symptoms do not improve in 7 days.  
■ irritation, pain or redness persists or worsens.  
■ swelling, rash or fever develops. **Continued** ▶

NDC 0395-0243-92 \*Safety Sealed

**BENZOIN COMPOUND  
TINCTURE USP** ALCOHOL 77%



Flammable: Keep away from spark, heat or flame.  
Distributed by: HUMCO, Texarkana, TX 75501  
\* Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com)

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a foil seal under cap.

**(Drug facts continued)**  
**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**  
■ **Adults and children 6 months of age and older:** Dry the affected area, with cotton swab, apply undiluted to the affected area not more often than every 2 hours.

■ **Children under 6 months of age:** Consult a dentist or doctor.

**Inactive ingredients** ■ Alcohol 77%, Aloe, Storax, Tolu Balsam

**Questions or Comments?** ☎1-800-662-3435

REV100308.RLG  
3 03950 24392 4

**BENZOIN COMPOUND TINCTURE**

benzoin resin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0395-0243
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZOIN RESIN</b> (UNII: GK21SBA74R) (BENZOIN RESIN - UNII:GK21SBA74R)	BENZOIN RESIN	1000 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

<b>ALOE</b> (UNII: V5VD430YW9)	
<b>TOLU BALSAM</b> (UNII: TD2LE91MBE)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-0243-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/10/2017	
2	NDC:0395-0243-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/10/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	01/01/2008	

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-0243) , analysis(0395-0243) , pack(0395-0243) , label(0395-0243)

Revised: 12/2023

Humco Holding Group, Inc.