

EPSOM SALT- magnesium sulfate granule, for solution
DOLGENCORP, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Epsom Salt 602.002/602AA

Active ingredient

Magnesium sulfate USP (heptahydrate) 100%

Purpose

Saline Laxative

Use

- for relief of occasional constipation (irregularity)
- for this product generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if

you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

- do not exceed recommended daily dosage
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses
- dissolve the dose in 8 ounces of water. Lemon juice may be added to improve the taste

adults and children 12 years and over - 2 to 6 level teaspoons (10 to 30 grams) daily

children 6 to under 12 years - 1 to 2 level teaspoons (5 to 10 grams) daily

children under 6 years - consult a doctor

Other information

- magnesium content 495 mg per teaspoon (5 grams)

Tamper Evident Packaging

Caution this package has been sealed for your protection. Do not use if package is open, torn or mutilated.

DIRECTIONS: Dissolve 2 cupfuls of this product per gallon of water. Apply with bandages or toweling for 30 minutes up to three times a day or use as a soak or in bath. Use warm water for best results.

Caution: if prompt relief is not obtained or there is evidence of infection, discontinue use and consult your physician. Hot or warm soaks should not be used by individuals with diabetes except on the advice of a physician. Keep out of reach of children.

Since 1903

Rexall

Visit us at Rexall.com or call 1-866-4-REXALL

PACKAGED FOR DOLGENCORP,LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072 USA

Since 1903 Rexall is a registered trade of Rexall Sundown, Inc

principal display panel

Since 1903

Rexall


Epsom Salt

Magnesium Sulfate U.S.P.

$MgSO_4 \cdot 7H_2O$

- Saline laxative
- Soaking Aid - for minor sprains and bruises

NET WT 4 LB (1.81 kg)



EPSOM SALT

magnesium sulfate granule, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:559 10-038
Route of Administration	ORAL, TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM SULFATE HEPTAHYDRATE (UNII: SK47B8698T) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM SULFATE HEPTAHYDRATE	1 g in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-038-43	453 g in 1 POUCH; Type 0: Not a Combination Product	10/21/1993	
2	NDC:55910-038-07	18 14 g in 1 POUCH; Type 0: Not a Combination Product	10/21/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	10/21/1993	

Labeler - DOLGENCORP, LLC (068331990)**Registrant** - Vi-Jon (790752542)**Establishment**

Name	Address	ID/FEI	Business Operations
Vi-Jon		790752542	manufacture(55910-038)

Revised: 4/2020

DOLGENCORP, LLC