

**MEDIQUE BAN-ACID MAXIMUM STRENGTH 750- calcium carbonate tablet,
chewable**

Unifirst First Aid Corporation

Medique Ban-Acid

Drug Facts

Active ingredient (in each tablet)

Calcium Carbonate USP 750 mg

Purpose

Antacid

Uses

relieves

- acid indigestion
- sour stomach
- heartburn
- upset stomach associated with these symptoms

Warnings

Warnings

Do not use

■ the maximum dosage of this product for more than 2 weeks except under the advice and

supervision of a doctor

Ask a doctor or pharmacist before use if you

- are taking a prescription drug. Antacids may interact with certain prescription drugs.
- have kidney disease

When using this product

- do not take more than 10 tablets in a 24 hours
- if pregnant, do not take more than 6 tablets in 24 hours

Keep out of the reach of children.

Directions

■ do not take for symptoms that persist for more than 2 weeks unless advised by a doctor

Adults and children: (12 years and over): Chew 2 to 4 tablets as symptoms occur, or as directed by a doctor.

Children under 12 years: Ask a doctor

Other information

- **calcium content per tablet:** 300 mg
- 5 calories per tablet
- store at room temperature 59-86°F (15-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

assorted flavors, dextrose, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, maltodextrin

Questions or comments? Call 1-800-634-7680

Medique Ban-acid Label

Medique®

Ban-acid

Maximum Strength 750

Calcium Rich Extra Strength Antacid

Antiacido extra fuerte y /ricas en calcio

Pull To Open

Tire Para Abrir

✓ Heartburn, Indigestion, •Calcium Carbonate 750mg

las agruras, la indigestion •Carbonato de Calcio 750mg

Assorted Berry

Bayas surtidas

100

Tablets

(50 x 2)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Purpose Calcium Carbonate USP 750 mg Antacid</p> <p>Uses relieves ■ acid indigestion ■ sour stomach ■ heartburn ■ upset stomach associated with these symptoms</p> <p>Warnings Do not use ■ the maximum dosage of this product for more than 2 weeks except under the advice and supervision of a doctor. Ask a doctor or pharmacist before use if you ■ are taking a prescription drug. Antacids may interact with certain prescription drugs. ■ have kidney disease</p> <p>When using this product ■ do not take more than 10 tablets in 24 hours ■ if pregnant, do not take more than 6 tablets in 24 hours Keep out of the reach of children.</p>	<p>Drug Facts (continued)</p> <p>Directions ■ do not take for symptoms that persist for more than 2 weeks unless advised by a doctor Adults and children: Chew 2 to 4 tablets as symptoms occur, or as directed by a doctor Children under 12 years: Ask a doctor</p> <p>Other information ■ calcium content per tablet: 300 mg ■ 5 calories per tablet ■ store at room temperature 59-86°F (15-30°C) ■ tamper-evident sealed packets ■ do not use any opened or torn packets</p> <p>Inactive ingredients assorted flavors, dextrose, FD&C blue #1 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, maltodextrin</p> <p>Questions or comments Call 1-800-634-7680</p>	<p>Medique®</p> <p>Ban-acid® Maximum Strength 750</p> <p>Calcium Rich Extra Strength Antacid Anticidito extra fuerte y rico en calcio</p> <p>Pull To Open Tire Para Abrir</p> <p>✓ Heartburn, Indigestion • Calcium Carbonate 750 mg las agruras, la indigestion • Carbonato de Calcio 750 mg</p> <p>Assorted Berry Bayas surtidas</p> <p>100 Tablets (50 x 2)</p> <p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p>Información del Medicamento</p> <p>Ingrediente activo Propiedad Carbonato de Calcio 750 mg Anticidito</p> <p>Usos alivia ■ indigestión ácida ■ acidez estomacal ■ agruras ■ malestar estomacal (debido a estos síntomas)</p> <p>Advertencias No consuma ■ la dosis máxima de este producto por más de 2 semanas, excepto bajo indicaciones y supervisión médica. Consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted está ■ actualmente tomando un medicamento recetado. Los anticiditos pudieran interactuar con ciertos medicamentos recetados. ■ tiene una enfermedad renal</p> <p>Cuando administre este producto ■ no tomar más de 10 tabletas en 24 horas ■ si está embarazada, no tomar más de 6 tabletas en 24 horas Mantenga este medicamento fuera de alcance de los niños.</p> <p>¿Tiene alguna pregunta o comentario? Lláme al 1-800-634-7680</p>	<p>Información del medicamento (continuación)</p> <p>Instrucciones ■ no tomar para síntomas que persisten por más de dos semanas a menos que lo recomiende un doctor</p> <p>Adultos y niños: Masticar de 2 a 4 tabletas a medida que aparezcan los síntomas o como lo indique un médico. Niños menores de 12 años: consultar al médico</p> <p>Otra información ■ contenido de calcio por comprimido: 300 mg ■ 5 calorías por tableta ■ almacenamiento: consérvese a temperatura ambiente 59-86°F (15-30°C) en un área seca ■ empaquetado con sellado evidente ■ no use ningún paquete abierto o roto</p> <p>Ingredientes inactivos saborizantes surtidos, dextrosa, azul FD & C #1 lacca de aluminio, rojo FD & C #40 lacca de aluminio, estearato de magnesio, maltodextrina</p>	<p>Medique®</p> <p>Ban-acid® Maximum Strength 750</p> <p>Calcium Rich Extra Strength Antacid Anticidito extra fuerte y rico en calcio</p> <p>Reorder #28533 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com</p>
--	--	---	---	--	--

Retain carton for complete product information

Conserve la caja para obtener la información completa del producto

MEDIQUE BAN-ACID MAXIMUM STRENGTH 750

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-285
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	red (RED) , purple (PURPLE) , gray (GRAY)	Score	no score
Shape	ROUND (ROUND)	Size	15mm
Flavor	STRAWBERRY (Blueberry Blackberry)	Imprint Code	RH;031
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-285-33	50 in 1 BOX	09/29/2017	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-285-99	2 in 1 PACKET; Type 0: Not a Combination Product	07/01/2014	
3	NDC:47682-285-36	75 in 1 BOX	04/01/2019	
3		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M001

07/01/2014

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation