HAND SANITIZER- alcohol gel Ripshot Enterprises Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Hand Sanitizer

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Alcohol (ethanol) (USP or Food Chemical Codex (FCC) grade) (80%, volume/volume (v/v)) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (4% v/v).
- c. Hydrogen peroxide (0.1251% v/v).
- d. Sterile distilled water or boiled cold water.
- e. Polyquaternium-10 (1%v/v) for its anti-static and moisturizing properties

Active Ingredient(s)

Alcohol 70% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right

away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information

- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydrogen peroxide, purified water USP, Polyquaternium-10

Ripshot Hand Sanitizer Formula

59.1471mL NDC: 78586-435-02



Drug Facts	
Active ingredient[s] Alcohol 70% v/v	Purpose Antiseptic
Use[s] Hand Sanitizer to help reduce bact potentially can cause disease. For use when sare not available.	
<i>Warnings</i> For external use only. Flammable. Kee heat or flame	ep away from
Do not use • in children less than 2 months of age • on open skin wounds	
When using this product keep out of eyes, e In case of contact with eyes, rinse eyes thoroug	
Stop use and ask a doctor if irritation or in These may be signs of a serious condition.	rash occurs.
Keep out of reach of children. If swallow medical help or contact a Poison Control Cer	
Directions • Place enough product on all surfaces. Rub hands together until dry. • Supervise children under 6 years of age wh product to avoid swallowing.	
Other information Store between 15-30°C (59-86°F) Avoid freezing and excessive heat above 40 	0°C (104°F)
Inactive ingredients glycerin, hydr polyquaternium-10, purified water USP	rogen peroxide,

Questions? 1-855-368-1585 (M-F 8:30am-4:30pm EST)

118.294mL NDC: 78586-435-04

PPEGlobalHealth

Hand Sanitizer Gel Non-sterile Solution



Alcohol Antiseptic 70% Topical Solution

2 FL OZ (59 mL)

Distributed by: PPE Global Health 1022 E Lancaster Ave, Bryn Mawr, Pa 19010 USA PEGlobalHealth.com Made in Canada LOT:





PPE GlobalHealth	Drug Facts Active ingredient[s] Purpose Alcohol 70% v/v Antiseptic	
Hand	Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water	
Sanitizer Gel	Warnings For external use only. Flammable. Keep away from heat or flame Do not use • in children less than 2 months of age • on open skin wounds When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed. oet	
Non-sterile Solution	Do not use Do not use • in children less than 2 months of age Had so the second secon	
(ha)	When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	
	Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
	Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	
Alcohol Antiseptic 70% Topical Solution	Other information • Store between 15-30°C (59-86°F) • Avoid freezing and excessive heat above 40°C (104°F)	
4 FL OZ (118 mL)	Inactive ingredients glycerin, hydrogen peroxide, polyquaternium-10, purified water USP	
	Questions? 1-855-368-1585 (M-F 8:30am-4:30pm EST).	

236.588mL NDC: 78586-435-08

Drug Facts	PORMULY	ETHANOL (ETHYL ALCOHOL) 70% AS DETERMINED BY DIGITAL DENSITY METER.
Active Ingredient(a) Purpose Alcoho 70% v/vAntiseptic Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.	Ripshot [®]	FOR USE IN PRODUCTION OF HAND SANITIZERS (ANTISEPTIC HANDRUBS) ONLY NOT POTABLE
Warningst For external use only. Flammable. Keep away from heat or flame.		
Do not use - in children less than 2 months of age - on open skin wounds	HAND	STATURES E
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	FORMULA	Love
Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	DENATURED ALCOHOL	BY: Ripshof BOTTLING CO.
Keep out of reach of children. If swalkowed, get medical help or contact a Poison Control Center right away.		ONTARIO, CANADA 403-816-7468 INFO@RIPSHOT.CO
Directions - Place enough product on hands to cover all surfaces. Rub hands together until dry. - Supervise childrem under 6 years of age when using this product to avoid swallowing.	1 1 1 1 1 1 1 1 1 1	DUNS: 241994209 NDC:
Other information - Store between 15-30C (59-86F) - Avoid freezing and excessive heat above 40C (104F)		
hactive ingradients glycerin, hydrogen peroxide, polyquaternium-10	8oz	

473.176mL NDC: 78586-435-16



PPEGlobalHealth



946.353mL NDC: 78586-435-32

Drug Facts	
Active ingredient[s] Purpose Alcohol 70% v/vAntiseptic	
Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.	USA
<i>Warnings</i> For external use only. Flammable. Keep away from heat or flame	Global Health Bryn Mawr, Pa 19010 USA
Do not use • in children less than 2 months of age • on open skin wounds	Distributed by: PPE Global Health 022 E Lancaster Ave, Bryn Mawr, Pa 19 PEGlobalHealth.com Made in Canada -OT:
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	Distributed by: PPE (1022 E Lancaster Ave, B PPEGIobalHeatth.com Made in Canada LOT:
Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	ed b ncast iHea anad
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.)istribut 022 E Lar PEGloba Aade in C.
Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	
Other information • Store between 15-30°C (59-86°F) • Avoid freezing and excessive heat above 40°C (104°F)	4312624
Inactive ingredients glycerin, hydrogen peroxide, polyquaternium-10, purified water USP	296,
Questions? 1-855-368-1585 (M-F 8:30am-4:30pm EST).	m



PPEGlobalHealth






Drug Facts	Î
Active ingredient[s] Purpose Alcohol 70% v/vAntiseptic	
Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.	USA
Warnings For external use only. Flammable. Keep away from heat or flame	ibuted by: PPE Global Health E Lancaster Ave, Bryn Mawr, Pa 19010 USA
Do not use • in children less than 2 months of age • on open skin wounds	Distributed by: PPE Global Health 022 E Lancaster Ave, Bryn Mawr, Pa 1
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	: PPE (
Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	ed by icaster
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	stributo 22 E Lar
Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	
Other information • Store between 15-30°C (59-86°F) • Avoid freezing and excessive heat above 40°C (104°F)	
Inactive ingredients glycerin, hydrogen peroxide, polyquaternium-10, purified water USP	
Oursetiene?	

Questions? 1-855-368-1585 (M-F 8:30am-4:30pm EST).

Distributed by: PPE Global Healt
1022 E Lancaster Ave, Bryn Mawr, Pa 1
PPEGlobalHealth.com
Made in Canada
LOT:



PEGlobalHealth.con ade in Canada

3785.41mL NDC: 78586-435-40

PPEGlobalHealth Hand

Sanitizer Gel



Alcohol Antiseptic 70% Topical Solution

128 FL OZ (3785 mL)

Active ingredient[s] Purpose Alcohol 70% v/vAntiseptic	
Use[s] Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.	
Warnings For external use only. Flammable. Keep away from heat or flame	Global Health
Do not use • in children less than 2 months of age • on open skin wounds	Distributed by: PPE Global Health
When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.	PPE (
Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.	ibuted by: PPE
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	stribute
Directions • Place enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing.	Dis
Other information • Store between 15-30°C (59-86°F) • Avoid freezing and excessive heat above 40°C (104°F)	
Inactive ingredients glycerin, hydrogen peroxide, polyquaternium-10, purified water USP	
Questions? 1-855-368-1585 (M-F 8:30am-4:30pm EST).	

Product Infor	mation					
Product T ype		HUMAN OTC DRUG	Item Code (Source)	ľ	NDC:78586-435
Route of Adminis	stration	TOPICAL				
Active Ingred	ient/Active Moi	ety				
	Ingred	lient Name		Basis of	Strength	Strength
ALCOHOL (UNII:	3K9958V90M) (ALC	COHOL - UNII:3K9958V90M) A	LCOHOL		70 mL in 100 mL
Inactive Ingre	dients					
]	Ingredient Name				Strength
POLYQUATERNI	UM-10 (125 MPA.S	AT 2%) (UNII: L45WU8S981	1)		1 mL in 1	00 mL
	ENZOATE (UNII: 4YF	(5Z54AT2)			0.00049	mL in 100 mL
GLYCERIN (UNII:	PDC6A3C0OX)					
					4 mL in 1	.00 mL
HYDRO GEN PERC	XIDE (UNII: BBX06	50 AN9 V)			0.125 mL	00 mL in 100 mL nL in 100 mL
HYDROGEN PERC WATER (UNII: 059 Packaging	XIDE (UNII: BBX06			Mark	0.125 mL	in 100 mL nL in 100 mL
HYDROGEN PERC WATER (UNII: 059 Packaging # Item Code	DXIDE (UNII: BBX06 QF0KO0R)	Package Description			0.125 mL 24.8744 n	in 100 mL nL in 100 mL
HYDROGEN PERC WATER (UNII: 059 Packaging I ttem Code NDC:78586-435 02	 XIDE (UNII: BBX06) QF0KO0R) - 59.1471 mL in 1 BC Product 	Package Description DTTLE, DISPENSING; Type 0			0.125 mL 24.8744 n eting Start Date	in 100 mL nL in 100 mL t Marketing En
HYDROGEN PERC WATER (UNII: 059 Packaging # Item Code 1 NDC:78586-435 02	 XIDE (UNII: BBX06) QF0KO0R) - 59.1471 mL in 1 BC Product 	Package Description DTTLE, DISPENSING; Type 0 DTTLE, DISPENSING; Type 0		n	0.125 mL 24.8744 n eting Start Date	in 100 mL nL in 100 mL t Marketing En
HYDROGEN PERC WATER (UNII: 059 Packaging # Item Code 1 NDC:78586-435 02 2 NDC:78586-435 04	 SIDE (UNII: BBX06) QF0KO0R) 59.1471 mL in 1 BC 59.1471 mL in 1 BC 118.294 mL in 1 BC Combination Product 	Package Description DTTLE, DISPENSING; Type 0 DTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type (l: Not a	on 07/30/20	0.125 mL 24.8744 m eting Start Date	in 100 mL nL in 100 mL t Marketing En
Hypero GEN PERC WATER (UNII: 059 # Item Code 1 NDC:78586-435 04 3 NDC:78586-435 08	 DXIDE (UNII: BBX06) QF0KO0R) 59.1471 mL in 1 BC 59.1471 mL in 1 BC Product 118.294 mL in 1 BC Combination Product 236.588 mL in 1 B Combination Product 	Package Description DTTLE, DISPENSING; Type 0 DTTLE, DISPENSING; Type 0 loct OTTLE, DISPENSING; Type 0 loct DTTLE, DISPENSING; Type 0): Not a D: Not a	07/30/20 07/30/20	0.125 mL 24.8744 n 2020	in 100 mL nL in 100 mL t Marketing En
Hyperbolic Watter (UNII: 059 # Item Code 1 NDC:78586-435 04 3 NDC:78586-435 08 4 NDC:78586-435 08 4 NDC:78586-435 16	 XIDE (UNII: BBX06) QF0K00R) 59.1471 mL in 1 BC 59.1471 mL in 1 BC Product 118.294 mL in 1 BC Combination Product 236.588 mL in 1 B Combination Product 473.176 mL in 1 BC 	Package Description DTTLE, DISPENSING; Type 0 DTTLE, DISPENSING; Type 0 act OTTLE, DISPENSING; Type 0 act DTTLE, DISPENSING; Type 0 act OTTLE, DISPENSING; Type 0	l: Not a D: Not a l: Not a	 07/30/20 07/30/20 07/30/20 07/30/20 	0.125 mL 24.8744 n 2020 020 020	in 100 mL nL in 100 mL t Marketing En
Hypero GEN PERC WATER (UNII: 059 # Item Code 1 NDC:78586-435 02 2 NDC:78586-435 04 NDC:78586-435 08 2 NDC:78586-435 16 NDC:78586-435 16 NDC:78586-435 NDC:78586-435 NDC:78586-435 NDC:78586-435	 SIDE (UNII: BBX06) QF0K00R) S9.1471 mL in 1 BC Product 118.294 mL in 1 BC Combination Product 236.588 mL in 1 B Combination Product 473.176 mL in 1 BC Combination Product 946.353 mL in 1 BC Combination Product 	Package Description DTTLE, DISPENSING; Type 0 DTTLE, DISPENSING; Type 0 act OTTLE, DISPENSING; Type 0 act DTTLE, DISPENSING; Type 0 act OTTLE, DISPENSING; Type 0	l: Not a D: Not a l: Not a D: Not a	 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 	0.125 mL 24.8744 m 24.8744 m 2020 2020 2020 2020	in 100 mL nL in 100 mL t Marketing En
Hypero GEN PERC WATER (UNII: 059 # Item Code 1 NDC:78586-435 04 NDC:78586-435 08 Item Code 1 NDC:78586-435 04 NDC:78586-435 08 Item Code Item Code <td> SIDE (UNII: BBX06) QF0K00R) S9.1471 mL in 1 BC Product 118.294 mL in 1 BC Combination Product 236.588 mL in 1 B Combination Product 473.176 mL in 1 BC Combination Product 946.353 mL in 1 BC S780 mL in 1 BOT </td> <td>Package Description OTTLE, DISPENSING; Type 0 OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict</td> <td>l: Not a D: Not a l: Not a D: Not a</td> <td> 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 </td> <td>0.125 mL 24.8744 m 24.8744 m 2020 2020 2020 2020</td> <td>in 100 mL nL in 100 mL t Marketing En</td>	 SIDE (UNII: BBX06) QF0K00R) S9.1471 mL in 1 BC Product 118.294 mL in 1 BC Combination Product 236.588 mL in 1 B Combination Product 473.176 mL in 1 BC Combination Product 946.353 mL in 1 BC S780 mL in 1 BOT 	Package Description OTTLE, DISPENSING; Type 0 OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict	l: Not a D: Not a l: Not a D: Not a	 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 	0.125 mL 24.8744 m 24.8744 m 2020 2020 2020 2020	in 100 mL nL in 100 mL t Marketing En
Hypero GEN PERC WATER (UNII: 059 Packaging Item Code NDC:78586-435	 XIDE (UNII: BBX06) QF0K00R) 59.1471 mL in 1 BC 70.0000 70.00000 70.00000000 70.00000000000000000000000000000000000	Package Description OTTLE, DISPENSING; Type 0 OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict OTTLE, DISPENSING; Type 0 Ict	l: Not a D: Not a l: Not a D: Not a	 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 07/30/20 	0.125 mL 24.8744 m 24.8744 m 2020 2020 2020 2020	in 100 mL nL in 100 mL t Marketing En

Labeler - Ripshot Enterprises Corp (241994209)

Registrant - Ripshot Enterprises Corp (241994209)

Establishment					
Name	Address	ID/FEI	Business Operations		
Ripshot Enterprises Corp		241994209	manufacture(78586-435)		

Revised: 8/2020

Ripshot Enterprises Corp