SKINPHARMACY ADVANCED ACNE THERAPY KIT- salicylic acid, benzoyl peroxide CVS Health

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLARIFYING DAILY CLEANSER with Polytrap[®] Technology

4 FL OZ (118 mL)

Drug Facts

Active Ingredient

2% Salicylic Acid

Purpose

Acne Treatment

Use

• For the management of acne

Warnings

For external use only

Ask a doctor or pharmacist before use if you are

Using other topical acne medications at the same time or immediately following use of this product. This may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

When using this product

- Skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- When using this product avoid contact with eyes. If this occurs, immediately flush with water.

Keep out of reach of children. In case of accidental ingestion, get medical help or contact Poison Control Center right away.

Directions

- Use morning and night.
- Apply a dime sized amount to damp skin and gently massage for 1 to 2 minutes.
- Rinse thoroughly with warm water.
- Pat dry.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside use sunscreen

Inactive ingredients

Water, Sodium C14-16 Olefin Sulfonate, Peg-8, Cocamidopropyl Betaine, Xanthan Gum, Lauryl

Methacrylate/Glycol Dimethacrylate Crosspolymer, DMDM Hydantoin, Disodium EDTA, Tocopheryl Acetate, Hamamelis Virginiana (Witch Hazel) Water, Butylene Glycol, Sodium Benzotriazolyl Butylphenol Sulfonate, Calendula Officinalis Flower Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Phenoxyethanol, Yellow 5, Red 40, Fragrance.

ACTIVE CLEARING LOTION with Microsponge[®] Technology

0.75 FL OZ (22 mL)

Drug Facts

Active Ingredient

Benzoyl Peroxide 2.5%

Purpose

Acne Treatment

Use

• for the management of acne

Warnings

For external use only

Do not use this medication if you

- Have very sensitive skin
- Are sensitive to benzoyl peroxide

When using this product

- Avoid unnecessary sun exposure and use a sunscreen after using this product.
- Avoid contact with lips, eyes, or mouth.
- If product gets into eyes rinse thoroughly with water.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possible swelling. Irritation may be reduced by using the product less frequently or in lower concentration.
- Avoid contact with hair and dyed fabrics, which may be bleached by this product.

Stop use and ask a doctor if irritation becomes severe.

Keep out of reach of children. Do not swallow. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean skin thoroughly before applying this product.
- Apply a thin layer to affected area one to two times per day.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three time daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Inactive ingredients

Water, Glycerin, Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer, Cetyl Alcohol, Sorbitol, Glyceryl Dilaurate, Stearyl Alcohol, Magnesium Aluminum Silicate, Sodium Citrate, Silica, Sodium

Lauryl Sulfate, Citric Acid, Methylparaben, Xanthan Gum, Propylparaben.

SPOT TREATMENT with Microsponge[®] Technology

0.4 FL OZ (12 mL)

Drug Facts

Active Ingredient

Benzoyl Peroxide 5%

Purpose

Acne Treatment

Use

• for the management of acne

Warnings

For external use only

Do not use this medication if you

- Have very sensitive skin
- Are sensitive to benzoyl peroxide

When using this product

- Avoid unnecessary sun exposure and use a sunscreen after using this product.
- Avoid contact with lips, eyes, or mouth.
- If product gets into eyes rinse thoroughly with water.
- Skin irritation may occur, characterized by redness, burning, itching, peeling, or possible swelling. Irritation may be reduced by using the product less frequently or in lower concentration.
- Avoid contact with hair and dyed fabrics, which may be bleached by this product.

Stop use and ask a doctor if irritation becomes severe.

Keep out of reach of children. Do not swallow. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- If going outside apply sunscreen after using this product and consult a physician. Keep tightly closed and avoid storing at extreme temperatures (below 40°F and above 100°F).

Inactive ingredients

Water, Glycerin, Methyl Methacrylate/Glycol Dimethacrylate Crosspolymer, Sorbitol, Cetyl Alcohol, Glyceryl Dilaurate, Stearyl Alcohol, Magnesium Aluminum Silicate, Sodium Citrate, Silica, Sodium Lauryl Sulfate, Citric Acid, Methylparaben, Xanthan Gum, Propylparaben.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2014 CVS/pharmacy CVS.com[®] 1-800-SHOP CVS Made in the U.S.A. of U.S. and imported components V-31490 **CVS[®] Quality** Money Back Guarantee #975032 M050779CP

Principal Display Panel - Carton Label SKIN+PHARMACY

ADVANCED ACNE THERAPY KIT

\$35 VALUE

\$19.99

BONUS:

Includes 2 Gentle Facial Cleansing Sponges

exclusively at **CVS/pharmacy**

ONE MONTH SUPPLY

Actual Size Product Shown



Principal Display Panel - Clarifying Daily Cleanser Tube Label

SKIN+PHARMACY

ADVANCED ACNE THERAPY

CLARIFYING DAILY CLEANSER with Polytrap[®] Technology


Maximum Strength

2% Salicylic Acid

- removes excess skin oils
- unclogs pores
- oil-free formula

DERMATOLOGIST TESTED

exclusively at **CVS/pharmacy**



Principal Display Panel - Active Clearing Lotion Tube Label

SKIN+PHARMACY

ADVANCED ACNE THERAPY

ACTIVE CLEARING LOTION with Microsponge[®] Technology

- clinically proven to kill acne-causing bacteria
- clinically proven to effectively reduce inflammatory lesions
- soothing, oil-free formula
- unclogs pores
- fragrance free

DERMATOLOGIST TESTED

exclusively at **CVS/pharmacy**

0.75 FL OZ (22 mL)



Principal Display Panel - Spot Treatment Tube Label SKIN+PHARMACY

ADVANCED

ACNE THERAPY

SPOT TREATMENT with Microsponge[®] Technology

5% Benzoyl Peroxide

- clinically proven to effectively reduce inflammatory lesions
- effectively kills acne-causing bacteria
- helps reduce irritation
- fragrance free

DERMATOLOGIST TESTED

exclusively at **CVS/pharmacy**

0.4 FL OZ (12 mL)



SKINPHARMACY ADVANCED ACNE THERAPY KIT

salicylic acid, benzoyl peroxide kit

Product Informat	10 n					
Product Type	Type HUMAN OTC DRUG Item Code (Source)			NDC:69842-082		
Packaging						
# Item Code	1	Package Descript	ion	Marketing Start Dat	e Marl	keting End Dat
1 NDC:69842-082-01				10/01/2014		incling Linu Dut
	1 1 0 0	, ijpe of not a come		10/0 22017		
Quantity of Parts						
	Package Qua	ntity		Total Product Qu	lantity	
Part 1 1 TUBE	Tackage Qua	intity	118 mL		lantity	
Part 2 1 TUBE			22 mL			
Part 3 1 TUBE			12 mL			
			12 IIIL			
Part 1 of 3						
Part 1 01 3						
SKINPHARMA	ACY ADV	ANCED ACN	E THERAP	Y CLARIFYIN	G DA	ILY
CLEANSER						
salicylic acid liquid						
suncyne ucla nquia						
	ion					
Product Informat		TOPICAL				
Product Informat Route of Administrat		TOPICAL				
Product Informat		TOPICAL				
Product Informat Route of Administrat	tion					
Product Informat	tion /Active Moie	ety		Pacis of Str	ongth	Strongth
Product Informat Route of Administrat Active Ingredient	tion /Active Moie Ingre	ety dient Name	4D7 41 D7)	Basis of Structure	ength	Strength
Product Informat Route of Administrat Active Ingredient	tion /Active Moie Ingre	ety dient Name	4PZ4LPZ)	Basis of Strussel	ength	Strength 20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient	tion /Active Moie Ingre	ety dient Name	4PZ4LPZ)		ength	-
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4	tion /Active Moie Ingre 414PZ4LPZ) (sali	ety dient Name	4PZ4LPZ)		ength	-
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4	tion /Active Moie Ingre 414PZ4LPZ) (sali	ety dient Name			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredie)	tion :/Active Moid Ingre 414PZ4LPZ) (sali nts	ety dient Name cylic acid - UNII:O41			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredien Water (UNII: 059QF0K)	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00R)	ety dient Name cylic acid - UNII:041 Ingredien			ength	-
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredie) Water (UNII: 059QF0K sodium C14-16 olefin	tion Active Moie Ingre 414PZ4LPZ) (sali nts OOR) sulfonate (UNII	ety dient Name cylic acid - UNII:O414 Ingredien			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient Salicylic acid (UNII: O4 Inactive Ingredient Water (UNII: 059QF0K Sodium C14-16 olefin polyethylene glycol 40	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00R) sulfonate (UNII 000 (UNII: 4R4H	ety dient Name cylic acid - UNII:O41 Ingredien : O9W3D3YF5U) FI6D95)			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: Od Inactive Ingredien Water (UNII: 059QF0K sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00 R) sulfonate (UNII: 000 (UNII: 4R4H ine (UNII: 50CF3	ety dient Name cylic acid - UNII:O41 Ingredien : O9W3D3YF5U) FI6D95)			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredient Water (UNII: 059QF0Ku sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: T	tion Active Moie Ingre 414PZ4LPZ) (sali attack 00R) sulfonate (UNII: 000 (UNII: 4R4H ine (UNII: 50CF3 TV12P4NEE)	ety dient Name cylic acid - UNII:O414 Ingredien : O9W3D3YF5U) FI6D95) 3011KX)			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient Salicylic acid (UNII: O Inactive Ingredient Water (UNII: 059QF0K) Sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: TT DMDM Hydantoin (UN	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00R) sulfonate (UNII: 000 (UNII: 4R4H ine (UNII: 5OCF: TV12P4NEE) II: BYR0546TOV	ety dient Name cylic acid - UNII:041 Ingredien : 09W3D3YF5U) FI6D95) 3011KX)			ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredie) Water (UNII: 059QF0K sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: TT DMDM Hydantoin (UNI	tion /Active Moid Ingre 414PZ4LPZ) (sali attacher (sali a	e ty dient Name cylic acid - UNII:O41 Ingredient : O9W3D3YF5U) FI6D95) 3O11KX)			ength	20 mg in 1 mL
Product Informat Route of Administrat	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00R) sulfonate (UNII: 000 (UNII: 4R4H ine (UNII: 50CF3 FV12P4NEE) II: BYR0546TOV II: 7FLD91C86K) etate, DL- (UNII	ety dient Name cylic acid - UNII:O41- Ingredien : 09 W3D3YF5U) FI6 D9 5) 3011KX) V) : WR1WPI7EW8)	t Name		ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O Inactive Ingredien Water (UNII: 059QF0K sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: TT DMDM Hydantoin (UNI edetate disodium (UNII: alphatocopherol acc Hamamelis virginiana	tion /Active Moie Ingre 414PZ4LPZ) (sali attributed (UNII: 4141 1000 (UNII: 41411 1000 (UNII: 50CF3 11: BYR0546TOV 11: 7FLD91C86K) 11: 7FLD91C86K) 11: aflower water (ety dient Name cylic acid - UNII:O41- Ingredien : 09 W3D3YF5U) FI6 D9 5) 3011KX) V) : WR1WPI7EW8)	t Name		ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredient Water (UNII: 059QF0K sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: TT DMDM Hydantoin (UNI edetate disodium (UNI	tion Active Moie Ingre 414PZ4LPZ) (sali 414PZ4LPZ) (sali attage of the second sec	ety dient Name cylic acid - UNII:O414 Ingredient : 09W3D3YF5U) FI6D95) 3011KX) V) : WR1WPI7EW8) UNII: 222MYC9QUV)	t Name		ength	20 mg in 1 mL
Product Informat Route of Administrat Active Ingredient salicylic acid (UNII: O4 Inactive Ingredient Water (UNII: 059QF0K4 sodium C14-16 olefin polyethylene glycol 40 cocamidopropyl betai Xanthan gum (UNII: TT DMDM Hydantoin (UNI edetate disodium (UNI alphatocopherol acc Hamamelis virginiana Butylene glycol (UNII:	tion /Active Moie Ingre 414PZ4LPZ) (sali nts 00 R) sulfonate (UNII: 000 (UNII: 4R4H ine (UNII: 50CF3 TV12P4NEE) II: BYR0546TOV II: 7FLD91C86K) etate, DL- (UNII a flower water (3XUS85K0RA) flower (UNII: PC	ety dient Name cylic acid - UNII:O414 Ingredient : 09W3D3YF5U) FI6D95) 3011KX) V) : WR1WPI7EW8) UNII: 222MYC9QUV)	t Name		ength	20 mg in 1 mL

Lauryl Methace	vlate/Cl	WZB9127XOA vcol Dimetha	crylate Crosspolymer (UNII: EX0F4C)	Z66H)				
	yid te/Gi	ycor Dimetiia	crytate crossporymer (ONII. EX0F4C.	20011)				
Packaging								
# Item Code		Dac	kage Description	Markating	taxt Data Ma		nd Date	
	110 T		kage Description	Marketing S	tart Date Ma	arketing Ei	nu Date	
1	118 mL	IN I TUBE; Ty	pe 0: Not a Combination Product					
76 1 .1	т с	.•						
Marketing								
Marketing Category Applicati			on Number or Monograph Citation	Marketing	s Start Date M	larketing E	ting End Date	
OTC monograph	final	part333D		10/01/2014				
Part 2 of 3								
SKINDUA	ОЛЛА	CVADV	ANCED ACNE THERAP		VE CIEAD			
			ANCED ACINE I HERAP	I ACH	VE CLEAR	ang		
benzoyl peroxi	ide lotio	on						
Product Info	rmatio	n						
Route of Admin	••							
Route of Auffill	nctratia	nn	TOPICAL					
	iistratio	on	TOPICAL					
	iistratio	on	TOPICAL					
Activo Ingro								
Active Ingree		Active Moi	ety		Decis of Streen	og the Sta	on oth	
	dient//	Active Moi	ety gredient Name		Basis of Stren	-	rength	
	dient//	Active Moi	ety	40 GM)	Basis of Stren benzoyl peroxide	-	rength ; in 1 mI	
	dient//	Active Moi	ety gredient Name	40 GM)		-	-	
benzoyl peroxid	dient// e (UNII:	Active Moi Ing W9WZN9A0C	ety gredient Name	40 GM)		-	-	
benzoyl peroxid	dient// e (UNII:	Active Moi Ing W9WZN9A0C	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN94	40 GM)		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr	dient// e (UNII: e dient	Active Moi Ing W9WZN9A0C	ety gredient Name	40 GM)		25 mg	-	
benzoyl peroxid Inactive Ingr water (UNII: 0590	dient// e (UNII: redient	Active Moi Ing W9WZN9A0C ts	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN94	40 GM)		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P	die nt/ e (UNII: r e die n t QF0 KOC DC6 A3C	Active Moi Ing W9WZN9A0C ts DR) C0OX)	ety gredient Name IM) (benzoyl peroxide - UNII:W9WZN97 Ingredient Name	-		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry	dient// e (UNII: e dient QF0 KOC DC6 A3C ylate/gly	Active Moi Ing W9WZN9A0C ts DR) C0OX) ycol dimetha	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN94	-		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P) methyl methacry cetyl alcohol (U	dient/A e (UNII: e dient QF0 KOC DC6 A3C ylate/gly NII: 936.	Active Moi Ing W9WZN9A0C ts DR) C0OX) ycol dimethao JST6JCN)	ety gredient Name IM) (benzoyl peroxide - UNII:W9WZN97 Ingredient Name	-		25 mg	in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry cetyl alcohol (UII sorbitol (UNII: 50	dient// e (UNII: e dient QF0 KOC DC6 A3C ylate/gly NII: 936. 06 T60 A	Active Moi Ing W9WZN9A0G ts DR) COOX) ycol dimethao JST6JCN) 25R)	ety gredient Name RM) (benzoyl peroxide - UNII:W9WZN94 Ingredient Name	-		25 mg	; in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry cetyl alcohol (UI sorbitol (UNII: 50 glyceryl dilaura	die nt// e (UNII: e die nt QF0 KOC DC6 A3C yla te/gl; NII: 936. 06 T6 0 A te (UNII	Active Moi Ing W9WZN9A0C W9WZN9A0C ts COOX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK	ety gredient Name RM) (benzoyl peroxide - UNII:W9WZN94 Ingredient Name	-		25 mg	in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P. methyl methacry cetyl alcohol (UI sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (die nt/# e (UNII: e die nt QF0 K00 DC6 A30 yla te/gly NII: 936. 06 T60 A te (UNII (UNII: 24	Active Moi Ing W9WZN9A0C W9WZN9A0C ts ts DR) COOX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK (R89I4H1Y)	ety gredient Name EM) (benzoyl peroxide - UNII:W9WZN92 Ingredient Name	-		25 mg	in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P) methyl methacry cetyl alcohol (UI sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (magnesium alur	die nt// e (UNII: e die nt QF0 KOC DC6 A3C yla te/gl NII: 936, 06 T60 A te (UNII (UNII: 2F ninum s	Active Moi Ing W9WZN9A0G W9WZN9A0G ts DR) COOX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK (R89I4H1Y) silicate (UNII:	ety gredient Name EM) (benzoyl peroxide - UNII:W9WZN92 Ingredient Name	-		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry cetyl alcohol (UI sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (magnesium alur sodium citrate ()	die nt// e (UNII: e die nt QF0 KOC DC6 A3C yla te/gly NII: 936. 06 T60 A te (UNII (UNII: 21 ninum s UNII: 1Q	Active Moi Ing W9WZN9A0C W9WZN9A0C ts COOX) ts COOX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK (R89I4H1Y) silicate (UNII: 73Q2JULR)	ety gredient Name EM) (benzoyl peroxide - UNII:W9WZN92 Ingredient Name	-		25 mg	in 1 mI	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry cetyl alcohol (UII sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (magnesium alur sodium citrate () silicon dioxide (die nt// e (UNII: e die nt QF0 KOC DC6 A3C yla te/gly NII: 936. 06 T60 A te (UNII (UNII: 2F ninum s UNII: 1Q UNII: 12	Active Moi Ing W9WZN9A0G W9WZN9A0G ts DR) C0OX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK (R89I4H1Y) silicate (UNII: 73Q2JULR)	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN94 Ingredient Name crylate crosspolymer (UNII: EG97988) 6 M3P64V0NC)	-		25 mg	; in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P) methyl methacry cetyl alcohol (UII: sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (magnesium alur sodium citrate () silicon dioxide (die nt// e (UNII: e die nt QF0 KOC DC6 A3C yla te/gl; NII: 936. 06 T60 A te (UNII (UNII: 2F ninum s UNII: 1Q UNII: ET ulfa te (U	Active Moi Ing W9WZN9A0C W9WZN9A0C ts COOX) coOX) ycol dimethao JST6JCN) 25R) : MFL3ZIE8SK (R89I4H1Y) silicate (UNII: 73Q2JULR) CJ7Z6XBU4) JNII: 368GB51	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN9A Ingredient Name (rylate crosspolymer (UNII: EG97988) 6 M3P64V0NC)	-		25 mg	; in 1 ml	
benzoyl peroxid Inactive Ingr water (UNII: 0590 glycerin (UNII: P methyl methacry cetyl alcohol (UII sorbitol (UNII: 50 glyceryl dilaura stearyl alcohol (magnesium alur sodium citrate (silicon dioxide (sodium lauryl su citric acid mono	die nt/A e (UNII: e die nt QF0 K0(DC6 A3(yla te/gly NII: 936, 06 T60 A te (UNII (UNII: 24 ninum s UNII: 1Q UNII: 1Q UNII: ET alfate (U bhydratu	Active Mois Ing W9 WZN9 A0 G W9 WZN9 A0 G ts ts DR) C0 O X) ycol dimethal JST6 JCN) 25R) : MFL3ZIE8 SK (R8914H1Y) silicate (UNII: 73Q2JULR) JNII: 368 GB51 e (UNII: 2968 F	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN9A Ingredient Name (rylate crosspolymer (UNII: EG97988) 6 M3P64V0NC)	-		25 mg	in 1 ml	
Inactive Ingr water (UNII: 0590 glycerin (UNII: P	die nt/A e (UNII: e die nt QF0 KOC DC6 A3C yla te/gl; NII: 936. 06 T6 0 A te (UNII: 936. 06 T6 0 A te (UNII: 936. UNII: 124 UNII: 124	Active Moie Ing W9WZN9A0C W9WZN9A0C Is OR COOX ycol dimethac JST6JCN 25R) : MFL3ZIE8SK (R8914H1Y) silicate (UNII: 73Q2JULR) UJ7Z6XBU4) JNII: 368GB51 e (UNII: 2968F 218C7HI9T)	ety gredient Name SM) (benzoyl peroxide - UNII:W9WZN9A Ingredient Name (rylate crosspolymer (UNII: EG97988) 6 M3P64V0NC)	-		25 mg	in 1 ml	

Packaging						
# Item Code	Pac	kage Description	Marketing	Start Date	Marketir	ng End Date
1 22 mL		be 0: Not a Combination Product				-
Marketing Info	rmation					
Marketing Category		on Number or Monograph Citatio	n Marketin	g Start Date	Marketi	ng End Date
OTC monograph final	part333D		10/01/2014	-		-
Part 3 of 3						
SKINDHARMA	ο συ αρν	ANCED ACNE THERA	DV SPO	Γ ΤΡΕΔΤ	MENT	
benzoyl peroxide loti		ANCED AGNE THERA				
	1011					
Product Informati	ion					
		TODICAL				
Route of Administration	ion	TOPICAL				
Active Ingredient/	Active Moi	otv				
Active Ingreatent		gredient Name		Basis of St	rongth	Strength
hanzayl paravida (UNII	-	GM) (benzoyl peroxide - UNII:W9WZN	940CM	benzoyl perox	-	50 mg in 1 mL
benzögt peroxide (ordi			5710 Givi)	benzoyrperox	Juc	o mg m i mL
Inactive Ingredien	nts					
		Ingredient Name				Strength
water (UNII: 059QF0KO	0R)					
glycerin (UNII: PDC6A3	COOX)					
		crylate crosspolymer (UNII: EG9798	88M5Q)			
cetyl alcohol (UNII: 936	,					
sorbitol (UNII: 506T60A						
glyceryl dilaurate (UNI		()				
stearyl alcohol (UNII: 2						
magnesium aluminum		6M3P64V0NC)				
sodium citrate (UNII: 10						
silicon dioxide (UNII: E						
sodium lauryl sulfate (
citric acid monohydra		2HwδQP)				
methylparaben (UNII: A						
xanthan gum (UNII: TT						
propylparaben (UNII: Z	.01A23C1UH)					
D 1						
Packaging						

# Item Code		Package Description	Marketing Start Date	Marketing End Date		
1	12 mL	in 1 TUBE; Type 0: Not a Combination Product				
Marketing	Info	rmation				
Marketing Cate	egory	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph f	inal	part333D	10/01/2014			
Marketing Information						
Marketing Cate	egory	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph f	inal	part333D	10/01/2014			

Labeler - CVS Health (062312574)

Registrant - AMCOL Health & Beauty Solutions, Inc. DBA (872684803)

Establishment

Name	Address	ID/FEI	Business Operations
AMCOL Health & Beauty Solutions, Inc. DBA		872684803	ANALYSIS(69842-082) , MANUFACTURE(69842-082) , LABEL(69842- 082) , PACK(69842-082)

Revised: 3/2017

CVS Health