ETHYL ALCOHOL 80 PERCENT- ethyl alcohol liquid BEARCO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ETHYL ALCOHOL

DOSAGE ADMINISTRATION INFORAMTION - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts

Active ingredient[s]

Purpose

Denatured Ethyl Alcohol 80% v/v.......

.....Antiseptic

Useisi

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatorium benzoate,

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739

Tel:787-739-7100 customer@bearcopr.com



WARNINGS INFORMATION - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts

Active ingredientis?

Purpose

Denatured Ethyl Alcohol 80% v/v......Antiseptic

Use[s]

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- · do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- anoly a small amount of this product on the area 1-3 times daily.

- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatorium benzoate, tert-buty| alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com



INACTIVE INGREDIENTS - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts

Active ingredientis!

Purpose

Denatured Ethyl Alcohol 80% v/v......Antiseptic

Uselsi

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatorium benzoate, tert-butyl alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com



INDICATIONS & USAGE INFORAMTION - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts

Active ingredient[s]

Purpose

Denatured Ethyl Alcohol 80% v/v.......

.....Antiseptic

Use[s]

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- · If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatonium benzoate, tert-butyl alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com



ACTIVE INGREDIENT - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts	
Active ingredient[s]	Purpose
Denatured Ethyl Alcohol 80% v/v	Antiseptic
Use[s]	

Hirst aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatorium benzoate, tert-butyl alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com



KEEP OUT OF REACH CHILDREN WARNING - ETHYL ALCOHOL 80 PERCENT ANTISEPTIC

Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONCUME

Drug Facts

Active ingredient[s]

Purpose

Denatured Ethyl Alcohol 80% v/v......Antiseptic

Use[s]

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- · do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other Information

Store at room temperature

Inactive ingredients: purified water, denatonium benzoate, tert-butyl alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com



Ethyl Alcohol 80% (As determined by DMA) 750 ml. (0.75 L.)

DO NOT CONSUME

Drug Facts

Active ingredient[s]

Purpose

Denatured Ethyl Alcohol 80% v/v......Antiseptic

Useisi

First aid to help prevent the risk of infection in minor cuts, scrapes and bums

Warnings

For external use only

- Flammable, Keep away from heat or flame.
- If taken internally serious gastric disturbances will result

Ask a doctor before if you have

deep or puncture wounds, animal bites or serious bums.

When using this product

- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if condition persist or gets worse

Keep out of reach of children . If swallowed, get medical help or contact a Poison Control Center Immediately.

Directions

- clean affected area
- apply a small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

Store at room temperature

Inactive ingredients: purified water, denatorium benzoate, tert-butyl alcohol

Manufactured by: Bearco, LLC Carr. 172 Km 9.1 Cldra, P.R. 00739 Tel:787-739-7100 customer@bearcopr.com







750 mL NDC 74331-800-01

ethyl alcohol liquid Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:74331-800 Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M) ALCOHOL (Basis of Strength) ALCOHOL (UNII: 3K9958V90M)

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DENATO NIUM BENZO ATE (UNII: 4YK5Z54AT2)			

l	Packaging				
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1	NDC:74331-800-01	750 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2020	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part333A	06/15/2020			

Labeler - BEARCO (079308202)

Registrant - BEARCO (079308202)

Establishment				
Name	Address	ID/FEI	Business Operations	
BEARCO		079308202	manufacture(74331-800)	

Revised: 6/2020 BEARCO