

CITROMA- magnesium citrate liquid
Target Corporation

Up & UP 166.000/166AA rev 1-AB
Lemon Magnesium Citrate

Active Ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask help professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Storage

Store at temperatures between 46° and 86°F (8° and 30°C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz in 24 hours maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- **each fl oz contains:** magnesium 290 mg
- **each fl oz contains:** sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions?

Call 1-800-910-6874

Disclaimer

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Adverse Reaction

Dist. by Target Corp., Mpls., MN 55403

Made in U.S.A. with U.S. and Foreign components

TM & ©2024 Target Brands, Inc.

Principal display panel

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECK RING

Saline Laxative

Oral Solution

Magnesium Citrate

Provides relief from occasional constipation

up & up™

LEMON FLAVOR

10 FL OZ (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECK RING

Saline Laxative Oral Solution

Magnesium Citrate

Provides relief from occasional constipation

Lemon Flavor

10 FL OZ (296 mL)

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1,745 g. Saline laxative

Uses ■ for relief of occasional constipation (irregularity).
■ Generally produces bowel movement in ½ to 6 hours

Warnings
Ask a doctor before use if you have
■ kidney disease ■ a magnesium restricted diet
■ abdominal pain, nausea, or vomiting
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks
■ already used a laxative for a period longer than 1 week
Ask a doctor or pharmacist before use if you are
■ taking any other drug.
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help ▶

Drug Facts (continued)
or contact a Poison Control Center right away.
Store at temperatures between 46° and 86° F (8° and 30° C)

Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other information
■ each fl oz contains: magnesium 290 mg
■ each fl oz contains: sodium 1 mg

Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Questions? Call 1-800-910-6874

Dist. by Target Corp., Mpls., MN 55403
Made in U.S.A. with U.S. and Foreign components.
TM & ©2024 Target Brands, Inc.

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

L0021658SB 245 05 0154 R00 C-002445-01-012-0149

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-708
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION -	MAGNESIUM	1.745 g

UNII:T6V3LHY838)		CITRATE	in 29.6 mL	
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
BENZOIC ACID (UNII: 8SKN0B0MIM)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-708-38	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/18/2018	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007		02/18/2018	

Labeler - Target Corporation (006961700)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment			
Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11673-708)