

**KIRKLAND SIGNATURE ALLER TEC D- cetirizine hydrochloride,  
pseudoephedrine hydrochloride tablet, film coated, extended release  
Costco Wholesale Company**

-----  
**Costco Wholesale Corp. Aller-Tec D Drug Facts**

**Active ingredients (in each extended release tablet)**

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
  - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease

- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor

consumers with liver or  
kidney disease

ask a doctor

---

## Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

## Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

## Questions or comments?

call **1-800-719-9260**

## Package/Label Principal Display Panel

KIRKLAND Signature

COMPARE TO ZYRTEC-D®

active ingredients

ALLERGY + SINUS

ALLER-TEC D®

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride

Extended Release Tablets 5 mg/120 mg

Antihistamine/Nasal Decongestant

Indoor + Outdoor Allergies

Actual Size

Original Prescription Strength

12-Hour Relief

Sneezing

Itchy, Watery Eyes

Runny Nose

Itchy Nose or Throat

NASAL CONGESTION + SINUS PRESSURE

24 EXTENDED RELEASE TABLETS

GLUTEN FREE

23108060a

4 0 96619 26157

**Drug Facts (continued)**

**Other information** ■ score between 20° to 25° C (68° to 77° F)

■ do not use if blister unit is broken or to m

■ see side panel for lot number and expiration date

■ meets USP Dissolution Test 2

**Inactive ingredients** colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

*Questions or comments? call 1-800-719-9260*

**Drug Facts (continued)**

**Directions** ■ do not break or chew tablet; swallow tablet whole

adults and children ■ take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours

adults 65 years and over ■ ask a doctor

children under 12 years of age ■ ask a doctor

or kidney disease ■ ask a doctor

**Warnings**

■ if pregnant, ask a health professional before use

■ if breast-feeding: not recommended

■ if you have ever had an allergic reaction to this product

■ if you are now taking a prescription monoamine oxidase inhibitor or any of its ingredients to an antihistamine containing hydroxyzine

■ MAOI (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI, ask a doctor or pharmacist before taking this product

■ Ask a doctor before use if you have

■ heart disease ■ thyroid disease ■ diabetes

■ glaucoma ■ high blood pressure

■ trouble urinating due to an enlarged prostate gland

■ liver or kidney disease; your doctor should determine if you need a different dose

**Uses**

■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

■ runny nose ■ sneezing ■ itchy watery eyes

■ itching of the nose or throat ■ nasal congestion

■ reduces swelling of nasal passages

■ temporarily relieves sinus congestion and pressure

■ temporarily restores free breathing through the nose

**Stop use and ask a doctor if**

■ an allergic reaction to this product occurs. Seek medical help

■ you get nervous, dizzy, or sleepless

■ symptoms do not improve within 7 days or are accompanied by fever

**When using this product**

■ do not use more than directed

■ avoid alcoholic drinks

■ drowsiness may occur

■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ be careful when driving a motor vehicle or operating machinery

**Ask a doctor or pharmacist before use if you are taking**

■ tranquilizers or sedatives

**Drug Facts (continued)**

**Drug Facts**

**Active ingredients** (in each extended release tablet)

Cetirizine HCl 5 mg, Pseudoephedrine HCl 120 mg, Antihistamine

**Purpose**

Nasal decongestant

**Warnings**

■ if you have ever had an allergic reaction to this product

■ if you are now taking a prescription monoamine oxidase inhibitor or any of its ingredients to an antihistamine containing hydroxyzine

■ MAOI (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI, ask a doctor or pharmacist before taking this product

■ Ask a doctor before use if you have

■ heart disease ■ thyroid disease ■ diabetes

■ glaucoma ■ high blood pressure

■ trouble urinating due to an enlarged prostate gland

■ liver or kidney disease; your doctor should determine if you need a different dose

**Directions**

adults and children ■ take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours

adults 65 years and over ■ ask a doctor

children under 12 years of age ■ ask a doctor

or kidney disease ■ ask a doctor

**Uses**

■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

■ runny nose ■ sneezing ■ itchy watery eyes

■ itching of the nose or throat ■ nasal congestion

■ reduces swelling of nasal passages

■ temporarily relieves sinus congestion and pressure

■ temporarily restores free breathing through the nose

**Stop use and ask a doctor if**

■ an allergic reaction to this product occurs. Seek medical help

■ you get nervous, dizzy, or sleepless

■ symptoms do not improve within 7 days or are accompanied by fever

**When using this product**

■ do not use more than directed

■ avoid alcoholic drinks

■ drowsiness may occur

■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ be careful when driving a motor vehicle or operating machinery

**Ask a doctor or pharmacist before use if you are taking**

■ tranquilizers or sedatives

**Drug Facts (continued)**

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®. Packaged by: Perrigo® 515 Eastern Ave., Allentown, PA 18101 USA 1-800-719-9260 For: Costco Wholesale Corporation 999 Lake Drive, Issaquah, WA 98027 USA www.costco.com

how2recycle.info

PAPER MULTILAYER BOX TRAY

14762 5N C4

**ALLERGY + SINUS**

**ALLER-TEC D®**

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride

Extended Release Tablets 5 mg/120 mg

Antihistamine/Nasal Decongestant

**KIRKLAND Signature**

**COMPARE TO ZYRTEC-D® active ingredients\***

**ALLERGY + SINUS**

**ALLER-TEC D®**

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride

Extended Release Tablets 5 mg/120 mg

Antihistamine/Nasal Decongestant

**Indoor + Outdoor Allergies**

Original Prescription Strength

Actual Size **24 EXTENDED RELEASE TABLETS**

12-Hour Relief

• Sneezing • Itchy, Watery Eyes

• Runny Nose • Itchy Nose or Throat

NASAL CONGESTION + SINUS PRESSURE

NDC 63981-147-62  
ITM. / ART. 261574

**EFB 2067**  
147-001 EFB2067-1 REV1 (1)

# KIRKLAND SIGNATURE ALLER TEC D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63981-147
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED</b> (UNII: 2165RE0K14)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	L147
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-147-62	24 in 1 CARTON	03/30/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA210719	03/30/2020	

**Labeler** - Costco Wholesale Company (103391843)

Revised: 2/2025

Costco Wholesale Company