

**KIRKLAND SIGNATURE ALLER TEC D- cetirizine hydrochloride,
pseudoephedrine hydrochloride tablet, film coated, extended release
Costco Wholesale Company**

Costco Wholesale Corp. Aller-Tec D Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if blister unit is broken or torn**
- see side panel for lot number and expiration date
- meets USP *Dissolution Test 2*

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

KIRKLAND Signature

COMPARE TO ZYRTEC-D[®] active ingredients

ALLERGY & CONGESTION

ALLER-TEC D[®]

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride Extended Release Tablets 5 mg/120 mg

Antihistamine/Nasal Decongestant

Indoor & Outdoor Allergies

Actual Size

Original Prescription Strength

12 Hour Relief of:

- Sneezing
- Runny Nose
- Sinus Pressure
- Itchy, Watery Eyes
- Nasal Congestion
- Itchy Throat or Nose

24 EXTENDED RELEASE TABLETS

ALLERGY & CONGESTION

ALLER-TEC D®

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended Release Tablets 5 mg/120 mg
Antihistamine/Nasal Decongestant

KIRKLAND
Signature

COMPARE TO
ZYRTEC-D®
active ingredients*

ALLERGY &
CONGESTION

NDC 63981-147-62
ITM. / ART. 261574

ALLER-TEC D®

Cetirizine Hydrochloride and Pseudoephedrine Hydrochloride
Extended Release Tablets 5 mg/120 mg
Antihistamine/Nasal Decongestant

Indoor & Outdoor Allergies

Original Prescription Strength

Actual Size



24
EXTENDED
RELEASE TABLETS

12 Hour Relief of:
Sneezing Runny Nose
Sinus Pressure Itchy, Watery Eyes
Nasal Congestion Itchy Throat or Nose

14762 5N C3

CODE AREA

Drug Facts

Active ingredients **Purpose**
(in each extended release tablet)
Cetirizine HCl 5 mg.....Antihistamine
Pseudoephedrine HCl 120 mg.....Nasal decongestant

Uses

- temporarily relieve those symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
 - redness/swelling of nasal passages
- temporarily relieve sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

- Do not use**
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine
 - if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- Ask a doctor before use if you have**
- heart disease
 - thyroid disease
 - diabetes
 - glaucoma
 - high blood pressure
 - trouble urinating due to an enlarged prostate gland
 - liver or kidney disease. Your doctor should determine if you need a different dose.

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

- When using this product** **do not use more than directed**
- drowsiness may occur
 - avoid alcoholic drinks
 - alcohol, sedatives, and tranquilizers may increase drowsiness
 - be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Directions

- do not break or chew tablets swallow tablet whole
- | | |
|--|--|
| adults and children 12 years and over | take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours. |
| adults 65 years and over | ask a doctor |
| children under 12 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |



RECYCLABLE
PAPERBOARD BOX

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Zyrtec-D®.

Packaged by:
Perrigo® 515 Eastern Ave., Allegan, MI 49010 USA
1-800-719-9260
For Costco Wholesale Corporation
9901 Lake Drive, Issaquah, WA 98027 USA
www.costco.com

Drug Facts (continued)

Other information

- store between 20° to 25° C (68° to 77° F)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments? 1-800-719-9260

GLUTEN FREE



19V11018a

KIRKLAND SIGNATURE ALLER TEC D

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63981-147
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L147
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63981-147-62	24 in 1 CARTON	03/30/2020	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	03/30/2020	

Labeler - Costco Wholesale Company (103391843)

Revised: 2/2023

Costco Wholesale Company