

**BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 30-  
avobenzone,homosalate,octisalate,octocrylene lotion  
Edgewell Personal Care Brands LLC**

-----

**Active Ingredients**

Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only.**

May stain some fabrics

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs

**Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

## **Inactive Ingredients**

Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice

## **Other information**

- protect this product from excessive heat and direct sun

## **Questions or Comments?**

Call 1-800-SafeSun, Mon-Fri

## **Primary Display Panel**

BANANA

BOAT®

SPORT™

ultra

SUNSCREEN LOTION

BROAD SPECTRUM SPF 30

30

CLINICALLY

PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM

Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

1 FL. OZ. (29mL)



**SPORT**  
ultra

SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30



**CLINICALLY  
PROVEN**

**UVA/UVB PROTECTION**

**SUPERIOR ENDURANCE  
VS. SWEAT & WATER**



Water Resistant  
(80 Minutes)

1 FL. OZ. (29mL)

### Drug Facts

#### Active Ingredients

Avobenzone 2.7%, Homosalate 6.0%,  
Octisalate 4.5%, Octocrylene 4.5% ..... Sunscreen

#### Purpose

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

#### Directions

■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive ingredients:** Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

#### Other information

■ protect this product from excessive heat and direct sun

#### Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484  
www.bananaboat.com

© 2022 Edgewell.



BANANA  
BOAT®  
SPORT™  
ultra  
SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30

30  
 CLINICALLY  
 PROVEN  
 UVA/UVB PROTECTION  
 SUPERIOR ENDURANCE  
 VS. SWEAT & WATER  
 FREE FROM  
 Oxybenzone  
 Octinoxate  
 Water Resistant  
 (80 Minutes)  
 3 FL. OZ. (88mL)

**BANANA BOAT®**  
**SPORT™**  
 ultra  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30

**30**

**CLINICALLY PROVEN**  
 UVA/UVB PROTECTION  
 SUPERIOR ENDURANCE  
 VS. SWEAT & WATER

**FREE FROM**  
 Oxybenzone  
 Octinoxate

Water Resistant  
 (80 Minutes)

3 FL. OZ. (88 mL)

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

**Other Information** ■ protect this product from excessive heat and direct sun

**Questions or comments?** Call 1-800-SafeSun, Mon-Fri

www.bananaboat.com  
 Distributed by:  
 EDGEWELL PERSONAL  
 CARE BRANDS, LLC  
 Shelton, CT 06484  
 © 2022 Edgewell.  
 93038416

Recommended as an effective broad spectrum sunscreen.

RECOMMENDED  
 SKIN  
 CANCER  
 FOUNDATION  
 ACTIVE

0 79656 04512 3

BANANA  
 BOAT®  
 SPORT™  
 ultra  
 SUNSCREEN LOTION  
 BROAD SPECTRUM SPF 30  
 30  
 CLINICALLY

PROVEN  
 UVA/UVB PROTECTION  
 SUPERIOR ENDURANCE  
 VS. SWEAT & WATER  
 FREE FROM  
 Oxybenzone  
 Octinoxate  
 Water Resistant  
 (80 Minutes)  
 8 FL. OZ. (236mL)



**SPORT**  
 ultra

SUN SCREEN LOTION  
 BROAD SPECTRUM SPF 30



**CLINICALLY  
 PROVEN**  
 UVA/UVB PROTECTION

SUPERIOR ENDURANCE  
 VS. SWEAT & WATER



Water Resistant  
 (80 Minutes)

8 FL. OZ. (236mL)

**SUN SAFETY DIRECTIONS**

Apply 1 oz. LiberaIly    Wait 15 min.    2 HR.    Cover Up!

**Drug Facts**

Active Ingredients	Purpose
Avo benzene 2.7%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 4.5%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 For external use only.  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.

**Directions** ■ apply liberaIly 15 minutes before sun exposure ■ reappIy after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients** Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorophanesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

**Other Information** ■ protect this product from excessive heat and direct sun

**Questions or Comments?**  
 Call 1-800-SafeSun, Mon-Fri

RECOMMENDED: Recommended as an effective broad spectrum sunscreen.

Distributed by:  
 EDGEWELL  
 PERSONAL CARE  
 BRANDS, LLC  
 Shelton, CT 06484  
 www.bananaboat.com  
 © 2022 Edgewell

93038577

0 7965604971 8

BONUS  
 25% MORE  
 10 OZ

VS  
8 OZ  
BANANA  
BOAT®  
SPORT™  
ultra  
SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30  
30  
CLINICALLY  
PROVEN  
UVA/UVB PROTECTION  
SUPERIOR ENDURANCE  
VS. SWEAT & WATER  
FREE FROM  
Oxybenzone  
Octinoxate  
Water Resistant  
(80 Minutes)  
10 FL. OZ. (295mL)

**BONUS**  
25% MORE  
10 OZ  
VS  
8 OZ



**SPORT**  
ultra

SUNSCREEN LOTION  
BROAD SPECTRUM SPF 30



**CLINICALLY  
PROVEN**  
UVA/UVB PROTECTION

SUPERIOR ENDURANCE  
VS. SWEAT & WATER



Water Resistant  
(80 Minutes)

10 FL. OZ. (295mL)

**BONUS**  
25% MORE  
10 OZ  
VS  
8 OZ



**Drug Facts**

**Active Ingredients** Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5% ..... Sunscreen  
**Purpose**

**Uses** ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only.  
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.  
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
May stain some fabrics.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients** Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

**Other Information** ■ protect this product from excessive heat and direct sun

**Questions or Comments?**  
Call 1-800-SafeSun, Mon-Fri



Distributed by  
EDGEWELL PERSONAL CARE  
BRANDS, LLC  
Shelton, CT 06484  
www.bananaboat.com



© 2022 Edgewell  
Edgewell

Recommended as an effective broad spectrum sunscreen.



**BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 30**

avobenzone, homosalate, octisalate, octocrylene lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63354-470
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	4.5 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g

**HOMOSALATE** (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)

HOMOSALATE

6 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>CETYL DIMETHICONE 150</b> (UNII: 5L694Y0T22)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>SODIUM POLYACRYLATE (8000 MW)</b> (UNII: 285CYO341L)	
<b>GLYCERYL 1-STEARATE</b> (UNII: 258491E1RZ)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-470-16	227 g in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	
2	NDC:63354-470-17	284 g in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	
3	NDC:63354-470-21	28.3 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2020	
4	NDC:63354-470-22	85 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/26/2020	10/01/2026

**Labeler** - Edgewell Personal Care Brands LLC (151179769)

Revised: 12/2025

Edgewell Personal Care Brands LLC