# MATERVIA- ascorbic acid, cholecalciferol, thiamine, pyridoxal-5-phosphate, folic acid, methylcobalamin, calcium citrate, iron, iodine capsule V2 Pharma LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### Matervia

#### **HEALTH CLAIM**

Matervia Capsules - Prenatal/Postnatal

Dispensed By Prescription†

**Serving Size:** 2 Capsules

Servings per Container: 30

	Amount Per Serving	%DV
Vitamin C (as Ascorbic Acid)	125 mg	138%
Vitamin D3 (as Cholecalciferol)	20 mcg	100%
Thiamine (asThiamine Mononitrate)	1.40 mg	116%
Vitamin B-6 (as Pyridoxal 5 Phosphate)	2.50 mg	147%
Folate (from 1000 mcg Folic Acid)	1700 mcg DFE	425%
Vitamin B-12 (as Methylcobalamin)	1000 mcg	41666%
Calcium (as Calcium Citrate)	200 mg	15%
Iron (as Ferrous Bisglycinate Chelate)	13 mg	72%
lodine (as Potassium lodide)	150 mcg	100%

Other ingredients: Microcrystalline Cellulose (USP)

Vegetable Capsule (cellulose, purified water)

#### **DESCRIPTION**

Matervia is an orally administered prescription vitamin formulation for the clinical dietary management of suboptimal nutritional status

in patients where advanced folate supplementation is required and nutritional supplementation in physiologically stressful conditions for maintenance of good health is needed.

#### WARNING AND PRECAUTIONS

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

#### **CONTRAINDICATIONS:**

Matervia is contraindicated in patients with a known hypersensitivity to any of the

ingredients. Do not take this product if you are presently taking mineral oil, unless directed by a doctor.

#### PRECAUTION:

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B is deficient. Folic acid in doses above 1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Matervia should only be used under the direction and supervision of a licensed medical practitioner.

#### ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid. You may report side effects by calling 1-800-519-8334 or the FDA by calling 1-800-FDA-1088.

#### **DOSAGE & ADMINISTRATION**

Suggested use is 2 capsules taken orally once daily or as prescribed by a licensed medical practitioner.

#### **HOW SUPPLIED HEALTH CLAIM:**

Matervia Capsules are available in 60-count bottles

NDC 72835-660-01

Dispensed by Prescription†

† This product is a prescription-folate with or without other dietary ingredients that – due to increased folate levels increased risk associated with masking of B12 deficiency (pernicious anemia) requires administration under the care of a licensed medical practitioner (61 FR 8760).

This product may be administered only under a physician's supervision and all prescriptions using this product shall be pursuant to state statutes as applicable. The ingredients, indication or claims of this product are not to be construed to be drug claims.

#### STORAGE AND HANDLNG

Store Matervia at room temperature. Avoid excessive heat, light, and moisture.

#### Statements

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

## **How Supplied**

Matervia capsules are available in 60 count bottles. 72835-550-01

Manufactured for: V2 Pharma, LLC 103 W Main Street Hudson, MI 49247

#### PACKAGE LABEL

Matervia NDC 72835-660-01

The label for Matervia is shown below:

#### DOSAGE AND ADMINISTRATION:

Suggested use is 2 capsules taken orally once daily or as prescribed by a licensed medical practitioner.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

These statments have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured for: V2 Pharma, LLC 103 W Main Street Hudson, MI 49247 www.V2Pharma.com



Dispensed by Prescription



Other ingredients: Microcrystalline Cellulose (USP) Vegetable Capsule (cellulose, purified water).

No artificial colors, artificial flavors, milk or milk derivatives, or sodium added.

STORAGE: Store at room temperature. Avoid excessive heat, light and moisture.

Made in a GMP Compliant Facility in the U.S.



Product Number: 3 72835 66001 9

### **MATERVIA**

ascorbic acid, cholecalciferol, thiamine, pyridoxal-5-phosphate, folic acid, methylcobalamin, calcium citrate, iron, iodine capsule

#### **Product Information Product Type HUMAN PRESCRIPTION DRUG Item Code (Source)** NDC:72835-660 **Route of Administration** ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	125 mg		
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	20 ug		
THIAMINE MONONITRATE (UNII: 8K0I04919X) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE MONONITRATE	1.4 mg		
<b>PYRIDOXAL 5-PHOSPHATE</b> (UNII: F06SGE49M6) (PYRIDOXAL 5-PHOSPHATE - UNII:F06SGE49M6)	PYRIDOXAL 5- PHOSPHATE	2.5 mg		
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1000 ug		
METHYLCOBALAMIN (UNII: BR1SN1JS2W) (METHYLCOBALAMIN - UNII:BR1SN1JS2W)	METHYLCOBALAMIN	1000 ug		
CALCIUM CITRATE (UNII: MLM29U2X85) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CITRATE	200 mg		
IRON (UNII: E1UOL152H7) (FERROUS BISGLYCINATE - UNII:SFW1D987QV)	IRON	13 mg		
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	150 ug		

Inactive Ingredients		
Ingredient Name	Strength	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		

Product Characteristics			
Color	white	Score	no score
Shape	capsule	Size	23mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> N 0		60 in 1 BOTTLE; Type 0: Not a Combination Product	06/11/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/11/2025	

# Labeler - V2 Pharma LLC (102457346)

Establishment			
Name	Address	ID/FEI	Business Operations
V2 Pharma LLC		102457346	label(72835-660) , manufacture(72835-660)

Revised: 6/2025 V2 Pharma LLC