

**GIORGIO ARMANI LUMINESSENCE CC COLOR CONTROL BRIGHT MOISTURIZER  
BROAD SPECTRUM SPF 35 SUNSCREEN- octinoxate and titanium dioxide lotion  
-L'Oreal USA Products Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredients**

Octinoxate 5%

Titanium dioxide 1.85%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn

- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours

- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### **Other information**

protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, dimethicone, glycerin, alcohol denat., isododecane, PEG-10 dimethicone, dipropylene glycol, pentylene glycol, disteardimonium hectorite, betaine, talc, diisostearyl malate, fragrance, tocopheryl acetate, macadamia ternifolia seed oil, phenoxyethanol, adenosine, magnesium sulfate, magnesium aspartate, ethylhexyl hydroxystearate, ethyl menthane carboxamide, silica, dimethiconol, dimethicone/vinyl dimethicone crosspolymer, simmondsia chinensis (jojoba) seed oil, limonene, zinc gluconate, linalool, benzyl alcohol, copper glyconate, coriandrum sativum (coriander) fruit oil, moringa pterygosperma seed extract, passiflora edulis seed oil, disodium stearyl glutamate, methicone, prunus armeniaca (apricot) kernel oil, aluminum starch octenylsuccinate, alumina, aluminum hydroxide; may contain: red 28 lake, red 7, iron oxides, bismuth oxychloride, titanium dioxide

## Drug Facts

### Active ingredients Purpose

Octinoxate 5% ..... Sunscreen  
Titanium dioxide 1.85% .. Sunscreen

### Uses

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

### Other information

- protect the product in this container from excessive heat and direct sun →

### Drug Facts (continued)

#### Inactive ingredients

water, dimethicone, glycerin, alcohol denat., isodecane, PEG-10 dimethicone, dipropylene glycol, perylene glycol, disodiummonium hexatria, betaine, lact, disoisetyl malate, fragrance, tocopheryl acetate, macadamia ternifolia seed oil, phenoxethanol, sodiumoleate, magnesium sulfite, magnesium aspartate, ethylhexyl hydroxystearate, ethyl menthane carboxamide, allcica, dimethiconol, dimethicone/vinyl dimethicone crosspolymer, simmondsia chinensis (jojoba) seed oil, ironoxide, zinc gluconate, linalool, benzyl alcohol, copper gluconate, coriandrum sativum (coriander) fruit oil, morninga pterygosperma seed extract, passiflora edulis seed oil, disodium stearyl glutamate, methicone, prunus armeniaca (apricot) kernel oil, aluminum starch octenylsuccinate, alumina, aluminum hydroxide; may contain: red 28 lakes, red 7, iron oxides, bismuth oxychloride, titanium dioxide

G862201 3 - FIL: B163208/3



## LUMINESSENCE

CC

color control  
bright moisturizer  
**Sunscreen  
Broad Spectrum  
SPF35**

1

GIORGIO ARMANI

e 30ml 1.01 FL.OZ.

GIORGIO ARMANI Laboratories creates LUMINESSENCE CC, its first Broad Spectrum, SPF35 color control bright moisturizer, for an anti-fatigue effect.

This lightweight formula with an incredibly cool texture:

1. Moisturizes and energizes skin
2. Corrects and unifies skintone
3. Illuminates the face for a healthy glow

Available in 8 • color control • shades, developed to compensate each tone's imperfections.

This skincare and make-up hybrid formula provides 8 effects on the skin: 24h hydration - reduction of the appearance of dark spots - redness - pores - lines and wrinkles - brightness - UV protection.

Skin tone is naturally even, fresh and luminous.

Tested under dermatological control. Non-comedogenic.

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS

GIORGIO ARMANI PARFUMS, 16, PLACE VENDÔME, 75001 PARIS.

GIORGIO ARMANI PARFUMS LUXURY PRODUCTS LLC, NEW YORK, N.Y. 10017.

IMP. BY DESIGNER FRAGRANCES CANADA, MONTREAL, H4T 1K5.

TSA 10007 F 92667 ASNIERES CEDEX MADE IN FRANCE.

**QUESTIONS OR COMMENTS? CONTACT:**  
1-877-276-2843  
(1-877-ARMANI3)

## GIORGIO ARMANI LUMINESSENCE CC COLOR CONTROL BRIGHT MOISTURIZER BROAD SPECTRUM SPF 35 SUNSCREEN

octinoxate and titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-585
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18.5 mg in 1 mL
<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>ALCOHOL</b> (UNII: 3K9958V90M)		
<b>ISODODECANE</b> (UNII: A8289P68Y2)		
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>BETAINE</b> (UNII: 3SCV180C9W)		
<b>TALC</b> (UNII: 7SEV7J4R1U)		
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)		
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)		
<b>MACADAMIA OIL</b> (UNII: 515610SU8C)		
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)		
<b>ADENOSINE</b> (UNII: K72T3FS567)		
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)		
<b>MAGNESIUM ASPARTATE</b> (UNII: R17X820ROL)		
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)		
<b>ETHYL MENTHANE CARBOXYAMIDE</b> (UNII: 6S7S02945H)		
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)		
<b>DIMETHICONOL (100000 CST)</b> (UNII: OSA9UP217S)		
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE)</b> (UNII: H895X08VNQ)		
<b>JOJOBA OIL</b> (UNII: 724GKU717M)		
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)		
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z)		
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)		
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)		
<b>COPPER GLUCONATE</b> (UNII: RV823G6G67)		
<b>CORIANDER OIL</b> (UNII: 7626GC95E5)		
<b>MORINGA OLEIFERA SEED</b> (UNII: TIX5482832)		
<b>PASSIFLORA EDULIS SEED OIL</b> (UNII: F3VOA31UHQ)		
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)		
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)		
<b>APRICOT KERNEL OIL</b> (UNII: 54JB35T06A)		
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ0O6294)		
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)		

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-585-01	1 in 1 CARTON	11/01/2013	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-585-02	1 mL in 1 PACKET; Type 0: Not a Combination Product	11/01/2013	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2013	

**Labeler** - L'Oreal USA Products Inc (002136794)

## Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(49967-585) , pack(49967-585)

## Establishment

Name	Address	ID/FEI	Business Operations
Laboratoires Biocosm SARL		288479491	pack(49967-585)

Revised: 12/2017

-L'Oreal USA Products Inc