TERBINAFINE HYDROCHLORIDE- terbinafine hydrochloride cream Cardinal Health, 110 dba LEADER

Terbinafine Hydrochloride

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
 - on the bottom or sides of the foot: apply twice a day (morning and night)

for 2 weeks or as directed by a doctor

- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

1 week between the toes 2 weeks on the bottom or sides of the foot





Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017

PRINCIPAL DISPLAY PANEL - 15 g Tube Carton

LEADER™

NDC 70000-0338-1

Full Prescription Strength

Athlete's Foot Cream

Terbinafine Hydrochloride Cream 1% Antifungal Cream

COMPARE TO LAMISIL AT® active ingredient*

100% Money Back Guarantee

Cures Most Athlete's Foot Relieves Itching, Burning, Cracking and Scaling NET WT $\frac{1}{2}$ oz (15 g)



NDC 70000-0338-1

Full Prescription Strength Athlete's Foot Cream

Terbinafine Hydrochloride Cream 1% Antifungal Cream

Cures Most Athlete's Foot Relieves Itching, Burning, Cracking and Scaling COMPARE TO LAMISIL AT® active ingredient*

100% Money Back Guarantee

NET WT 1/2 oz (15 g)

B75.2 ENG19.53

Full Prescription Strength

Athlete's Foot Cream

Terbinafine Hydrochloride Cream 1% Antifungal Cream

Cures Most Athlete's Foot Relieves Itching, Burning, Cracking and Scaling COMPARE TO LAMISIL AT® active ingredient*

100% Money Back Guarantee

NET WT 1/2 nz (15 g)

LPK-8821-0 0718-0 15 "All trademarks are property of their respective owners. This product is not affiliated with the owners of Lamisil AT®.

CardinalHealth™

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myleader.com 1-800-200-6313

AND THE LEADER LOGO ARE TRADEMARKS OR REGISTERED TRADEMARKS OF CARDINAL HEALTH. ALL OTHER MARKS ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS.

CARDINAL HEALTH, THE CARDINAL HEALTH LOGO, LEADER,

O 2018 CARDINAL HEALTH ALL RIGHTS RESERVED



All LEADER⁻ Brand Products Have A 100% Money Back Guarantee

Return to place of purchase if not satisfied.



Questions? Call-866-923-4914

Inactive in gredients: benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbtan monostearate, stearyl alcohol.

ana

- 20 25 C (66 17 1)

 See cardon or tube crimp for lot number and expiration
 - store at controlled room temperature
 20°-25°C (68°-77°F)
 - Other information • do not use if seal on tube is broken or is not visible



week s weeks on the bodhom to subsort the bodhom to subsort to sub

years:

- sek siqoctor cylldrenunder 12 years:
- eachuse eachuse
- for jock itch and ringworm: apply once a day (morning or right) for 1 week or as drected by a doctor
- a cay (morning and night) for 2 weeks or as directed by a doctor for jock itch and ringworm: apply once a cay
- eo in the bottom or sides of the foot apply twice
- Change shoes and socks at least once daily.

 between the boes only: apply twice a day (mouning and night) for 1 week oras directed by a

combletely before applying

- the tube • wash the affected skin with soap and water and dry
 - nee the thort the cap to break the seal and open
 adute and children 12 years and over;

(ZZZ1-ZZZ-008-1)

NO VARNISH ON THIS FLAP

Keep out of reach of children. If swallowed, get med cal help or contact a Poison Control Center right away

or gets worse

- When using this product do not get into the eyes. If eye contact occurs, tinee throroughly with water.

 Stop use and ask a doctor if too much infistion occurs
 - in or near the mouth or eyes
 for vaginal yeast infections
 - disservo a figure of sear to no d

Warnings For external use only

SASI

accompany these conditions

- corpons) relieves fiching, burning, cracking and scaling which
- c.n.es most jock itch (fines cinis) and ingworm (fines

NO VARNISH

TERBINAFINE HYDROCHLORIDE

terbinafine hydrochloride cream

Product Information

Product Type HUMAN OTC DRUG NDC:70000-0338 **Item Code (Source)**

Route of Administration TOPICAL

Active Ingredient/Active Moiety

-		
Ingredient Name	Basis of Strength	Strength
drochloride (UNII: 012C11ZU6G) (Terbinafine -	Terbinafine Hydrochloride	1 g in 100 g

Terbinafine Hyd UNII:G7RIW8S0XP)

Inactive Ingredients Ingredient Name Strength

cetyl alcohol (UNII: 936JST6JCN) cetyl palmitate (UNII: 5ZA2S6B08X) isopropyl myristate (UNII: ORE8K4LNJS) polysorbate 60 (UNII: CAL22UVI4M)

benzyl alcohol (UNII: LKG8494WBH)

water (UNII: 059QF0KO0R)

sodium hydroxide (UNII: 55X04QC32I) sorbitan monostearate (UNII: NVZ4I0H58X)

stearyl alcohol (UNII: 2KR89I4H1Y)

Product Characteristics

Product Characteristics				
Color	WHITE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				

Packaging Marketing Start Marketing End Item Code Package Description Date **Date** NDC:70000-07/30/2018 1 in 1 CARTON 0338-1 15 g in 1 TUBE; Type 0: Not a Combination

1	Product				
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA077511	07/30/2018			

Labeler - Cardinal Health, 110 dba LEADER (063997360)

Revised: 6/2021 Cardinal Health, 110 dba LEADER