

CETIRIZINE HYDROCHLORIDE- cetirizine tablet
Shopko Stores Operating Co., LLC

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Cetirizine HCl, USP 10 mg

PURPOSE

Antihistamine

USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

Do not use

If you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

Taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**
- store between 20° to 25° C (68° to 77° F)

INACTIVE INGREDIENTS

Corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

QUESTIONS?

Call **1-800-406-7984**

PRINCIPAL DISPLAY PANEL

SHOPKO®

†Compare to the Active Ingredient of Zyrtec®

Original Prescription Strength

Allergy Relief

Cetirizine HCl Tablets, 10 mg

Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Sneezing, Runny Nose, Itchy/Watery Eyes, Itchy Throat or Nose

30 Tablets 10 mg Each

Manufactured by: Ohm Laboratories Inc.

5093681/R0212

SHOPKO

Original Prescription Strength

Allergy Relief

Cetirizine HCl Tablets, 10 mg

Antihistamine

SHOPKO

Compare to the Active Ingredient of Zyrtec®

Original Prescription Strength

Allergy Relief

Cetirizine HCl Tablets, 10 mg

Antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Sneezing, Runny Nose, Itchy/Watery Eyes, Itchy Throat or Nose



30 Tablets 10 mg Each

Antihistamine

Cetirizine HCl Tablets, 10 mg

Original Prescription Strength
Allergy Relief

SHOPKO



Expiration Date:

©2012 Shopko Stores Operating Co., LLC
www.shopko.com



Manufactured by: Ohm Laboratories Inc.
1385 Livingston Avenue
North Brunswick, NJ 08902

Batch No.

Non Varnish Area

R0212

Keep the carton. It contains important information. See end panel for expiration date.
This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of Zyrtec®.
Zyrtec® is a registered trademark of UCB Pharma, S.A.

Drug Facts (continued)
Inactive Ingredients
corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, talc, titanium dioxide

Other Information
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
■ TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.
■ store between 20° to 25° C (68° to 77° F)

Directions
adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours.
A 5 mg product may be appropriate for less severe symptoms.
ask a doctor
adults 65 years and over ask a doctor
children under 6 years of age ask a doctor
consumers with liver or kidney disease ask a doctor

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product
■ avoid alcoholic drinks
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding: ■ If breast-feeding: not recommended ■ If pregnant: ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat

Drug Facts
Active Ingredient (in each tablet)
Cetirizine HCl, USP 10 mg.....Antihistamine
Purpose



CETIRIZINE HYDROCHLORIDE

cetirizine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:370 12-939
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	RECTANGLE (Rounded Off)	Size	9mm
Flavor		Imprint Code	R152
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:370 12-939-14	14 in 1 BLISTER PACK		
2	NDC:370 12-939-30	30 in 1 BOTTLE		
3	NDC:370 12-939-05	75 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077498	12/27/2007	

Labeler - Shopko Stores Operating Co., LLC (023252638)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(37012-939)

Revised: 2/2013

Shopko Stores Operating Co., LLC