

ALUMIER MD SHEER HYDRATION TINTED MOISTURIZING SUNSCREEN- titanium dioxide, zinc oxide lotion
Alumier Labs

Alumier MD Sheer Hydration Tinted Moisturizing Sunscreen

Product Facts

Active Ingredients

Titanium Dioxide 7%

Zinc Oxide 6.28%

Purpose

Sunscreen

Use

- helps prevent sunburn

Warnings

- **For external use only.**

Do not use

- on broken or damaged skin

When using this product

- avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, call a Poison Control Centre or get medical help right away.

Directions

- apply liberally/generously (and evenly) 15 minutes before sun exposure
- reapply at least every 2 hours
- adults 18 years and older
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved

shirts, pants, hats and sunglasses

- use a water resistant sunscreen if swimming or sweating

Other Information

- Store in a cool, dry place at room temperature.
- Do not use if security seal on box is broken or missing.
- You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 945 Concord Street, Framingham, MA 01701

Non-medicinal ingredients

Water/Aqua/Eau, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Propanediol, Glycerin, Butyloctyl Salicylate, Squalane, Cetearyl Alcohol, Aluminium Stearate, Glyceryl Stearate, Peg-100 Stearate, Lecithin, Vitis Vinifera (Grape) Seed Extract, Resveratrol, Glutathione, Tocopheryl Acetate, Magnesium Ascorbyl Phosphate, Acacia Senegal Gum, Sodium Hyaluronate, Polyhydroxystearic Acid, Cetareth-20, Alumina, Microcrystalline Cellulose, Triethoxycaprylylsilane, Physalis Angulata Extract, Pongamia Pinnata Seed Extract, Polygonum Aviculare Extract, Hydrogenated Olive Oil Unsaponifiables, Alteromonas Ferment Extract, Pentylene Glycol, 1,2-hexanediol, Polymethyl Methacrylate, Caprylyl Glycol, Xylitol, Caprylic Acid, Butylene Glycol, Cellulose Gum, Xanthan Gum, Tricaprylin, Sodium Benzoate, Potassium Sorbate, Disodium EDTA, Sodium Polyacrylate, Tocopherol, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Ethylhexylglycerin.

Product Packaging - 60 mL



Alumier^{MD}

ALUMIER EUROPE LTD.
VISION EXCHANGE BUILDING
TERRITORIALS STREET
ZONE 1, CENTRAL BUSINESS DISTRICT
BIRKIRKARA CBD 1070, MALTA

WWW.ALUMIERMD.COM

DISTRIBUTED IN CANADA BY
DISTRIBUÉ AU CANADA PAR:
ALUMIER LABS, INC.,
436 LIMESTONE CRESCENT,
TORONTO, ON, M3J 2S4

DISTRIBUTED IN THE USA BY
DISTRIBUÉ AUX ÉTATS-UNIS PAR:
ALUMIER LABS, INC.,
945 CONCORD STREET,
FRAMINGHAM, MA 01701

MANUFACTURED IN CANADA UNDER
LICENSE FROM ALUMIER EUROPE LTD.

FABRIQUÉ AU CANADA SOUS LICENCE
OCTROYÉE PAR ALUMIER EUROPE LTD.

Product Facts	
Active Ingredients	Purpose
Titanium Dioxide 7%	Sunscreen
Zinc Oxide 6.28%	Sunscreen
Use ■ helps prevent sunburn	
Warnings	
■ For external use only	
Do not use ■ on broken or damaged skin	
When using this product ■ avoid contact with eyes. If contact occurs, rinse thoroughly with water.	
Stop use and ask doctor if ■ rash occurs	
Keep out of reach of children. If swallowed, call a Poison Control Centre or get medical help right away.	
Directions ■ apply liberally/generously (and evenly) 15 minutes before sun exposure ■ reapply at least every 2 hours ■ adults 18 years and older	
■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m. - 2 p.m., - wear long-sleeved shirts, pants, hats and sunglasses ■ use a water resistant sunscreen if swimming or sweating	
Other Information	
■ Store in a cool, dry place at room temperature.	
■ Do not use if security seal on box is broken or missing.	
■ You may report a serious adverse reaction event from using this product to: Alumier Labs Inc., 945 Concord Street, Framingham, MA 01701.	
Non-medicinal ingredients/Ingrédients non médicinaux : Water/Aqua/Eau, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Propanediol, Glycerin, Butyl Octyl Salicylate, Squalane, Cetearyl Alcohol, Aluminum Stearate, Glyceryl Stearate, Peg-100 Stearate, Lecithin, Vitis Vinifera (Grape) Seed Extract, Resveratrol, Glutathione, Tocopheryl Acetate, Magnesium Ascorbyl Phosphate, Acacia Senegal Gum, Sodium Hyaluronate, Polyhydroxystyrene Acid, Ceteareth-20, Alumina, Microcrystalline Cellulose, Triethoxycaprylylsilane, Physalis Angulata Extract, Pongamia Pinnata Seed Extract, Polygonum Aviculare Extract, Hydrogenated Olive Oil Unsaponifiables, Alarmonax Farnesin Extract, Pentylene Glycol, 1,2-hexanediol, Polymethyl Methacrylate, Caprylic Glycol, Xylitol, Caprylic Acid, Butylene Glycol, Cellulose Gum, Xanthan Gum, Tricaprylin, Sodium Benzoate, Potassium Sorbate, Disodium EDTA, Sodium Polyacrylate, Tocopherol, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Ethylhexylglycerin.	

NON-IRRITATING

Alumier^{MD}

**Sheer Hydration
Broad Spectrum SPF 40**

**Hydratante
transparente**

SPF 40 à large spectre

TINTED MOISTURIZING
SUNSCREEN LOTION
LOTION SOLAIRE TEINTÉE
HYDRATANTE

VERSATILE TINT
TEINTÉ POLYVALENT

NPN 80065824

60 mL / 2 fl oz e

2001912

Info-produit	
Ingrédients actifs	Utilisation
Dioxyde de titane 7 %	Écran solaire
Oxyde de zinc 6,28 %	Écran solaire
Usage ■ aide à prévenir les coups de soleil	
Mises en garde	
■ Pour usage externe seulement	
Ne pas utiliser ■ sur une peau éraflée	
Lorsque vous utilisez ce produit ■ éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.	
Cessez d'utiliser et demander à un docteur si ■ une éruption cutanée se développe	
Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.	
Mode d'emploi	
■ appliquer abondamment/généreusement (et uniformément) 15 minutes avant l'exposition au soleil ■ appliquer de nouveau au moins toutes les 2 heures ■ adultes de 18 ans et plus	
■ Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS de 15 ou plus, à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que : - limiter le temps passé au soleil, notamment entre 10h - 14h; et - porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil ■ Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration	
Autres Informations	
■ Conserver dans un endroit frais et sec à température ambiante.	
■ Ne pas utiliser si le sceau de sécurité sur la boîte est endommagé ou manquant.	
■ Vous pouvez signaler toute réaction indésirable liée à l'utilisation de ce produit à : Alumier Labs Inc., 945 Concord Street, Framingham, MA 01701.	

NON-IRRITANT

ALUMIER MD SHEER HYDRATION TINTED MOISTURIZING SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69473-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	62.8 mg in 1 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 70 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAPRYLIC ACID (UNII: OBL58JN025)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
HYDROGENATED OLIVE OIL UNSAPONIFIABLES (UNII: B8MIX97W95)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PHYSALIS ANGULATA (UNII: W4TKW9D5GG)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
XYLITOL (UNII: VCQ006KQ1E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM MONOSTEARATE (UNII: P9BC99461E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
WATER (UNII: 059QF0K00R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ACACIA (UNII: 5C5403N26O)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
XANTHAN GUM (UNII: TTV12P4NEE)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLUTATHIONE (UNII: GAN16C9B8O)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
TRICAPRYLIN (UNII: 6P92858988)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
GLYCERIN (UNII: PDC6A3C0OX)	
VITIS VINIFERA SEED (UNII: C34U15ICXA)	
RESVERATROL (UNII: Q369O8926L)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
SQUALANE (UNII: GW89575KF9)	
POLYGONUM AVICULARE WHOLE (UNII: M990N03611)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
TOCOPHEROL (UNII: ROZB2556P8)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

PONGAMIA PINNATA SEED EXTRACT (UNII: C2BRV53B1V)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69473-010-01	1 in 1 CARTON	06/30/2020	
1		60 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69473-010-02	8 mL in 1 TUBE; Type 0: Not a Combination Product	06/30/2020	12/03/2024
3	NDC:69473-010-03	15 mL in 1 TUBE; Type 0: Not a Combination Product	12/03/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/30/2020	

Labeler - Alumier Labs (079603173)

Revised: 12/2024

Alumier Labs