# SEVERE COLD DAYTIME- acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl capsule CVS Pharmacy

-----

# **Drug Facts**

# Active ingredients (in each softgels)

# Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 200 mg

Phenylephrine HCl 5 mg

# **Purposes**

#### Pain reliever/fever reducer

Antihistamine/Cough suppressant

Expectorant

Nasal decongestant

#### Uses

- temporarily relieves these common cold and flu symptoms:
  - headache
  - nasal congestion
  - sore throat
  - couah
  - minor ache and pain
- temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

# Warnings

**Liver warning**: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

- liver disease
- diabetes
- high blood pressure
- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phleam(mucus)

# Ask a doctor or pharmacist before use if you are

are taking the blood thinning drug warfarin

# When using this product

do not use more than directed

# Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse, or lasts more than 7 days
- fever gets worse, or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition,

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause

liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 12 softgels in any 24-hour period
- adults and children 12 years and older: take 2 softgels every 4 hours
- children under 12 years of age: do not use

#### Other information

- store between 15-30°C (59-86°)
- avoid excessive heat
- swallow whole; do not crush, chew, or dissolve

# **Inactive ingredients**

FD&C red 40, FD&C yellow #6, gelatin, glycerin, mannitol\*, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, titanium dioxide

#### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

# **Principal Display Panel**

Compare to active ingredients in Maximum Strength Mucinex® Fast-Max® Severe Cold†

Severe Cold

ACETAMINOPHEN - Pain reliever, Fever reducer

DEXTROMETHORPHAN HBr - Cough Suppressant

GUAIFENESIN - Expectorant

PHENYLEPHRINE HCI - Nasal decongestant

MAXIMUM STRENGTH

#### Multi-Symptom

- Relieves aches, fever & sore throat
- Controls cough
- Relieves nasal & chest congestion
- Thins & loosen mucus

For Ages 12 Years & Older

<sup>\*</sup>may contain this ingredient

#### Alcohol Free

#### **SOFTGELS**

(\*\*Liquid-filled capsules)

\*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® Day Severe Cold.

# TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

# KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

CVS.com

# Package Label



# **SEVERE COLD DAYTIME**

acetaminophen, dextromethorphan hbr, guaifenesin, phenylephrine hcl capsule

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-837

**Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
GELATIN (UNII: 2G86QN327L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6092ICV9RU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	orange	Score	no score	
Shape	CAPSULE	Size	20mm	
Flavor		Imprint Code	341;12A	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69842-837- 16	16 in 1 CARTON	01/30/2019	12/31/2024		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

		Marketing Information				
lication Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	01/30/2019	12/31/2024				
li		Citation Date				

# Labeler - CVS Pharmacy (062312574)

Revised: 10/2023 CVS Pharmacy